

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

We, Mr. Herman D. and/or Fannie J. Price  
(Name of applicant)  
of Route 2, Box 688A, Grants Pass  
(Mailing address)  
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rogue River  
(Name of stream)  
a tributary of \_\_\_\_\_
2. The amount of water which the applicant intends to apply to beneficial use is 0.0375  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)
- \*\*3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located S. 84° 20' W., 86.9 ft. dist.  
(N. or S.) and \_\_\_\_\_ ft. (E. or W.) from the NE.  
corner of Elias T. Wright D.L.C. (cancelled), identical with the NE. cor.  
of Lot 15,  
(Section or subdivision)  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the Lot 7 (Give smallest legal subdivision) of Sec. 21, Tp. 36 S.  
R. 6 W., W. M., in the county of Josephine (N. or S.)  
(E. or W.)

5. The main pipe line (Main ditch, canal or pipe line) to be 500 ft. (Miles or feet)  
in length, terminating in the Lot 15 (Smallest legal subdivision) of Sec. 21, Tp. 36 S.  
R. 6 W. W. M., the proposed location being shown throughout on the accompanying map. (N. or S.)  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
- (b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)
- (c) If water is to be pumped give general description 2 inch, jet type pump  
2 h.p. electric motor direct connected, 22 ft. lift  
(Size and type of pump)  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 500 ..... ft.; size at intake, ..... 2 ..... in.; size at ..... 250 ..... ft. from intake ..... 2 ..... in.; size at place of use ..... 2 ..... in.; difference in elevation between intake and place of use, ..... 6 ..... ft. Is grade uniform? ..... YES ..... Estimated capacity, ..... 0.08 ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
WILLAMETTE MERIDIAN				
T. 36 S.,	R. 6 W.	Sec. 21	Tract located in Lots 7 and 15	2.65 acres
Described as follows:				
Beginning at a point where the South meander line of Rogue River intersects the north and south line drawn through a point 22 1/2 rods West of the NE. corner of Lot 15; thence South 300 ft.; thence East, 22 1/2 rods; thence North to the South meander line of Rogue River; thence westerly along said meander line to the point of beginning.				

(If more space required, attach separate sheet)

(a) Character of soil Very fine sandy loam

(b) Kind of crops raised Ladino clover and rye grass pasture, garden & fruit

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application for Domestic Supply

(a) To supply the city of \_\_\_\_\_  
County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 800
- 12. Construction work will begin on or before March 1, 1952
- 13. Construction work will be completed on or before April 1, 1952
- 14. The water will be completely applied to the proposed use on or before May 1, 1952

*Roman D. Price*  
(Signature of applicant)

*Fannie J. Price*

Remarks: The irrigation of this small tract of land on which we have built our new home is impracticable from the junction box of the Grants Pass Irrigation District located about 1200 ft. southerly from the NE. corner of this property. There is a swale 7 ft. deep between the two aforementioned points. To put water to the NE. corner of the property for gravity irrigation would require at least 500 ft. of flume costing about \$900, or an 8 in. concrete pipe line costing about \$1800.

We already own the pump and pipe line necessary for sprinkler irrigation of this property. Last summer we used this outfit to pump from a well on the property. The well went dry in mid-summer when a new spring broke out under the river bank near the low water level of the river.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

PERMIT

STATE OF OREGON,  
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.033 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rogue River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 26, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March, 1952

*Chas. E. Stricklin*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1953.

Application No. 26741  
Permit No. 20925

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26 day of December, 1951, at 8.00 o'clock A.M.  
Returned to applicant:

Corrected application received:

Approved:

MAR 11 1952

Recorded in book No. 51 of

Permits on page 20925

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. Page

Fees Paid \$1.00