Highway File No. 17976

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

Notes of Oregon	ofJoseph	**Co Right of Way Division, State Highway Dept., Calem, Ore			
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is unnamed. spring. 1. The source of the proposed appropriation is unnamed. spring. 1. The amount of water which the applicant intends to apply to beneficial use is		drees)			
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is innamed. Spring. (House of stream) , a tributary of .8 branch of Courties? Oregon. 2. The amount of water which the applicant intends to apply to beneficial use is .00% which is a bread from the courties of the policies of the courties of the					
1. The source of the proposed appropriation is immamed. Spring. (Hume of stream) (a tributary of & branch of Courties? Creek. 2. The amount of water which the applicant intends to apply to beneficial use is					
2. The amount of water which the applicant intends to apply to beneficial use is 2026 [Coot Coot C	-) upprecame as a corporation, give date and place of incorporation				
2. The amount of water which the applicant intends to apply to beneficial use is 2026 [Coot proper second	1. The source of the pro	oposed appropriation is unnamed spring (Mame of stream)			
(If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Drinking, water for Highway. Kaintenance Station and logging casing. **4. The point of diversion is located 2521 ft. S. and 2006 ft. (R. or M.) Orner of Section 25, Ta is Na, R. 44 Eas M.M. (Resiston or middrates) (If preverable, give distance and bearing to section currer (If there is more than one point of diversion, each must be described. the separate thest if necessary) eing within the !!245W1 of Sec. 25 , Tp. (N. or S.) (the mailten legal subdivision) 5. The pipe line (Main title, canal or pipe line) to be (Miles or feet) (there is no construction in the SE1 NM2 (Resistance and bearing to section currer) (in the second of the secon					
3. The use to which the water is to be applied is Drinking water for Histhias (Interesting, power, maining, manufacturing, domestic supplies, etc.) **Yeintenance Station and logging camps. 4. The point of diversion is located 2591 ft. S. and 1000 ft. ft. from the former of Section 25, Ta. M. Ma., Rs. 44. Ea. M. M. (Rection or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the NEASW One smallest legal mobilization of Sec. 25 , Tp 3 , (X or 5) **Life E. W. M., in the county of Wallowa (Section of Sec. 25 , Tp 3 , (X or 5)) **Life E. W. M., in the county of Wallowa (Section of Sec. 25 , Tp 3 , (X or 5)) **Life E. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Locse rock, concrete, masonry, the material to be pumped give general description selectrically dirivent pages. (b) Description of headgate (Tumber, concrete, etc., number and size of openings)		-			
Eaintenance Station and logging camp. 4. The point of diversion is located 2691 ft. S. and 1000 ft. (E. or W.) **Orner of Section 25, Ta 4 Na, R. 44 Ea W. (Beston or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the NEAST! (The smallest legal subdivision) of Sec. 25 , Tp. (Nors) *Life E. , W. M., in the county of Nallowa (E or W.) 5. The pipe line (Main stee, canal or pipe line) (Ballowa terminating in the SS! NW. (Ballowa terminating shown throughout on the accompanying map. ***Life E W. M., the proposed location being shown throughout on the accompanying map. **DESCRIPTION OF WORKS** 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masoner.) ***A and brush, timber crib. etc., wasteway over or around dam.) (b) Description of headgate (Timber, concrete, etc., number and size of openings)		(at wheat is to be used from more than one source, give quantity from each)			
4. The point of diversion is located 2591 ft. S. and 1000 ft. (K. or W.) orner of Section 25, Ta & Na., R. HA Et., M. M. (K. or W.) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the NEASWA (Covernaliser largel subdivision) Life W. W. M., in the county of Wallowa (Miles or feet) 1 to be 10. feet (Miles or feet) 1 length, terminating in the SEA (Main ditch, canal or pipe line) (Miles or feet) 1 length, terminating in the SEA (Monthest legal subdivision) of Sec. 25. Tp. 4. (N. or S.) Life E. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, che and brush, timber orb, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general descriptionelectrically iniversion pump)					
(If preferable, five distance and bearing to section current) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the NEASWA (No emailiest legal subdivision) 1. 44 E , W. M., in the county of Wallowa 5. The pipe line (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) of Sec. 25 , Tp. 4	<u>Kaintenance</u> Station	and logging camp.			
(If preferable, sive distance and bearing to section corner) (If there is more than one point of diversion, such must be described. Use separate sheet if necessary) eing within the E_0					
(If preferable, sive distance and bearing to section corner) (If there is more than one point of diversion, such must be described. Use separate sheet if necessary) eing within the E_0	orner of Section 25, T.	4 Na R. 44 E. W.M.			
eing within the NELSWL (Ave smallest legal subdivision) of Sec. 25 , Tp. (Nors) Life E. W. M., in the county of Wallowa S. The pipe line (Main ditch, canal or pipe line) (Miles or feet) Length, terminating in the SEL NWL (Smallest legal subdivision) of Sec. 25 , Tp. (Nors) Life E. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonty). Lik and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description .electrically iniversity pages.					
(Rors) (Miles or feet) (Miles or feet) (Miles or feet) (Rors) (Ro		of Sec. 25 Tp. +			
length, terminating in the SEL NW. (Smallest legal subdivision) Sec. 25	- , č	Twe smallest legal subdivision) (N. or S.)			
length, terminating in the SEL NW. (Smallest legal subdivision) Sec. 25	5. Thepipe_line	to be			
DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, massonry) ix and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description relectrically invent pump					
DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, k and brush, timber crib, stc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description relectrically iniverse pump) (Size and type of pump)					
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonty. k and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general descriptionelectrically_driver_page (Size and type of pump)	(E. or W.)	e proposed tocation being snown inroughout on the accompanying map.			
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry. k and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general descriptionelectrically_liver_pump (Size and type of pump)		DESCRIPTION OF WORKS			
feet; material to be used and character of construction (Loose rock, concrete, masonry, k and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general descriptionelectrically_driver_pump- (Size and type of pump)	iversion Works—				
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general descriptionelectrically_driver_pump- (Size and type of pump)	6. (a) Height of dam	feet, length on top feet, length at bottom			
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description electrically driver purp- (Size and type of pump)	feet; materia	to be used and character of construction			
(c) If water is to be pumped give general description electrically driven pump- (Size and type of pump)	***************************************				
(c) If water is to be pumped give general descriptionelectrically driven pump- (Size and type of pump)	(b) Description of head	(Timber, concrete, etc., number and size of openings)			
(Size and type of pump)	(c) If water is to be put	nped give general description electrically driven purp-			
e and type of engine or motor to be used, total head water is to be lifted, etc.)	350 Gal. per Hour.	capacity			
•	· · · · · · · · · · · · · · · · · · ·				

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

^{*}A different form of application is provided where storage works are contemplated.

				feet; width on bottom
thousand feet.	. feet; depth of	water	feet; grade	feet fall per one
. •		miles from	headgate: width on top (at	water line)
				of water feet;
•	feet fa			,, , ,
				in.; size at ft.
				.; difference in elevation between
				Estimated capacity,
•••••••••••••••••••••••••••••••••••••••		,	a so grown annyon mr.	Estinated capacity,
	•			
Township	Range E. or W. of Willemotte Moridian	Section	Porty-acre Tract	d. above
4 North	44 East	25	crel and	
	- au Das		SE! NW!	
-				
	-		·	
		(14		
(a) Chara	cter of soil.		ice required, attach separate sheet)	
	of crops raised	•		
Power or Mining	· -	·		
	tal amount of po	ower to be d	eveloped	theoretical horsepower.
	antity of water			sec. ft.
	tal fall to be uti			•
			(Heid) ans of which the power is to	
		sorns og me	and of writer the power is to	oe deceloped
(e) Su	ch works to be l	nastadi	enter en la companya de la companya	
			(Legal subdivision)	of Sec.
	, R(No. 1			
	•		stream?(Yes or No)	
(g) If			point of return	
• • • • • • • • • • • • • • • • • • • •		, Sec	, Tp	(No. I or W.)
(h) Th	e use to which p	ower is to be	e applied is	
			······································	
(i) Th	e nature of the	mines to be s	erved	•

A. (a) To supply the city of Not. applicable	
County, having a present populati	on of
and an astimated population ofin 19	
(b) If for domestic use state number of families t	
(Assess quading II, II, II, and II is	
•	•
11. Retimated cost of proposed works, \$	······
12. Construction work will begin on or before	
13. Construction work will be completed on or before	Completed Dec. 1, 1951
14. The water will be completely applied to the proposed	d use on or beforeDec. 1, 1951
$\mathcal{L}_{\mathcal{L}}}}}}}}}}$	
(_ <i>)</i> t	(Mgnature of applicant)
ዓጥል ጥ ው	HIGHWAY COMMISSION
	PA STOR
Remarks: By As	st. Right of Way Engineer
	···
	· · · · · · · · · · · · · · · · · · ·
	······································
	······································
	· · · · · · · · · · · · · · · · · · ·
	······································
	······································
	entre de la companya
·	
	· · · · · · · · · · · · · · · · · · ·
	e en
	······································
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the foregoing ap	oplication, together with the accompanying
maps and data, and return the same for	
In order to retain its priority, this application must be	
tions on or before	
WITNESS my hand this day of	

ly of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

	is limited to the amount of water which can be applied to beneficial use cubic feet per second measured at the point of diversion from the
	of rotation with other water users, from an unnamed spring
	•
	er is to be applied is Drinking water for highway maintenance
station and logging camp.	· · · · · · · · · · · · · · · · · · ·
	opriation shall be limited to of one cubic foot per
	-
•	
and shall be subject to such reas	onable rotation system as may be ordered by the proper state officer.
	conable rotation system as may be ordered by the proper state officer. ermit isJanuary 11, 1952
The priority date of this p	ermit is January 11, 1952
The priority date of this p	ermit is January 11, 1952
The priority date of this p Actual construction work thereafter be prosecuted with re	ermit is January 11, 1952 shall begin on or before March 31, 1953 and shall
The priority date of this p Actual construction work thereafter be prosecuted with re October 1, 1954	shall begin on or before March 31, 1953 and shall easonable diligence and be completed on or before
The priority date of this p Actual construction work thereafter be prosecuted with re October 1, 1951 Complete application of the	shall begin on or before March 31, 1953 and shall easonable diligence and be completed on or before
The priority date of this p Actual construction work thereafter be prosecuted with re October 1, 1954 Complete application of the contraction of	shall begin on or before March 31, 1953 and shall easonable diligence and be completed on or before he water to the proposed use shall be made on or before
The priority date of this p Actual construction work thereafter be prosecuted with re October 1, 1954 Complete application of the contraction of	shall begin on or before March 31, 1953 and shall easonable diligence and be completed on or before he water to the proposed use shall be made on or before
The priority date of this p Actual construction work thereafter be prosecuted with re October 1, 1954 Complete application of the complete of the complete application of the complete of the	shall begin on or before March 31, 1953 and shall easonable diligence and be completed on or before he water to the proposed use shall be made on or before
The priority date of this p Actual construction work thereafter be prosecuted with re October 1, 1954 Complete application of the complete of the complete application of the complete of the	shall begin on or before March 31, 1953 and shall easonable diligence and be completed on or before the water to the proposed use shall be made on or before 31st day of March 1953 STATE ENGINEER
The priority date of this p Actual construction work thereafter be prosecuted with re October 1, 1954 Complete application of the complete of the complete application of the complete of the	shall begin on or before March 31, 1953 and shall easonable diligence and be completed on or before the water to the proposed use shall be made on or before 31st day of March 1953 STATE ENGINEER
The priority date of this p Actual construction work thereafter be prosecuted with re October 1, 1954 Complete application of the complete ap	shall begin on or before March 31, 1953 and shall easonable diligence and be completed on or before the water to the proposed use shall be made on or before 31st day of March 1953 STATE ENGINEER
The priority date of this p Actual construction work thereafter be prosecuted with re October 1, 1954 Complete application of the complete ap	shall begin on or before March 31, 1953 and shall easonable diligence and be completed on or before the water to the proposed use shall be made on or before 31st day of March 1953 STATE ENGINEER

Application No Permit No.

TO APPROPRIAT WATERS OF OF OF PER

Division No.

This instrument was first

office of the State Engineer a

1952, at 1,50 o'clock Returned to applicant:

Corrected application received

Approved:

Recorded in book No FAR 3 1 15.2

CKAS. E. STRIOKI Permits on page

Drainage Basin No.

Fees Paid