

Special

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Lyle H. Cobb of 8407 SW Birchwood Road Portland 1, Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream sometimes called Golf Cr. a tributary of Beaverton Cr.

2. The amount of water which the applicant intends to apply to beneficial use is 0.038 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 653 ft. N and 390 ft. W from the corner of sections 11, 12, 13 and 14

being within the SE 1/4 SE 1/4 of Sec. 11, Tp. 1 S R. 1 W, W. M., in the county of Washington

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none required feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Jacuzzi Cent Pump 2" suct 1 1/2" disch 1 1/2 HP GE electric motor direct connected unit. 60 cycle single phase 3425 rpm 3' suction lift - 15' discharge lift.

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

20942

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... ft.; size at intake, ... in.; size at ... ft. from intake ... in.; size at place of use ... in.; difference in elevation between intake and place of use, ... ft. Is grade uniform? ... Estimated capacity, ... sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Handwritten entries include '15', '1W', '11', 'SE 1/4 SE 1/4', and '30'. A note specifies 'being lots 3, 4, 9 and 10, Block 2 Multnomah Country Club Add'n Washington County'.

(If more space required, attach separate sheet)

(a) Character of soil ... clay loam

(b) Kind of crops raised ... pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed ... theoretical horsepower.

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized ... feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec.

Tp. ... R. ... W. M.

(f) Is water to be returned to any stream? ... (Yes or No)

(g) If so, name stream and locate point of return

... Sec. ... Tp. ... R. ... W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Water or Domestic Supply

10. (a) To supply the city of .....  
..... County, having a present population of .....  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500<sup>00</sup> .....
- 12. Construction work will begin on or before already completed and in use .....
- 13. Construction work will be completed on or before .....
- 14. The water will be completely applied to the proposed use on or before already complete .....

*Lyle H Cobb*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19 .....

WITNESS my hand this ..... day of ....., 19 .....

STATE ENGINEER

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.038 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed stream Sometimes called Golf Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 21, 1952

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 19 52

*Chas. E. Stricklin*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26716  
Permit No. 40742

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of January 1952, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

MAR 31 1952

Recorded in book No. 51 of

Permits on page 20942

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. Page

Fees Paid