

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Albert Kemper, Box #52, Route #1, Cornelius, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Dairy Creek, a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.617 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The point of diversion is located ... ft. and ... ft. from the corner of ...

N71°35'W 1056.3 feet from the southwest corner of the Ben. Cornelius Jr. D.L.C. #42, T1N, R3W, W.M.

being within the SW 1/4 SW 1/4 of Sec. 9, Tp. 1N, R. 3W, W. M., in the county of Washington

5. The pipeline to be 720 FT. in length, terminating in the NW 1/4 SW 1/4 of Sec. 9, Tp. 1N, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description H. B. MYERS PUMP CENTRIFUGAL 1/2" x 2" POWERED BY 8.65 H.P. GAS. ENGINE. LIFT 15 FT.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

20944

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1340 ft.; size at intake, 4" in.; size at 1220 ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? Yes Estimated capacity, 0.617 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1N	3W	8	SE $\frac{1}{4}$ SE $\frac{1}{4}$	2.5
1N	3W	8	NE $\frac{1}{4}$ SE $\frac{1}{4}$	2.4
1N	3W	9	SW $\frac{1}{4}$ SW $\frac{1}{4}$	17.5
1N	3W	9	NW $\frac{1}{4}$ SW $\frac{1}{4}$	22.5
1N	3W	9	SW $\frac{1}{4}$ NW $\frac{1}{4}$	0.5
			Total	<u>49.5</u>

(If more space required, attach separate sheet)

(a) Character of soil CLAY LOAM

(b) Kind of crops raised PASTURE & CANNERY CROPS

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1500⁰⁰
- 12. Construction work will begin on or before JAN. 31, 1952
- 13. Construction work will be completed on or before JAN. 31, 1952
- 14. The water will be completely applied to the proposed use on or before AUGUST 1, 1953

Adelbert [Signature]
(Signature of applicant)

Remarks:

Property Description (vol.114, p.152, Washington County, Oregon, Deed Records) Being part of the D.L.C. of Richard Arthur and wife in Sections 8, 9, 16, and 17 in T1N, R3W, W.M., and described as follows: Beginning at the northeast corner of the D.L.C. of said Richard Arthur and wife and running thence south on the east line of said claim 23.24 chains to the center of Dairy Creek; thence down said creek with its meanderings to the east line of said claim; thence south on the east line of said claim 4.74 chains to the center of aforesaid creek; thence down said stream to the center of the bridge across said Dairy Creek; thence N61°45'W along the center of the county road 12.79 chains to a stake in said road; thence North 21.36 chains to a stake in the north line of said claim; thence N57°30'E 22.36 chains to the place of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .617 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Dairy Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 24, 1952

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before

October 1, 1955

WITNESS my hand this 31st day of March 19 52

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 20310
Permit No. 2912

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of January 1952, at 1:42 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

MAR 31 1952
Recorded in book No. 51 of

Permits on page 2441

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. Page

Fees Paid \$