

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, John Leppesen (Name of applicant)
of Jewell (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.

Not a corporation

1. The source of the proposed appropriation is Nehalem River (Name of stream)
a tributary of Not a tributary

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 75 (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 240 ft. N and 660 ft. W from the
corner of Common Corner to Sections 21, 22, 27 & 28
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 3 (SE 1/4 of the SE 1/4) of Sec. 21, Tp. 5N
(Give smallest legal subdivision) (N. or S.)

R. 7W, W. M., in the county of Clatsop
(E. or W.)

5. The PIPE (Main ditch, canal or pipe line) to be 2340'
in length, terminating in the NE 1/4 of Sec. 28, Tp. 5N
(Smallest legal subdivision) (Miles or feet) (N. or S.)
R. 7W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 350 G.P.M. Centrifugal
Pump 20 horse power - 30 - electric motor
(Describe and type of engine or motor to be used, total head water is to be lifted, etc.)
Total Head - 130'

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ²³⁴⁰~~2340~~ ft.; size at intake, 6" in.; size at ²³⁴⁰~~1600~~ ft. from intake ~~5~~ 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? Yes Estimated capacity, .75 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Partly-acre Tract	Number Acres To Be Irrigated
5N	7W	21	LOT 3 (SE 1/4, SE 1/4)	7.4
5N	7W	25	LOT 1 (NE 1/4, NE 1/4)	21.4 36.5
5N	7W	28	SE 1/4 NE 1/4	25.9

(If more space required, attach separate sheet)

(a) Character of soil Klaskanine silt loam

(b) Kind of crops raised Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

John Jeppesen and Eva Myrtle Jeppesen

N E 1/4 of S E 1/4, containing 40 acres

N 1/2 of N W 1/4 of S E 1/4, containing 20 acres

N 1/2 of S 1/2 of N W 1/4 of S E 1/4, Containing 10 acres

All in Sec. 21, T 5 N, R 7 W, W M; Total 70 acres Lot 3, except road, in Sec. 21 T 5 N, R 7 W, W M, containing 7.45 acres;

Lot 1, except road and 1 acre tract, in Sec. 28, T 5 N, R 7 W, W M. containing 35.54 acres; S E 1/4 of N E 1/4, except there-from parcels hereto-fore sold, in Sec. 28, T 5 N, R 7 W, W M containing 36.32 acres, more or less;

N E 1/4 of the S E 1/4, except there-from parcels hereto-fore sold, in Sec. 28, T 5 N, R 7 W, W M, containing 20 acres more or less.

Which said property is more part desc as follows, to wit:

PARCEL NO. 1: The N E 1/4 of the S E 1/4, the N 1/2 of the N W 1/4 of the S E 1/4, The N 1/2 of the S 1/2 of the N W 1/4 of the S E 1/4 and lot 3 Sec. 21, T 5 N, R 7 W, W M.

PARCEL NO. 2: Lot 1, th-S E 1/4 of the N E 1/4 and the N E 1/4 of the S E 1/4 Sec. 28, T 5 N, R 7 W, W M, in the C of C & S of O;

Excepting there-from the following:

(a) That cert tr conv to opal 1 Twidle by deed rec d in bk 194 pg 128 d rec. More fully described as follows:

From the Sec cor common to Sec 21, 22, 27 & 28, T 5 N, R 7 W, W M, S on sec 1n bet sec 27 & 28 for a distance of 12 ch and 46 links to the point of beginning;

Thence W for a distance of 3 ch and 16 links;

Thence S for a distance of 3 ch and 16 links;

Thence E for a distance of 3 ch and 16 links;

Thence N for a distance of 3 ch and 16 links to the point of beginning, being a part of the N E 1/4 of the N E 1/4 of Sec 28, T 5 N, R 7 W, W M, in the C of C, S of O.

(b) That cert tr conv to CC O by deed recdd in kk 179 pg 699 D rec. More fully described as follows:

Beginning at a 1" iron bar on the W r/w line of County Road Mo 155, wh beg pt is S 35° 00' W. A distance of 73.0 ft. of the N W cor of the prop of School District No. 14;

Thence N 87° 30' W a distance of 400.0 ft to a 1" iron bar;

Thence N 2° 30' E a distance of 200.0 ft.

Thence S 87° 30' E a distance of 393.0 feet to a 1" iron bar;

Thence S 200.0 ft to the point of beginning;

Being all in Sec. 28, T 5 N, R 7 W, W M, and containing 182 acres more or less.

John Jeppesen and Eva Myrtle Jeppesen, (Continued)

(c) That cert tr conv to Anton Konzich and Ira Konzich by deed recdd in bk 193 pg 373 deed rec.

More fully described as follows:

Beginning at a point which is 185' N of the S E corner of the N E 1/4 of Sec. 28, T 5 N, R 7 W, W M.

Running thence W on a line parallel to the S boundary line of said N E 1/4 a distance of 514 ft;

Thence N on a line parallel to the E border line of said N E 1/4, a distance of 255 ft;

Thence E on a line parallel to the S boundary line of said N E 1/4 a distance of 514 ft to the E boundary line of said N E 1/4;

Running thence S along said E boundary line a distance of 255 ft to the point of beginning containing 3 acres, more or less.

(d) That cert tr conv to Earl Eugene Curington and Letha Fern Curington by deed recdd in bk 151 pg 418 deed rec.

More fully described as follows:

Beginning at a point which is 185 ft N of the S E corner of the N E 1/4 of Sec. 28, T 5 N, R 7 W, W M;

Running thence W on a line parallel with said sec line, 514 ft;

Thence S on a line parallel with the E line of said Sec, 830 ft; to the Northerly line of the County Road from Jewell to Elsie;

Thence Northeasterly on the Northerly line of said County Road to a point 514 ft S of the point of beginning; thence N on the Sec line, 514 ft to point of beginning, all in Sec. 28, T 5 N, R 7 W, W M containing 3.22 acres more or less.

(e) That Cert tr conv to Oscar Bergstrom & Ethel Bergstrom by deed recdd in bk 147 pg 249 deed rec.

More fully described as follows:

Beginning at a point 400 ft S of the S E corner of the N E 1/4 of Sec. 28, T 5 N, R 7 W, W M;

Thence S 920 ft;

Thence W 1111 ft;

Thence N 200 ft to the S boundary line of County Road;

Thence N E along the S boundary line of the County Road 1292 ft to the point of beginning; All in Sec. 28, T 5 N, R 7 W, W M, containing 15 acres more or less.

That cert tr conv to Frank Nellis by deed recdd in bk 145 pg 647 deed rec.

More fully described as follows:

Beginning at the S W corner of the N E 1/4 of the S E 1/4 of Sec. 28, T 5 N, R 7 W, of the W M, run

Thence E along the S boundary line of said N E 1/4 of said S E 1/4 a distance of 209 ft; run thence N on a line parallel with the W boundary line of said N E 1/4 of said S E 1/4 a distance of 249 ft, run

Thence W on a line parallel with the said S boundary line of said N E 1/4 of said S E 1/4 a distance of 209 ft to the W boundary line of said N E 1/4 of said S E 1/4 & run

Thence S along said W boundary line to the point of beginning, containing 1 acre, more or less, excepting therefrom the County Road running Easterly & Westerly across said property.

Wholesale or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____.

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 5,000
12. Construction work will begin on or before August 1951
13. Construction work will be completed on or before June 1952
14. The water will be completely applied to the proposed use on or before June 1952

John Jeppesen
(Signature)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____.

WITNESS my hand this _____ day of _____, 19 _____.

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.75 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Nehalem River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.75 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 24, 1952

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 1952

Charles E. Shucklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26311	<p>PERMIT</p> <p>TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON</p>	Division No. 1	District No. 1
Permit No. 2715			
<p>This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24 day of January 1952 at 8:00 o'clock A. M.</p>			
Returned to applicant:			
Corrected application received:			
Approved:			
<p>Recorded in book No. 51 of 20945</p>			
<p>Permits on page 1</p>			
<p>Drainage Basin No. 1 Page 1</p>			
<p>Fees Paid \$2.00</p>			