

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, L. E. Dick, of Box 460 Rt. 1 Salem State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is an unnamed slough (see Remarks), a tributary of Willamette River.
2. The amount of water which the applicant intends to apply to beneficial use is 0.81 cubic feet per second.
**3. The use to which the water is to be applied is Irrigation.
4. The point of diversion is located 1075 ft. S and 900 ft. W from the SE corner of the north half of the B.F. McLench DLC. No. 47

being within the SE 1/4 SE 1/4 of Sec. 17 Tp. 6 S R. 3 W, W. M., in the county of Polk.
5. The Pipe line to be 1050 in length, terminating in the of Sec. 17 Tp. 6 S R. 3 W W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

- 6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction.
(b) Description of headgate.
(c) If water is to be pumped give general description 2" cent pump 22 HP gasoline motor 21 - 8 gpm sprinklers

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

4-13-14

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1950 ft.; size at intake, 4 in.; size at 1050 ft. from intake 2 in.; size at place of use 2 in.; difference in elevation between intake and place of use, ft. Is grade uniform? Yes Estimated capacity, 168 g.p.m. sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>65</u>	<u>3W</u>	<u>17</u>	<u>NE 1/4 SW 1/4</u>	<u>3.6</u>
			<u>SE 1/4 SW 1/4</u>	<u>1.4</u>
			<u>NE 1/4 SE 1/4</u>	<u>9.8</u>
			<u>NW 1/4 SE 1/4</u>	<u>17.0</u>
			<u>SW 1/4 SE 1/4</u>	<u>19.5</u>
			<u>SE 1/4 SE 1/4</u>	<u>10.7</u>

beginning at the southeast corner of the north half of the McLench Donation Land Claim, Notification No. 238, Cl. in No. 47 in Township 6 South of Range 3 West of the Willamette Meridian in Clatsop County, State of Oregon; thence West forty chains and thirty-five links to the center of the county road; thence South thirty chains and east, twenty-four chains and thirty-three links along the center of said county road; thence south seven degrees east three chains and forty-four links along the center of said county road; thence east thirty-four chains and fifty-seven links to the east boundary of said claim No. 47; thence North twenty-seven ~~1111~~ chains and thirty-three links along the east boundary of said claim No. 47 to the place of beginning and containing 101.37 acres of land, more or less.

(a) Character of soil Amity Clay
 (b) Kind of crops raised CORN

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec

Tp. R. W. M.

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2400.00
- 12. Construction work will begin on or before 1 year from approval date
- 13. Construction work will be completed on or before 2 yrs " "
- 14. The water will be completely applied to the proposed use on or before 3 yrs. from approval date

L. E. Orik
(Signature of applicant)

Remarks: USGS McMinville Quadrangle indicates that unnamed slough specified under item 1 probably contains back water from the Willamette River.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____ 19 _____

WITNESS my hand this _____ day of _____ 19 _____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.775 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed slough

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 26, 1951

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 1952

Charles E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 25756

Permit No. 20976

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 26th day of March 1951, at 10:45 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of

Permits on page 20976

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 44 Page 76 A

Fees Paid \$17.80