

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Charles P. Boucha of Mehama State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed spring, a tributary of North Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

3. The use to which the water is to be applied is domestic, including the irrigation of not to exceed 1/2 ac.

4. The point of diversion is located 5.36° 25' W. 1880 feet from the NE corner of section 12, T. 9 S., R. 1 E., W. M.

(If preferable, give distance and bearing to section corner) being within the of Sec. 12, Tp. 7 S., R. 1 E., W. M., in the county of Marion

5. The to be in length, terminating in the of Sec. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Boxed in with concrete

(b) Description of headgate

(c) If water is to be pumped give general description gravity flow

\*A different form of application is provided where storage works are contemplated \*\*Application for permits to appropriate water for the generation of electricity, with the exception of Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 1000 ..... ft.; size at intake, ..... 1 1/2 ..... in.; size at ..... 800 ..... ft. from intake ..... in.; size at place of use ..... 3/4 ..... in.; difference in elevation between intake and place of use, ..... 50 ..... ft. Is grade uniform? ..... yes ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
9S.	WILLAMETTE MERIDIAN 1E	12	SE 1/4 NE 1/4	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... (Head) ..... feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... (Legal subdivision) ..... of Sec. ....

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

to supply the city of \_\_\_\_\_ County, having a present population of \_\_\_\_\_ and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$700.00

12. Construction work will begin on or before \_\_\_\_\_

13. Construction work will be completed on or before All is ready for use

14. The water will be completely applied to the proposed use on or before 3 yrs. after approval.

Charles J. Poore  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is domestic, including the irrigation of not to exceed one-half acre lawn and garden

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 1, 1951

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 19 52

Charles E. Strickland STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 25928

Permit No. 20986

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of June 19 52, at 4:15 o'clock P. M. Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of

Permits on page 20986

CHAS. E. STRICKLAND STATE ENGINEER

Drainage Basin No. 2 Page 50F

Fees Paid \$ 20.00