

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

of Markus and Salome Lind
Rt. 6 Box 620

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Kings Creek
(Name of stream)

, a tributary of Kings River

2. The amount of water which the applicant intends to apply to beneficial use is 1,000
cubic feet per second.

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 20.0 ft. N. and 17.6 ft. W. from the SE 1/4
corner of section 8
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE 1/4 NE 1/4 of Sec. 8 Tp. 1
(Give smallest legal subdivision)

R. W.M. in the county of Tooele
(E. or W.)

5. The main ditch to be
(Main ditch, canal or pipe line)
in length, terminating in the W.M. of Sec. 8 Tp. 1
(Smallest legal subdivision)

R. W.M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 1/2 feet, length on top 100 feet; material to be used and character of construction

rock and brush, timber crib, etc., wastewater over or around dam

(b) Description of headgate

Timber, concrete, etc. number and size of opening

(c) If water is to be pumped give general description

1 ft. 100 ft. long 100 ft. deep
Size and type of engine to be used, total head of water

6 ft. 4 ft. wide 2 ft. deep

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity, with the exception of hydroelectric power, is made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with a circular entitled "How to Apply for Water Rights," from the State Engineer, Portland, Oregon.

20889

Character of Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, starting from headgate.
- At headgate: width on top (at water line) feet; depth of water feet; grade feet fall per one thousand feet.
- (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.
- (c) Length of pipe, ft.; size at intake, in.; size at place of use in.; diff. in size between intake and place of use, ft. Is grade uniform? sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract
6 S	3 W	8	NE ^{1/4} NE ^{1/4} SE ^{1/4} NE ^{1/4}
			E. S.

Beginning at a cross marked at the center of the cement culvert under the boundary line of the State Highway known as the Salem-Benton, the point being 51 rods, 11 feet 6 inches Northerly from the corner of the said highway, being from the Southeast corner of the dominant Southeast corner being designated by a rock marked with a cross, which crosses the South boundary line of the George J. Ley and wife, Notification No. 470, Claim No. 58 in Township 6 South, Range 3 West, Meridian, in Polk County, Oregon, from this beginning point run North 20° West 50 rods 5 feet 10 inches to the Culp Southwest corner, then 9 feet and 11 inches to the West line of said Highway 50 rods 6 feet 8 inches to the West line of said Highway 50 rods 6 feet 8 inches to the corner containing 5.69 acres, more or less.

_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

(If more space required, attach extra sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes

9. (a) Total amount of power to be developed

(b) Quantity of water to be used for power

(c) Total fall to be utilized

(d) The nature of the works by means of which power is developed

(e) Such works to be located in

To R S. E. W. M.

(f) If water to be returned to any stream

(g) If so, rates charged and location of return

(h) Protection of banks and banks to be applied

(i) Name of engineer and firm engaged

20989

Constituted population of
in 19.....
The total number of families to be supplied

11. Estimated cost of proposed works, £ 500.00
 12. Construction work will begin on or before 1 year from approval date
 13. Construction work will be completed on or before 2 yrs. "
 14. The water will be completely applied to the proposed use on or before 5 years "

APPROVAL

Marcus Lind Salomonsson
(Signature of applicant)

by Marcelline Lind

Remarks:

STATE OF OREGON.

This is to certify that I have examined the foregoing application for a license to construct a bridge, maps and data, and return the same for ...

In order to retain its priority, this application must be examined by the Patent Office no later than 12 months from the filing date.

PERMIT

卷之三

— 1 —

I now certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from King Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one acre of land per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the irrigation season of each year,

- and shall be subject to such reasonable rotation system as may be ordered by the Commissioner.

The priority date of this permit is July 3, 1951

Actual construction work shall begin on or before ... June 30, 1953
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1954.

Complete application of the water to the proposed use shall be made by [REDACTED]

October 1, 1955

WITNESS my hand this 30th day of June 19--

• 10 •

Permits for power development are subject to the payment of annual fees as prescribed in section 10.

Application No. 2017

Permit No. 2423

PREDICTION

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

District No.

This instrument was first received in the

Office of the State Engineer at Salem, Oregon,
on the 20 day of July
1900 at 100 o'clock a.m. P.M.
Presented to applicant:

of time and application received.