

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Claude Hudspeth of East 1st St., Prineville, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Johnson Creek and Johnson Creek Reservoir, a tributary of Ochoco Creek Trib. to Crooked River

2. The amount of water which the applicant intends to apply to beneficial use is 5.3825 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 4076.2 ft. N and 3019.8 ft. E from the SW corner of NWNW 1/4 Sec. 25, T14S, R16E

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.) being within the SWNE 1/4 of Sec. 24 T14S R16E R. 16E W. M., in the county of Crook. 5. The North Ditch to be 9250' and South Ditch to be 9850' in length, terminating in the (N)-NWNE 1/4 (S)-SENE 1/4 of Sec. 26 of Sec. 25 T14S R16E R. 16E W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works— Johnson Creek Dam

6. (a) Height of dam 44 feet, length on top 887.9 feet, length at bottom 894 feet; material to be used and character of construction Rolled-earth fill with waste way around dam

(b) Description of headgate Headgate - Calco Model 108-18" Headgate with 12" Galv. Iron pipe outlet encased in concrete

(c) If water is to be pumped give general description

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



County having a present population of \_\_\_\_\_  
 and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(19) If the applicant use state number of families to be supplied \_\_\_\_\_  
 (Article 10, Section 11, 12, 13, and 14 of said code)

- 11. Estimated cost of proposed works, \$ \_\_\_\_\_
- 12. Construction work will begin on or before Nov. 1914
- 13. Construction work will be completed on or before \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before Immediately after approval

Location of Area to be Irrigated Including Legal Description  
*x Claude Hurdson*

| Twp.                                  | Range | Section | 40 Ac. Tract        | This Application |         |              | Previous Rights |
|---------------------------------------|-------|---------|---------------------|------------------|---------|--------------|-----------------|
|                                       |       |         |                     | Transfer         | Primary | Supplemental |                 |
| 14 S                                  | 16 E  | 24      | SW NE $\frac{1}{4}$ | 0.0              | 0.0     | 0.0          | 11.0            |
|                                       |       |         | SE NE $\frac{1}{4}$ | 0.0              | 0.0     | 0.0          | 5.1             |
| Transfer Above to:<br>All in 14-16-24 |       |         |                     |                  |         |              | 16.1            |
| 14 S                                  | 16 E  | 24      | SE NW $\frac{1}{4}$ | 10.1             | 0.0     | 4.9          | 4.9             |
|                                       |       |         | SW NE $\frac{1}{4}$ | 1.1              | 0.0     | 1.9          | 1.9             |
|                                       |       |         | NW SW $\frac{1}{4}$ | 4.9              | 6.4     | 10.7         | 10.7            |
|                                       |       |         |                     | 16.1             |         |              |                 |
| 14 S                                  | 16 E  | 24      | NE SW $\frac{1}{4}$ | 17.0             | 17.0    | 17.0         | 17.0            |
|                                       |       |         | NW SE $\frac{1}{4}$ | 2.6              | 2.6     | 2.6          | 2.6             |
|                                       |       |         | SE SW $\frac{1}{4}$ | 17.2             | 0.7     | 0.7          | 0.7             |
| 14 S                                  | 16 E  | 25      | SW SW $\frac{1}{4}$ | 8.2              | 8.2     | 26.8         | 26.8            |
|                                       |       |         | NW NW $\frac{1}{4}$ | 0.0              | 0.0     | 10.0         | 10.0            |
|                                       |       |         | NE NW $\frac{1}{4}$ | 10.7             | 10.7    | 20.0         | 20.0            |
|                                       |       |         | SE NW $\frac{1}{4}$ | 0.0              | 0.0     | 5.0          | 5.0             |
|                                       |       |         | SW NW $\frac{1}{4}$ | 0.0              | 0.0     | 10.0         | 10.0            |
|                                       |       |         | NW NE $\frac{1}{4}$ | 13.4             | 13.4    | 13.0         | 13.0            |
|                                       |       |         | NE SE $\frac{1}{4}$ | 9.4              | 0.0     | 0.0          | 0.0             |
|                                       |       |         | NE SW $\frac{1}{4}$ | 0.0              | 20.0    | 20.0         | 20.0            |
|                                       |       |         | SE SW $\frac{1}{4}$ | 0.0              | 15.0    | 15.0         | 15.0            |
| 14 S                                  | 16 E  | 26      | SW SW $\frac{1}{4}$ | 0.0              | 0.0     | 25.0         | 25.0            |
|                                       |       |         | NE SW $\frac{1}{4}$ | 0.0              | 0.0     | 25.0         | 25.0            |
|                                       |       |         | NE NE $\frac{1}{4}$ | 20.2             | 0.0     | 0.0          | 0.0             |
|                                       |       |         | SW NE $\frac{1}{4}$ | 40.0             | 0.0     | 0.0          | 0.0             |
|                                       |       |         | NW NE $\frac{1}{4}$ | 11.0             | 0.0     | 0.0          | 0.0             |

Total 16.1 : 16.1 : 16.1 : 16.1

Grand Total--This Application 430.5 Ac.

The ground from which the transfer is requested is now in the Johnson Creek Reservoir.

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

STATE ENGINEER

PERMIT

STATE OF OREGON,  
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ~~5.3825~~ 5.3825 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Johnson Creek and Johnson Creek reservoir to be constructed under Application No. R25574, Permit No. R- 1303.

The use to which this water is to be applied is irrigation and supplemental irrigation of not to exceed 411.5 acres; primary irrigation from Johnson Creek and reservoir and supplemental irrigation from reservoir only.

If for irrigation, this appropriation shall be limited to ~~1/80~~ 1/40 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R- 1303; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be still further limited to a diversion of not to exceed 5.3825 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is September 17, 1951

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 1952

*Charles E. Shuck*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

Application No. 24452  
Permit No. 21003

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17 day of September 1951 at 5:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1952  
Recorded in book No. 69 of

Permits on page 103

STATE ENGINEER

Drainage Basin No. Page

Fees Paid \$42.00