21008

To Appropriate the Public Waters of the State of Oregon

, Rhac Smith	
of Me Minnwille Ore PR.3_Box 23	7
(Michael address)	
State of, do hereby make application for a pe	
following described public waters of the State of Oregon, SUBJECT TO EXISTIN	G RIGHTS:
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is S. Young	l ette Rever.
2. The amount of water which the applicant intends to apply to beneficial use	
cubic feet per second.	
**3. The use to which the water is to be applied is	from each)
(Irrigation, power, mining, manufact	uring, domestic supplies cur-
4. The point of diversion is located 5.200 ft. The and 300 ft. The and 300 ft. The and 300 ft.	from the S. E.
corner of (Section or subdivision)	33. T. 55, 155V
270 ft. S. & 515 ft. W. from the	5. 14 cor
Sec. 33 T. 5 S. R. 5 W. (If preferable, give distance and bearing to section and section	
(If there is more than one point of diversion, each must be described. Use separate sheet if necession,	
being within the NW 4 NW 4 of Sec. 4	. Tp. 65,
R. 5 W. W. M. in the country of Yambull	(X - 2 %
5. The Pipe line to be 200	no H
in length, terminating in the	-Miles of feet) $T\mathfrak{D}_{i}$
R	N et S
(E. or W.)	and the experience of a security
DESCRIPTION OF WORKS	
Diversion Works—	
6. (a) Height of dam feet, length on top	feet. length at hottom
feet: material to be used and character of construction .	shows took, on the bounds
rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of	opening :
(c) If water is to be pumped give general description 20 H. T.	Electric.
(Size and type of engine and typ	18 (VI 170) (A
Size and type of engine of no to to be dest, total head water of the first or	

^{*}A different form of application is provided where storage works are contemplated

^{**}Application for permits to appropriate water for the generation of electricity with the exception of micropaction of a county to the Hydroelectric Commission Either of the above forms may be secured, without cost together with in the control of the secure of the cost of the cost

-	والمستنح	-	-	Line
			37	The second

	•					
ousend foot	fact; depth of	water	feet; g	<u>rr</u> ade	fee	t fall per on
	***************************************	miles from hea	doate: width or	r top (at water	· line)	
	feet; width on	·	-		-	
	-	••		et, depin of w		jee
4	feet fo	*				
(c) Le	ngth of pipe,	ft.; s	ize at intake,	<u> </u>	in.; size at	. j
om intake .	in	i.; size at place of	use	in.; dif	ference in elevat	tion betwee
take and pl	lace of use,	ft. Is	grade uniform?	?	Estima	ted capacit
••••••	sec. ft.					•
8. Loc	cation of area to be	rirrigated or pla	ce of use			
Township	Range E. er W. ef Willemette Meridian	Section	Forty-scre		Number Acres To	Be Irrigated
6 S.		(40 9) Sm4	K	16	2.7	
•		1 20 1				13
55	5. W.	Sec. 33			**	
				SWA		37
			5W 4	5 W 4		<i>4</i>
nt, his w	est Half of the wife, being Not	ilication No.	2380, and si	ithated in	estion :, .	
nt, his wath of as d contain suitable co	wife, being Not	ication No. the dillamett lec. 33 in s deed the Couth being a cart aim No. 57 an e Willamette	2380, and significant description of the Joseph 62, 1 when the residian, in additionally the residian of the r	ituated in in Yamhill of the weaker on S. Jander (%) Yamhill So	estion , ounty	
nt, his wath of his decontain suitable carrier to the carrier to t	wife being Not anne 5 West of ing 160 acres. The E2 Wind in iron pipe 2513, and on 2513, and on 2513. And of crops raised ining Purposes—	ication No. the dillamett lec. 33 in s deed the Couth peins a sart aim No. 57 an dillamette "BOWTHOSA Pactur	2380, and significant, and township west corner of the Joseph 62, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 1 wmsnip aridian, in a supplementation of the Joseph 162, 2 wmsnip aridian, in a supplementation of the Joseph 162, 2 wmsnip aridian aridi	ituated in in Yamhill of the weaker on S. Jander (%) Yamhill So	Soans Clave	
nt, his wath of its decontain suitable cation of its resident cation	wife being Not ance 5 West of sing 160 acres. The E2 West of the E2 West of the E3 West of the E	ication No. the dillamette lec. 33 in sed led li the South being a part lim No. 57 and liminate limina	2380, and significant, and township west corner of the Joseph 162, 1 which aridian, in south bulk the same aridian ari	ituated in in Yamhill of the ceute on S. Jacker (1), Yashill to the ceute (2), Yashill to the ceute (3), Yashill to the c	Soans Horaco	
nt, his wath of its decontain substitute of its	wife being Not ance 5 West of sing 160 acres. The E2 West of the E2 West of the E3 West of the E	ilication No. the dillamette lec. 33 in sed led lit the Couth leinc a lart lim No. 57 and le Miliamette lim No. 57 and lim No	2380, and significant, and township west corner of the Joseph 162, 1 which aridian, in south bulk the same aridian ari	ituated in in Yamhill of the leuke on S. Jacker (1) Yashill To (1) Yashill To (1) Yashill To (1) Yashill To (1)	Soans Clave	
nt, his wath of his decontain substitution of his substitution of	wife being Not and 5 dest of 160 acres. Also the E2 Wind of the E2 Wind of 170, 110 and of crops raised ining Purposes—) Total amount of water of fall to be up to 150 and 1	i ication No. the dillamett lec. 33 in s deed to the Couth being a part aim No. 57 an lift anotte "Continued Pacture power to be deve to be used for p tilized	2380, and significant, and township west corner of the Joseph 162, i which aridian, in south and the same of the Joseph 162, i which are the Joseph 162, i which are the same of the Joseph 162, i which are the Joseph 162, i whi	ituated in in Yamhill of the leuke on S. lander ins rive (%) Yashill Co. Yashill	Soans the cost of	
nt, his wath of his decontain substitution of a contain substitution o	wife being Not ance 5 West of sing 160 acres. The E2 West of the E2 West of the E3 West of the E	i ication No. the dillamett lec. 33 in s deed to the Couth being a part aim No. 57 an lift anotte "Continued Pacture power to be deve to be used for p tilized	2380, and significant, and township west corner of the Joseph 162, i which aridian, in south and the same of the Joseph 162, i which are the Joseph 162, i which are the same of the Joseph 162, i which are the Joseph 162, i whi	ituated in in Yamhill of the leuke on S. lander ins rive (%) Yashill Co. Yashill	Soans the cost of	
nt, his wath of his decontain substitution of his contain	wife being Not and 5 dest of 160 acres. Also the E2 Wind of the E2 Wind of 170, 110 and of crops raised ining Purposes—) Total amount of water of fall to be up to 150 and 1	i ication No. the dillamett lec. 33 in s deed to the Couth being a part aim No. 57 an lift anotte "Continued Pacture power to be deve to be used for p tilized	2380, and significant, and township west corner of the Joseph 162, i which aridian, in south and the same of the Joseph 162, i which are the Joseph 162, i which are the same of the Joseph 162, i which are the Joseph 162, i whi	ituated in in Yamhill of the leuke on S. lander ins rive (%) Yashill Co. Yashill	Soans the control of.	
nt, his wath of as d contain suitable signification with the same of the same signification with the same signification of the same significant of the same	wife being Not and 5 dest of 160 acres. Also the E2 Wind of the E2 Wind of 170, 110 and of crops raised ining Purposes—) Total amount of water of fall to be up to 150 and 1	ilication No. the dillamett lec. 33 in sed deed the Couth being a part aim No. 57 and ai	2380, and significant, and township west corner of the Joseph 162, i which aridian, in south and the same of the Joseph 162, i which are the Joseph 162, i which are the same of the Joseph 162, i which are the Joseph 162, i whi	ituated in in Yamhill of the sense on S. Jander ins rive (1) Yamhill control Cultury Cultu	Soans the control of.	
nt, his wouth of its d contain suitable	wife being Not ange 5 dest of sing 160 acres. The E2 Wind of the E2 Wind of the E3 and on the E3 the E3 and on the E3 the E3 and of crops raised ining Purposes—) Total amount of the nature of the E3 arch works to be	ilication No. the dillamette lec. 33 in seded let the South leing a part leam No. 57 and lilicantte life No. 57 and life No.	2380, and significant, and township west corner of the Joseph 162, I which in a sidian, in a sid	ituated in in Yamhill of the sense on S. Jander ins rive (1) Yamhill control Cultury Cultu	South and the control of the control	
nt, his wath of his decontain suitable contains a suitable contain	wife being Not ange 5 dest of sing 160 acres. The E2 Wind of the E2 Wind of the E3 and on the E3 the E3 and on the E3 the E3 and of crops raised ining Purposes—) Total amount of the nature of the E3 arch works to be	ilication No. the dillamette lec. 33 in sed deed lit the South being a part lim No. 57 and lift anotte lift in Month Pacture power to be deve er to be used for p dillized e works by means e located in located in N. M. M.	2380, and significant, and township west corner of the Joseph 162, I women aridian, in south bulker with the power (Heid) of which the p	ituated in in Yamhill of the sense on S. Jander ins rive (1) Yamhill control Culty	South and the control of the control	
nt, his would contain suitable contain s	wife being Notence 5 Nest of sing 160 acres. Also the 22 Min of the 2513, and on the 2513, and on the 2513, and on the 2513 a	ilication No. the dillamette lec. 33 in sed deed lt the Couth being a part lim No. 57 and liminate lim	2380, and significant, and township west corner of the Joseph 162, hwnsample of the Joseph 162, hwnsamp	ituated in in Yamhill of the sense on S. Jander ins rive (1) Yamhill control Culty	South and the control of the control	
this water of its id contain suitable of its s	wife being Not enge 5 dest of sing 160 acres. The E2 Him of the E2 Him of the E3 Him o	ilication No. the dillamette lec. 33 in sed deed lt the Couth being a part lim No. 57 and liminate lim	2380, and significant, and township west corner of the Joseph 162, hwnsample of the Joseph 162, hwnsamp	ituated in in Yamhill of the sense on S. Jander ins rive (1) Yamhill control Culty	South and the control of the control	

(i) The nature of the mines to be served

. 19

SANDEN EN THEFT

Remarks: 89° 47! East 1065.80 feet to the center of the anhi liver center of said kiver as follows:— South 36° 01' est 445.27 feet depending 109.62 feet to the South line.of the Danforth Dala. Linence Forth 97° 41' had feet to the Southeast corner of County Survey No. 2100 in the center of he last River; Thence North-5° 51' Meet up the center of said river lab. So this live in 174° 45' East (at 210 feet witness pipe on North ban of the band live in 174° 45' East (at 210 feet witness pipe on North ban of the band live in 174° 45' East (at 210 feet witness pipe on North ban of the band live in 174° 45' East (at 210 feet witness pipe on North ban of the band live in 174° 45' East (at 210 feet witness pipe on North ban of the band live in 174° 45' East (at 210 feet witness pipe on North ban of the band live in 174° 45' East (at 210 feet witness pipe on North ban of the band live in 174° 45' East (at 210 feet witness pipe on North band of the band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet witness pipe on North band live in 174° 45' East (at 210 feet		s) To maply the olty of
11. Estimated cost of proposed works, \$		hap so
11. Estimated cost of proposed works, 1. 1222 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. M. The water will be completely applied to the proposed use on or before Oct. 1. 12. 15. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 16. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 17. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be completely applied to the proposed use on or before Oct. 1. 12. 18. Construction work will be construction or before Oct. 1. 12. 18. Construction work will be co	tel on est	
11. Construction work will be completely applied to the proposed use on or before Oct. / 199 The water will be completely applied to the proposed use on or before Oct. / 199 Remarks: 89° 471 East 1065 80 feet to the canter of the lake is yet; center of said fiver as follows: South 36° 01° est 445.27 feat; detun 19° 41° 190 1309.42 feat to the South line 36 the Danforth Dalwis inence forth 9° 41° 19° 19° 19° 19° 19° 19° 19° 19° 19° 1	ľ	b) If for domestic use state number of families to be supplied
12. Construction work will be completely applied to the proposed use on or before Oct. / 199 **Remarks: 89° 47' East 1065.80 feet to the canter of the last liver; center of said River as follows: South 36° 01' lest 445.27 feet, knundly 145.30,52 feet, to the South Lina.56 the Danforth Dal.65, insince legal of the last River; Thence North 5° 51. lest up the center of said river 125.55 feet to the Southeast corner of County Survey No. 125 on the center of he last River; Thence North 5° 51. lest up the center of said river 125.55 feet to the survey of the last River; Thence North 5° 51. lest up the center of said river 125.55 feet to the city of the last River; Thence North 5° 51. lest up the center of said river 125.55 feet to the city of the last River; Thence North 5° 51. lest up the center of said river 125.55 feet to the city of the last River; Thence North 5° 51. lest up the center of said river 125.55 feet to the city of the last River; Thence South 5° 51. lest River 125.55 feet to the city of the last River 125.55 fe		(Ambiner questions II, M, II, and 16 in all eases)
14. The water will be completely applied to the proposed use on or before Oct. / 199 **Remarks: 89° 47' hast 1065.80 feet to the canter of the last liver; center of said River as follows: South 36° 01' lest 445.27 feet, knowledge of the South Line. 34 the Banforth Dalak, lineare lepto 7' 4' feet to the Southeast corner of County Survey No. 125 on the senser of he last River; Thence North 5° 51. lest up the center of said river 125,50 fact in 174 15' East (at 210 feet witness pipe on North ban of the said river 122,27 acres, more or less. Notification No. 2379, Claim No. 57, being parts of Section 18, 18, 18, 18, 18, 18, 18, 18, 18, 18,	11. 1	etimesed cost of proposed works, \$. 4000 = 5
14. The water will be completely applied to the proposed use on or before Oct. / 199 **Remarks: 89° 47' hast 1065.80 feet to the canter of the last liver; center of said River as follows: South 36° 01' lest 445.27 feet, knowledge of the South Line. 34 the Banforth Dalak, lineare lepto 7' 4' feet to the Southeast corner of County Survey No. 125 on the senser of he last River; Thence North 5° 51. lest up the center of said river 125,50 fact in 174 15' East (at 210 feet witness pipe on North ban of the said river 122,27 acres, more or less. Notification No. 2379, Claim No. 57, being parts of Section 18, 18, 18, 18, 18, 18, 18, 18, 18, 18,	12. C	construction work will begin on or before Spring of 1952
Remarks: 89° 47' East 1065.80 feet to the canter of the antillivery center of said River as follows:—South 36° 01' 'est 445.27 feet; down by 166 309.52 feet to the South line inf. the Danforth D.L.C.; hence Borth 6.° 41' land feet to the Southeast corner of County Survey No. 2100 in the center of the River; Thence Borth 5.° 514. Meet up the center of said river land, for the inference Borth 6.0° 42' lest 4.76.32 feet to the river of inclination in The property of the said feet to the said feet to the river of the feet and feet and feet and feet to the river of the feet and feet in Township Five South of Range Five Vest, and bornfeet and feet in Township Five South of Range Five Vest, and bornfeet and feet in Township Five South of Range Five Vest, and bornfeet and feet in Township Five South of Range Five Vest, and bornfeet and feet in Township Five South of Range Five Vest, and bornfeet and feet in Township Five South of Range Five Vest, and bornfeet and feet in Township Five South of Range Five Vest, and bornfeet and feet in Township Five South 10 Chains; thence south		, , , , , , , , , , , , , , , , , , ,
Remarks: 89° 47' East 1065.80 feet to the center of the and liver as follows:—South 35° 01' est 445.27 feet deutals alog. 62. feet. to the South line. 65 the Danforth D.L.C. lineare born 6.° 4.' lander to the Southeast corner of County Survey No. 2100 in the center of he landiver. Thence North 5° 51' Meet up the center of said river 125.55 fluth line 74° 45' East (at 210 feet witness pipe on North ban of the center of incoming an iron pipe; Thence South 60° 42' feet 4.6.32 feet to the plant of center of landing and from pipe; Thence South 60° 42' feet 4.6.32 feet to the plant of center of landing five best and Claim No. 2. 16. Incoming the South of lange five lest, and Claim No. 2. 16. Incoming the County of Marks, to-wit:— resiming at a point 9 Chains and 5° line alond and 10 lines; thence South 100 Chains; thence are alond the county of hains and 60 links; thence West 12 Chains; thence North 10 Chains and 10 links; thence West 12 Chains; thence North 10 Chains and 10 links; thence West 12 Chains; thence North 10 Chains and 10 links; thence North 70 lines will be said to the light of lands subject to sale at reson att. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together well the accent	и. 1	The water will be completely applied to the proposed use on or before Och / 1953
center of said River as follows:— South 36° Ol' [est 445.27 rest: Round 1: 103.09.52 feet to the South line in in in the han Danforth Dalvid, linemes Borth 7.41' I make the to the Southeast corner of County Survey No. 2100 in the center of the 12 River; Thence North 5° 51! [west up the center of said river 1251.5] fact: Inch. 74° 45' East (at 210 feet witness pipe on North ban of the said inverse an iron pipe; Thence South 90° 42' [west 44.66.32 feet to the river of the river 22.27 acres, more or less. Notification No. 2379, Claim No. 57, being parts of Jection 10. 10. [west received and Follows; to write a regimning at a point 4 Chains and 50 lies and at an a factor of follows; to write a regimning at a point 4 Chains and 50 lies and at an a factor of the center of the received and follows; to write a regimning at a point 4 Chains and 50 lies and 40 links; thence South 160 Chains; thence sout of chains at thence South 9 Chains; thence South 160 Chains; thence sout of chains at the center of chains and 60 links; thence feet following and in the list of lands subject to sale at region of the Paint and following the list of lands subject to sale at region of the list of lands subject to sale at region of the lands of lands; thence South 9 Chains and 50 links; thence South 9 Chains and 50 links and 50 links; thence South 9 Chains and 50 links and 50 links; thence South 9 Chains and 50 links and 50 links and 50 links; thence South 9 Chains and 50 links a		my Phoda C. Smit
center of said River as follows:— South 36° Ol' lest 445.27 rest: Round 12 1030,52 feet to the South line of the Danforth D.A.G.; hence borth 74° 11 feet to the Southeast corner of County Survey No. 2100 in the center of the la River; Thence North 5° 51. West up the center of said river 1251.50 fact: him. 74° 45' East (at 210 feet witness pipe on North ban of the river in the center of less. Notification No. 2379, Claim No. 57, being parts of Sections at the river in Township Five South of Hance Five Mest, and Claim No. 1. Jeing hards for Four and Five in Township Six South of mange Five West, and bounded and fe triffelows; to witter reginning at a point 9 Chains and 50 lines and 16 triffelows; to witter reginning at a point 9 Chains and 50 lines and 16 triffelows; to witter the country of the center of the follows; thence said 13 Chains; thence West following to the center of the hains and 79 links; thence West following the hains and 16 triffelows; the center of the South 15		
in Township Five South of Hance Five Mest, and Claim No. 1. Lein: farth four and Five in Township Six South of mange Five Mest, and bornied and he are follows; to-wit: leginning at a point 9 Chains and 50 lines lent and 7 lines. INSERT) thence East 13 Chains; thence South 100 Chains; thence sent of hains at themory South 9 Chains and 99 links; thence Mest 80 Chains; thence Morth 70 Chains and 90 links; thence Morth 70 Chains are 100 Chains and 11 Chains and 12 Chains; thence Morth 70 Chains are 100 Chains and 11 Chains and 12 Chains and 12 Chains are 100 Chains and 12 Chains and 12 Chains are 100 Chains and 12 Chains are 100 Chains are 100 Chains and 11 Chains are 100 Chains and 11 Chains are 100 Chains; thence South 9 Chains are 100 Chains; thence South 9 Chains are 100 Chains; thence South 9 Chains are 100 Chains; the account of Marion. This is to certify that I have examined the foregoing application, together with the account of the second of the certify that I have examined the foregoing application, together with the account of the second of the certify that I have examined the foregoing application, together with the account of the second of the certify that I have examined the foregoing application.	iver; Ti 4° 45' in iron	nence North 5 514 West up the center of said river 1251.50 fort: Indice of ast (at 210 feet witness pipe on North ban of the commission in income opipe; Thence South 00° 42 west 496.32 feet to the rise of west miss, so
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together seek the access.	n Townslour and follows, RT) tl	rip Five South of Range Five West, and Claim No. 12. Leing forth of 1992. Five in Township Six South of Range Five West, and bounded and de order to-wit: - deginning at a point 9 Chains and 50 lines west and a wholms and ence East 13 Chains; thence South 160 Chains; thence most no chains and outh 9 Chains and 89 links; thence dest 60 Mains and 1992 inks;
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the access		mains and of links: thence Worth 74 Chains or 130 in the trans-
STATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accommendation.		
STATE OF OREGON, Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany.	n the ::	Sorth of the South dast corner of said Coast rolls and the said Rolls and
STATE OF OREGON, ss. County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accomm	n the) links li chair	Lorth of the South Sast corner of said Spoti n Control Property of the south S
STATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accomm	n the) links 15 chair	Lorth of the South Mast corner of said Spoti n Control Programmes and Suddinks; thence South Guina and Suddinks;
STATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accomm	n the) links links	Lorth of the South Bast corner of said Croti n Change and product to said Change and product to said Change and product t
STATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accomm	n the) links 15 chair	Lorth of the South Bast corner of said Croti n Change and product to an Sulfation of the South Bast corner of said Croti n Change and product to an Sulfation of the South Sulfation and Sulfations;
STATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accomm	n the) links linchair	North of the South Bast corner of said Croti n Corner or said Croti
County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accomm	n the) links 15 chair	Lorth of the South Bast corner of said Costi n Swarp and South Sou
County of Marion, This is to certify that I have examined the foregoing application, together seath the accomm	n the) links 15 chair	North of the South Bast corner of said Special North and Programmer of said Special natural programmer of said Special na
) links	North of the South Mast corner of said Scott in Manny product as and 50 Minus; thence South 9 Chains and 50 Minus;
maps and data, and return the same for) links lichair STATE C	North of the South Mast corner of said Crott n North product as and Sullinis; thence South Workers are South
) links linchair STATE C	North of the South Mast corner of said Crott n North product as and Sullinis; thence South Workers are South
In order to retain its priority, this application must be returned to the State Engineer, with) links linchair STATE C County	DF OREGON, ss. y of Marion, s is to certify that I have examined the foregoing application, together with the accompany

day of

WITNESS me hand this

ŚT.	ATE	0	O	130	ON,	
	¥.		4.95			
٠.	A	2.5				•

This is so certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to benefi	ciai use			
and shall not exceed				
stream, or its equivalent in case of rotation with other water users, from South Ismhill Ri	rack			
The use to which this water is to be applied is irrigation				
If for irrigation, this appropriation shall be limited to 1/80 of one cubic	foot per			
second or its equivalent for each acre irrigated and shall be further limited	to a			
diversion of not to exceed 22 acre feet per acre for each acre irrigated dur	ing the			
irrigation season of each year,				
	•			
and shall be subject to such reasonable rotation system as may be ordered by the proper state offi	cer.			
The priority date of this permit is October 12, 1951 for 0.625 cfs; January 17, 1	952 for			
. · · · · · · · · · · · · · · · · · · ·	and shall			
thereafter be prosecuted with reasonable diligence and be completed on or before				
letuber 1, 1954				
Complete application of the water to the proposed use shall be made on or before				
19 52. Colone this 30th day of June 19 52.	lm			
STALE F	n Laws 1933			

Price instrument was first received in the origins of the State Digineer at Salem, Oregon,

on the 12th day of Def. here.
19 3/, at 12 13s o'clock A. M.
Returned to applicant:

Corrected application received:

Recorded in book No. 52

Sept 13 405

Approved

ĵ

 Drainage Basin No. - Page 70.

STATE ENGINEER

Fees Paid 2 63.25