

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. E. Hammel (Name of applicant)  
of Eagle Point, (Mailing address) Route 1, Box 126  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Murdens Gulch and storage (Name of stream), tributary Reese Creek, a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is irrigation cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supply, etc.)

4. The point of diversion is located 2172 ft. S. and 630 ft. E. from the corner of Section 10 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the SE 1/4 NW 1/4 of Sec. 10 Tp. 31 N R. 1 W. W. M. in the county of Jackson (Give smallest legal subdivision)

5. The steel aluminum pipe to be in length, terminating in the NW 1/4 NE 1/4 of Sec. 9 Tp. 31 N R. 1 W. W. M., the proposed location being shown throughout on the accompanying map (Main ditch, canal or pipe line) (Smallest legal subdivision)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 9 feet, length on top 100 feet length at bottom 100 feet; material to be used and character of construction rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate none (Timber, concrete, etc. number and size of opening)

(c) If water is to be pumped give general description electric motor (Size and type of pump) 1100 watt 7 1/2 feet.

\*A different form of application is provided where storage works are contemplated  
\*\*Application for permits to appropriate water for the generation of electricity with the exception of hydroelectric power, shall be made to the Oregon Hydroelectric Commission. Either of the above forms may be secured, without cost, by mail from the Oregon Department of Geology, P.O. Box 1160, Salem, Oregon.

21011

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2.5 feet; width on bottom 2 feet; depth of water 1.5 feet; grade 2 feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, 1500 ft.; size at intake, 6 in.; size at \_\_\_\_\_ ft. from intake, 4 in.; size at place of use, 3 in.; difference in elevation between \_\_\_\_\_ and place of use, 75 ft. Is grade uniform? yes Estimated capacity, \_\_\_\_\_ sec. ft.

60 sprinkler heads

Location of area to be irrigated, or place of use

Range T. 1 N. 2 W. 2 A. 4 (1/4 Sec. 10, 11, 12, 13)	Section	Forty-acre Tract	Number Acres To Be Irrigated
	9	SE 1/4 NE 1/4	17
		SW 1/4 NE 1/4	39 Supplemental
	10	SW 1/4 SW 1/4	10
		NE 1/4 NW 1/4	1
		SE 1/4 SW 1/4	10
		SW 1/4 SW 1/4	5

\_\_\_\_\_ horsepower

Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$8,000.00

12. Construction work will begin on or before one year from date of priority.

13. Construction work will be completed on or before two years from date of priority.

14. The water will be completely applied to the proposed use on or before three years from date of priority.

*W. C. Hammer*  
(Signature of applicant)

*P.O. Box 184 Eagle Point, Ore.*

Remarks: \_\_\_\_\_

Description of land recorded in Jackson Deed Records, Volume 255, Page 270, as follows:

The SE $\frac{1}{4}$  NW $\frac{1}{4}$  of Section 10 in Township 35 South, Range 1 West of the Willamette Meridian:

Also, the SW $\frac{1}{4}$  NW $\frac{1}{4}$  of Section 10, in Township 35 South, Range 1 West of the Willamette Meridian;

Also, the NW $\frac{1}{4}$  NW $\frac{1}{4}$  of Section 10, in Township 35 South, Range 1 West of the Willamette Meridian;

Also, that part of the NE $\frac{1}{4}$  NW $\frac{1}{4}$  lying westerly of the Crater Lake Highway, in Section 10, Township 35 South, Range 1 West of the Willamette Meridian.

Also, the SW $\frac{1}{4}$  NE $\frac{1}{4}$  and the SE $\frac{1}{4}$  NE $\frac{1}{4}$ , Section 9, Township 35 South, Range 1 West, Willamette Meridian, Jackson County Deed Records, Volume 267, Page 556.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer \_\_\_\_\_  
\_\_\_\_\_ on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.150 cubic feet per second measured at the point of diversion from the stream, or its equivalent, in case of rotation with other water users, from Murders Gulch and Hammel Reservoir to be constructed under Application No. R-26584, Permit No. R-1313 R-1313.

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1313, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 24, 1951

Actual construction work shall begin on or before June 30, 1953 and shall

be prosecuted with reasonable diligence and be completed on or before

1954

the application of the water to the proposed use shall be made on or before

1954

1953

day of June 19 53

Charles E. Strubbin STATE ENGINEER

subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

Approved

Permit No.

PERMIT

TO APPLICANT FOR WATER RIGHTS

Division No.

This permit is returned to applicant in the

office of the State Engineer at Salem, Oregon,

on the 24th day of October

1957 at 5.00 which is M.

Returned to applicant

Corrected application received:

Approved

1953, 1952

Recorded in book No. 56 of

Permits on page 21911

JAMES E. SANDOZ STATE ENGINEER

Drainage Basin No. 45 Page 28

Fees Paid 7 24, 50