

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Kenneth Fox of Myrtle Creek Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Myrtle Creek, a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is .225 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located S 61°53'W 2271 ft. from the corner of A. Ireland DLC NO 47

being within the NW 1/4 of Sec. 47 Tp. 2 N. R. 5 W. M. in the county of Douglas

5. The pipeline to be 2200 ft in length, terminating in the NW 1/4 of Sec. 47 Tp. 2 N. R. 5 W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam:

(b) Description of headgate

(c) If water is to be pumped give general description

belt driven pump 7.5kW electric motor.

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity with the exception of small parties may be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Section 7. Description of Pipe Line

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 2200 ft.; size at intake, 4" in.; size at 1000 ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? yes Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use

| Township | Range | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|----------|-------|---------|------------------|------------------------------|
| 29S | 5 W | 27 | NW 1/4 SE 1/4 | 4 |
| | | | NE 1/4 SE 1/4 | 14 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If report required, attach separate sheet)

Bank bottom and list bench loan.

Bank bottom and list bench loan.

_____ the critical horsepower
_____ sec ft.

_____ feet.
_____ of the power is to be developed

_____ R. _____ W. M.

_____ N. E. E. W. _____

County, having a present population of
 and an estimated population of in 19.....
 (For domestic use state number of families to be supplied)
 (Number conditions II, III, and IV in all cases)

- 11. Estimated cost of proposed works, \$ 45000
- 12. Construction work will begin on or before Sept. 1, 1952
- 13. Construction work will be completed on or before Sept. 1, 1955
- 14. The water will be completely applied to the proposed use on or before Sept. 1, 1956

Kenneth J. J. X
 (Signature of applicant)

Remarks: Description.

Beginning at a point on the east side of Neal Lane 2057 ft. West and S 1°45'14" W 875.88 ft. from the southwest corner of the Alpheus Ireland D.L.C. No. 17, T 27 S., R 5 W., 4M, said point being S 1°45'14" W 1700.46 ft. from the intersection of the south line of the county road No. 18-A with the east line of Neal Lane;
 Thence east along the south line of the grantor's property 2057 ft.;
 Thence north along the east line of the grantor's property 350 ft. to a point 1898 ft. south of the south line of county road 18-A;
 Thence N 89°13'14" W 1187.7 ft.;
 Thence S 1°45'14" W 308 ft.;
 Thence west 571 ft.; along a line 540 ft. north of the grantor's south line;
 Thence S 1°45'14" W 488 ft.;
 Thence West 300 ft. along a line 60 ft. north of the grantor's south line to the beginning, containing 3138 acres more or less in sec. 26 and 27 T 29 S., R 5 W., 4M.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer with corrections on or before 194.....

WITNESS my hand this day of 194.....

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.225 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Myrtle Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1.80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is January 7, 1952

Actual construction work shall begin on or before June 30, 1953

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before

October 1, 1955

WITNESS my hand this 30th day of June

Charles E. Strickland
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 11, Oregon Laws 1951

Application No. 24129

Permit No. 21032

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 7th day of January 1952 at 8:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 20, 1952

Recorded in Book No. 10000 of

Permits, page 41 of 100

STATE ENGINEER

Damage Limit No. Page

Fees Paid \$100.00