

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Jaida Smith (Name of applicant) of Days Creek (Residing address) State of Oregon, do hereby make application for a permit to appropriate the following-described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River (Name of stream), a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.16 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 14 ft. South and 15 ft. West from the SW corner of D. L. Co. # 17, T30S R9W W. 1/2 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 7 Tp. 30 S. R. 9 W. M., in the county of Trousdale (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe line (Main ditch, canal or pipe line) to be 1000 (Miles or feet) in length, terminating in the SW 1/4 SE 1/4 of Sec. 7 Tp. 30 S. R. 9 W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction ... (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description A 5 HP pump (Size and type of pump) motor driven (Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing to the State Engineer, Salem, Oregon.

7. Dimensions of Pipe Line—

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1000 ft.; size at intake, 3 in.; size at 1000' ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 90 ft. Is grade uniform? No Estimated capacity, 0.333 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
30 South	4 West	9	SW $\frac{1}{4}$ SE $\frac{1}{4}$	12.25
30 South	4 West	9	NW $\frac{1}{4}$ SE $\frac{1}{4}$	3.33

(If more space required, attach separate sheet)

(a) Character of soil Rice & corn
 (b) Kind of crops raised Asst

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized (Head) feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in (Legal subdivision) of Sec.

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of
..... County, having a present population of
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2000 ✓
- 12. Construction work will begin on or before Feb. 1952
- 13. Construction work will be completed on or before Aug. 1952
- 14. The water will be completely applied to the proposed use on or before Sept. 1952

J. J. Smith
(Signature of applicant)

Remarks:

Description of the tract of land, the title which is insured I wish water right too Beginning at the Southwest Corner of Donation Land Claim No 47 Township 30, South Range 4 West of the Willamette Meridian, thence South 10 degrees 61 Minutes West, 134.7 feet to a 4" x 4" Post set on the Southerly R/W line of the County road; thence continuing South 10 degrees 61 Minutes west, 1249.6 feet to a 4" x 4" post on the Section Line common to Section 9 and 16; thence along said section Line North 89 degrees 53 minutes west 422.1 feet to a steel rod set as the south East corner of Gaulke property; thence north 10 degrees 39 minutes East, 1596.7 feet along the Easterly property line of the Gaulke property to an iron pipe set on the Southerly R/W line of the State highway; thence continuing north 10 degrees 39 minutes East, 109.9 feet to center Line of the South Umpqua River, then upstream along the center line of said river South 69 degrees 15 minutes East 427.4 feet to the west line of Donation Land Claim No 47. thence South 100.0 feet to the place of beginning, all situated in Section 9, township 30 South of Range 4 west of the Willamette Meridian Douglas County Oregon, Excepting: Part lying within County road; also except easement north from the South west Corner of Donation land Claim no. 47 along west boundry

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.157 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from S. Umpqua River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 15, 1952

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 19 52

Charles E. Stickler STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26784

Permit No. P 1043

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15 day of January 1952, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of

Permits on page 21043

STATE ENGINEER

Drainage Basin No. Page

Fees Paid \$ 15.00