APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I,	- · · · · · · · · · · · · · · · · · · ·	(Mana of	applicant)	
of	51110c4 C. D.	Route Roseb	urg	
State of .	Ortegen.	, do hereby	make application for a	permit to appropriate the
following	described public waters	of the State of Orego	n, SUBJECT TO EX IS	TING RIGHTS:
If t	the applicant is a corporat	ion, give date and ple	ace of incorporation	
	The source of the proposed	•	_	
4	, 			
¥.	The amount of water which	ch the applicant inten	ds to apply to beneficial	use is
cubic fee	t per second. 184	.4/5 oubic :	inches per. seco	nd promeach)
**3.	The use to which the water			பேர் ஆக்கர் நிற்ற nufacturing, domestic supplies letc (
V 4.	Mb - maint of Jimmin in	1°20	"a&+ +&c"	from 41. a
	The point of diversion is			
corner of	the c.C. Fille		or subdivision)	
being wi	ŕ	point of diversion, each must b	pe described. Use separate sheet i	ouglas County, (regard frecessary) $Tp_{ij}(T = 1, \dots, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,$
R	(Give and the count of W.)	allest legal subdivision)	-	N CAR
	The hree inch			
	(Main di	itch, canal or pipe line;		(Miles or feet)
in length	, terminating in the		•	•
R	W. M., the pro	posed location being	shown throughout on th	ie accompanying map.
		DESCRIPTION (OF WORKS	
Diversion	n Works—			
6.	(a) Height of dam	. feet, lenç	gth on top .	feet, length at bottom
	feet; material to b	be used and character	of construction	Noose rack bioritete, busenby,
	sh, timber crib, etc., wasteway over of Description of headgate		iber, concrete, sta., number and si	ize of opening()
			· · · · · · · · · · · · · · · · · · ·	•
(c.) If water is to be pumped	l give general descrip		க் ஓன்னிய வருக்கு and type of purpy
	Signature suction (Size and type 8 sprinklers 11	of engine or mater to be seed	total beaution to	

^{*}A different form of application is provided where storage works are contemplated

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of monopolities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by widdlesdry the other frequency of the cost, together with instructions by widdlesdry the other frequency of the cost, together with instructions by widdlesdry the other frequency of the cost of the cos

rdyste. At headgate	e: might ou	top (at wate	T 13RE)	feet; width on bott
. feet;	depth of u	sater	feet; grade	feet fall per
Lances Lances				vater line)
			-	of water fo
nde			•	
(c) Length of p	oipe,	500 ft	.; size at intake, 3"	in.; size at 500
m intake3"	in.;	size at place	of use2" in.	; difference in elevation betw
ake and place of us	e. 27	1 ft	Is grade uniform?	Yee Estimated capac
			and the second second second	
14.145 ou. in.	sec. ft. par	. 860.		
•				
	area to be i	•		
Township was	R. or W. of lemette Meridian	Section	Forty-acre Tract NW4-NE94	Number Acres To Be Irrigated
Twp/28 S. 5	¥.	28	SW4 NE 14	4.83 0.87 Will
		E-1	1. 14T No. 141 . 197	
140/ 20 0.	<u></u>			0.01 32 90 320
100/ 20 0.1 0			7	0.01 3.19
140/ 20 0.				0.01 = 10 20
149/ 20 3.				0.01 3.19
	·		•	
BEGIN	T NING at th	ne North e	ast corner of Lot Sixt	een (16). Pla+ "A" of
BEGINT S. C.	NING at the	ne North e	ast corner of Lot Sixt	een (16), Plat "A" of uth .05deg. OC' West
BEGINT S. C. 672.0	NING at the Miller's feet to the second seco	ne North ea Dillard S the South	ast corner of Lot Sixt ubdivision, thence So	een (16), Pla+ "A" of uth .05deg. OC' West ven (11), Plat "A" of
BEGIN S. C. 672.0 S. C.	NING at the Miller's feet to the Miller's	ne North ea Dillard S the South o Dillard S	ast corner of Lot Sixt ubdivision, thence So east corner of Lot Ele ubdivision; thence No	een (16), Pla+ "A" of uth .05deg. OC' West ven (11), Plat "A" of rth 85deg. QO' West
BEGIN S. C. 672.0 S. C. 311.0	NING at the Miller's feet to a Miller's feet to a	ne North ea Dillard S the South o Dillard S a point on	ast corner of Lot Sixt ubdivision, thence So east corner of Lot Ele ubdivision; thence No the South line of Lot	een (16), Pla+ "A" of uth .05deg. OC' West ven (11), Plat "A" of rth 85deg. QO' West Eleven (11): thence
BEGIN S. C. 672.0 S. C. 311.0 North	NING at the Miller's feet to a contract to a	ne North ed Dillard So the South of Dillard So a point on TO! East 86	ast corner of Lot Sixt ubdivision, thence So east corner of Lot Ele ubdivision; thence No the South line of Lot 67.9 feet to a point o	een (16), Plat "A" of uth .05deg. OC' West ven (11), Plat "A" of rth 85deg. QO' West Eleven (11); thence n the North line of Lot
BEGINI S. C. 672.0 S. C. 311.0 North Sixtee	NING at the Miller's feet to a .05deg. Gen (16);	ne North ed Dillard So the South of Dillard So a point on DO East 80 thence So	ast corner of Lot Sixt ubdivision, thence So east corner of Lot Ele ubdivision; thence No the South line of Lot 67.9 feet to a point o uth 62deg. 29' East 33	een (16), Plat "A" of uth .05deg. OO' West ven (11), Plat "A" of rth 85deg. QO' West Eleven (11); thence n the North line of Lot 6.7 feet to the N. 3.
BEGINT S. C. 672.0 S. C. 311.0 North Sixtee corner	NING at the Miller's feet to a .05deg. Gen (16);	ne North ed Dillard So the South of Dillard So a point on DO East 80 thence So	ast corner of Lot Sixt ubdivision, thence So east corner of Lot Ele ubdivision; thence No the South line of Lot 67.9 feet to a point o	een (16), Plat "A" of uth .05deg. OO' West ven (11), Plat "A" of rth 85deg. QO' West Eleven (11); thence n the North line of Lot 6.7 feet to the N. 3.
BEGINT S. C. 672.0 S. C. 311.0 North Sixtee corner	NING at the Miller's feet to a second of the control of the contro	ne North ed Dillard So the South of Dillard So a point on DO East 80 thence So	ast corner of Lot Sixt ubdivision, thence So east corner of Lot Ele ubdivision; thence No the South line of Lot 67.9 feet to a point o uth 62deg. 29' East 33	een (16), Plat "A" of uth .05deg. OO' West ven (11), Plat "A" of rth 85deg. QO' West Eleven (11); thence n the North line of Lot 6.7 feet to the N. 3.
BEGINT S. C. 672.0 S. C. 311.0 North Sixtee corner	NING at the Miller's feet to a second of the control of the contro	ne North ed Dillard So the South of Dillard So a point on DO East 80 thence So	ast corner of Lot Sixt ubdivision, thence So east corner of Lot Ele ubdivision; thence No the South line of Lot 67.9 feet to a point o uth 62deg. 29' East 33	een (16), Plat "A" of uth .05deg. OO' West ven (11), Plat "A" of rth 85deg. QO' West Eleven (11); thence n the North line of Lot 6.7 feet to the N. 3.
BEGINT S. C. 672.0 S. C. 311.0 North Sixtee corner	NING at the Miller's feet to a second of the control of the contro	ne North ed Dillard So the South of Dillard So a point on DO East 80 thence So	ast corner of Lot Sixt ubdivision, thence So east corner of Lot Ele ubdivision; thence No the South line of Lot 67.9 feet to a point o uth 62deg. 29' East 33	een (16), Plat "A" of uth .05deg. OO' West ven (11), Plat "A" of rth 85deg. QO' West Eleven (11); thence n the North line of Lot 6.7 feet to the N. 3.
BEGINT S. C. 672.0 S. C. 311.0 North Sixtee corner	NING at the Miller's feet to a second of the control of the contro	ne North ed Dillard So the South of Dillard So a point on DO East 80 thence So	ast corner of Lot Sixt ubdivision, thence So east corner of Lot Ele ubdivision; thence No the South line of Lot 67.9 feet to a point o uth 62deg. 29' East 33	een (16), Plat "A" of uth .05deg. OO' West ven (11), Plat "A" of rth 85deg. QO' West Eleven (11); thence n the North line of Lot 6.7 feet to the N. 3.
BEGINT S. C. 672.0 S. C. 311.0 North Sixtee corner	NING at the Miller's feet to a second of the control of the contro	ne North ed Dillard St the South of Dillard St a point on TO East 80 thence Son Sixteen (10	ast corner of Lot Sixt ubdivision, thence So east corner of Lot Ele ubdivision; thence No the South line of Lot 67.9 feet to a point o uth 62deg. 29' East 33	een (16), Plat "A" of uth .05deg. OO' West ven (11), Plat "A" of rth 85deg. QO' West Eleven (11); thence n the North line of Lot 6.7 feet to the N. 3.
BEGINT S. C. 672.0 S. C. 311.0 North Sixtee corner more	Miller's feet to a Miller's feet to a .05deg. 6 en (16); r of Lot Sor less.	ne North ed Dillard St the South of Dillard St a point on D. East 80 thence Southern (10	ast corner of Lot Sixt ubdivision, thence Someast corner of Lot Eleubdivision; thence No the South line of Lot 67.9 feet to a point outh 62deg. 29' East 336) and point of beginn ce required, attach separate sheet)	een (16), Plat "A" of uth .05deg. OO' West ven (11), Plat "A" of rth 85deg. QO' West Eleven (11); thence n the North line of Lot 6.7 feet to the N. 3.
BEGINT S. C. 672.0 S. C. 311.0 North Sixtee corner	NING at the Miller's feet to a .05deg. Gen (16); r of Lot Sor less.	ne North ed Dillard St the South of Dillard St a point on D. East 80 thence Southern (10	ast corner of Lot Sixt ubdivision, thence So east corner of Lot Ele ubdivision; thence No the South line of Lot 67.9 feet to a point outh 62deg. 29' East 336) and point of beginn	een (16), Plat "A" of uth .05deg. OO' West ven (11), Plat "A" of rth 85deg. QO' West Eleven (11); thence n the North line of Lot 6.7 feet to the N. 3.

(Heid)

(d) The nature of the works by means of which the power is to be developed

. sec. ft.

of Sec

, , W, M.

. feet.

(b) Quantity of water to be used for power

(f) Is water to be returned to any stream?(Yes or No.)

(g) If so, name stream and locate point of return

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

(c) Total fall to be utilized

(e) Such works to be located in

Tp.

Country Leading a	present population of
Committee and the second	ber of families to be supplied
	Street M., M., M., and M In cell cases)
11. Milestell best of property works, L.	
22. Construction work will begin on or	
	ed on or before
M. The water will be completely applie	
are and annual and as computered ablum	a w site proposed use on or bejore
}	711001
•	Y Floyd & Baughman
·•	U
·	
Remarks:	
······································	•
	······································
4	
	en en entre en
•	
•	
······································	
······································	
······································	••••••••••••••••••••••••••••••••••••••
······································	······································
e de la companya de l	a communication of the contraction of the contracti
STATE OF OREGON, }ss.	
County of Marion,	·
This is to certify that I have examine	d the foregoing application, together with the accompanying
maps and data, and return the same for	· · · · · · · · · · · · · · · · · · ·
In order to retain its priority, this ap	pplication must be returned to the State Engineer, with corre
tions on or before	
WITNESS my hand this	day of

to certify that I have examined the foregoing application and do hereby grant the same, FIRCT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use shall not exceed ... O.071....... cubic feet per second measured at the point of diversion from the m, or its equivalent in case of rotation with other water users, from ... South Unpqua River. The use to which this water is to be applied is Irrigation If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for eachers irrigated and shall be further limited to a diversion of not to exceed 22 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is January 21, 1952 and shall Actual construction work shall begin on or beforeJune 30, 1953. thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954 Complete application of the water to the proposed use shall be made on or before October 1, 1955 WITNESS my hand this 30th day of June Permits for power development are subject to the payment of annual fees as provided in

District No.

TO APPROP WATERS OF

Division No.

Application

Permit No

Engineer at Salem, Oregor nt was first received in This instrume

1952 at 8:00 office of the State on the 21

Corrected applica

Returned to appli

Recorded in b

J. 100 July

Approved:

Permits on page

Drainage Basin A

.

Fees Paid