

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Victor E. and Sylvia Geiger of Route 1, Dayton, Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette Slough also known as Lambert Slough a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 210 gal per min. at 2.10 ft head

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 400 ft N and 250 ft W from the common corner of Sections 9, 10, 15, 16 of Twp 5 S, R 3 W; W.M.

being within the SE of the SE of Sec. 9 Tp. 5 S R. 3 W, W.M. in the county of Yamhill

5. The to be in length, terminating in the of Sec. Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity...

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

X (c) Length of pipe, 2000 ft.; size at intake, 3 in.; size at ft. from intake 5 in.; size at place of use 3 in.; difference in elevation between intake and place of use, ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

| Township | Range E. or W. of Willamette Meridian | Section | Party-acre Tract | Number Acres To Be Irrigated |
|-------------------------------------|---------------------------------------|---------|------------------|------------------------------|
| 5S | 3W | 9 | SW of SE 1/4 | 3.9 ac. |
| " | " | " | SE of SE 1/4 | 7.8 ac. |
| " | " | 16 | NW of NE 1/4 | 3.3 ac. |
| " | " | " | NE of NE 1/4 | 15.0 ac. |
| Total to be irrigated | | | | 30.0 acres |
| For legal description see "Remarks" | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

(a) Character of soil Amity Silt Loam, Chehalis Silt Loam

(b) Kind of crops raised Berries and Alfalfa

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- x 11. Estimated cost of proposed works, \$ 3000.00
- x 12. Construction work will begin on or before April 1st 1952
- x 13. Construction work will be completed on or before April 1st 1953
- x 14. The water will be completely applied to the proposed use on or before July 1 1953

Victor E. Geiger
(Signature of applicant)

Sylvia Geiger

Remarks:

Legal Description

Part of Henry Hewett D.C. Beg. at stake set on N. line of and N 89° 45' W 31.2 ft. of the NE cor of sd. C1m; N 89° 45' W along N. line sd. C1m and center of old Rd. 1238.2 ft; S 00° 15' W 479.5 ft; S 89° 45' E 890 ft; S 00° 15' W 456.5 ft. to S. line of Harrison property; N 39° 20' E 458.5 ft. to stake set 200 ft. S 89° 20' W from stake at NE cor of a certain 1 ac. tract; Th. N 7° 51' W 705.2 ft; N 2° 20' E 230 ft. to beg.
Ex. N 20' thereof being S¹/₂ of old Co. Rd. Con. 18.50 ac.

Part of Enoch Cooper D.C. Beg. at NE cor. of sd. C1m. N 00° 29' E along E. ln. of sd C1m. 602.4 ft; N 89° 45' W 1406.4 ft. to center of old Co. Rd. City. along center of sd. rd. 602.1 ft. to pt on S. ln. of sd. C1m; S 89° 45' E along ct. of sd. C1m. and S ln of C1m 1.15.5 ft. to beg.
Excep. S 20' thereof being S¹/₂ of Co. Rd. Con. 14.50 ac.

Tract 2

Being a part of Andrew Layson D.C. Beg. at the SW cor. of sd. C1m; Th. N 00° 29' E along E. ln. of sd C1m 602.4 ft. to stake; S 89° 45' E 131.7 ft. to water in Willamette slough; Th. S. l. only following E bank of sd slough S 20° 27' E 122.2 ft. to stake; S 23° 39' E 171.4 ft. to S. ln. of sd. C1m. N 89° 45' W along S. ln. C1m. 479.5 ft. to beg.
Con. 4.11 Ac.

County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before

WITNESS my hand this 2nd day of February 1952

By *Ed Humphrey*
STATE ENGINEER
Assistant

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette Slough also known as Lamber Sough

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 7, 1952

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 19 52

Chas E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26154
Permit No. 21079

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7 day of February 1952, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of

Permits on page 21079

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 70

Fees Paid \$ / 5. 00