

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3200 ft.; size at intake, 6" in.; size at 20 ft. from intake 6" in.; size at place of use 4 in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? *yes* Estimated capacity, 2 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
25	10 West	20	Lots 13-15-17-19	
			21-23-25-27-29	
			30-32-34-36-38	
25	10 W	21	Lots 12-14-32	
	11 West	22	Lots 15-17-19-21 (NW SW)	
		20	Lots 17 (SW NE)	2.87
			19	2.04
			Lots 27 (SE NE)	11.87
				11.89
			Lots 26 (NE SW)	12.26
			24	20.00
			Lots 25 (NW SE)	19.61
			22	19.55
			Lots 23 (NE SE)	19.55
			28	9.55
			Lots 27 (SE SE)	4.55

(If more space required, attach separate sheet)

1. Nature of soil

2. Kind of crops raised

3. Purpose of power

4. Total amount of power to be developed

theoretical horsepower

5. Amount of water to be used for power

sec. ft.

6. Total fall to be utilized

feet.

(Head)

7. The nature of the works by means of which the power is to be developed

8. Such works to be located in

(Legal subdivision)

of Sec.

Sp.

R.

(No. E or W.)

W. M.

(1) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

Sec.

Tp.

(No. N. or S.)

R.

(No. E or W.)

W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Domestic or Domestic Supply

11. (a) To supply the city of _____
 _____ County, having a present population of _____
 and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- ✓ 11. Estimated cost of proposed works, \$ 3,000.00
- ✓ 12. Construction work will begin on or before April 1, 1952
- ✓ 13. Construction work will be completed on or before April 10, 1952
- ✓ 14. The water will be completely applied to the proposed use on or before September 1, 1952

Opie Miller
 (Signature of applicant)

Remarks: _____

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this

day of

19____

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, **SUBJECT TO EXISTING RIGHTS** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.67 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Siletz River

The use to which this water is to be applied is irrigation of not to exceed 163.29 acres

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 1.67 c.f.s.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 11, 1952

Actual construction work shall begin on or before June 30, 1953 and shall

be prosecuted with reasonable diligence and be completed on or before

June 1, 1954

Complete application of the water to the proposed use shall be made on or before

June 1, 1955

Witness my hand this 30th day of June, 1952

Charles E. Strickland
STATE ENGINEER

This permit is subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

Application No. 16817

Permit No. _____

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____

District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 11 day of February
1952 at 8:00 o'clock A. M.

Returned to applicant: _____

Corrected application received: _____

Approved: _____

June 30, 1952

Recorded in book No. 52 of

21086

Permits on page _____

W. B. DICKLIN

STATE ENGINEER

Drainage Basin No. _____

Page _____

Fees Paid \$ 23.70