

***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Fred B. Grabhorn
(Name of applicant)
of B.#1
(Mailing address) Beaverton Oregon
State of _____, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is unnamed creek
(Name of stream)
a tributary of Quakwam River
2. The amount of water which the applicant intends to apply to beneficial use is 0.375
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the corner of _____
(N. or S.) (E. or W.) (Section or subdivision)
123 ft S. E. of 1/4 corner between sec. 7, T2S, R1W and sec. 2 T2S, R2W
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the 1/4 W 1/4 NW 1/4 of Sec. 7 Tp. 2S
(Give smallest legal subdivision) (N. or S.)
R. 1W, W. M. in the county of Washington
(E. or W.)
5. The Main pipe line to be 2.705
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the N.E 1/4 N.E 1/4 of Sec. 12 Tp. 2S
(Smallest legal subdivision) (N. or S.)
R. 2W W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 5 feet, length on top 5 feet, length at bottom 5 feet; material to be used and character of construction Concrete and wood plank, waste way over dam
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., waste way over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 240 gal per minute
(Size and type of pump)
20 hp electric motor
(Size and type of engine or motor to be used, total head water to be lifted, etc.)
16-109 pm sprinklers

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3,225 ft.; size at intake, 6 in.; size at 2925 ft. from intake 5 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 155 ft. Is grade uniform? *Yes* Estimated capacity, 166 g.p.m. sec. ft.

8. Location of area to be irrigated, or place of use

Range T. 2 S. W. 2 E.	Section	Forty-acre Tract	Number Acres To Be Irrigated
	12	N 2 1/4	9.58 acres
		S 2 1/4	9.58 acres

Water is to be used is a part of that more explicitly described by

the North east quarter of Section 12 in T. 2 S. R. 2 W. Willamette County, Oregon; Reserving from this conveyance, however, a strip of land for highway purposes along the entire east side thereof, to be used for highway, so soon as the street or highway shall publicly and lawfully be opened, from and after which time the said 25 feet is to belong to the highway, and all reversionary interest therein to belong to the highway.

(a) To supply the city of _____

County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$4500.

12. Construction work will begin on or before 1 year from date of approval.

13. Construction work will be completed on or before 2 years from date of approval.

14. The water will be completely applied to the proposed use on or before 3 years from date of approval.

Frank R. Spablow
(Signature of applicant)

Remarks: _____

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____

19 _____

WITNESS my hand this _____

day of _____

19 _____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.240 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 14, 1952

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before

October 1, 1955

WITNESS my hand this 30th day of June 1952

Charles E. Strubbe STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 34, Oregon Laws 1947

Application No. 26859 Permit No. 21093

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of February 1952 at 11:12 o'clock A. M. Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of

Permit on page 21093

STATE ENGINEER

STATE ENGINEER

Drainage Basin No. 2 Page 2 of 2

Fees Paid