

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Moore Company of Banks, Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is West Dairy Creek a tributary of Dairy Creek, a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 2.25 cubic feet per second.

**3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 76.1 ft. N. and 516.2 ft. W. from the SW corner of Section 36, T2N, R2W, W. 1.

being within the SE 1/4 SE 2 of Sec. 35, Tp. 2N, R. 4W, W. M., in the county of Washington

5. The pipe line to be in length, terminating in the NE 1/4 SW 1/4 of Sec. 36, Tp. 2N, R. 4W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 2 1/2 B.E. 10 HP 1750 Belt Drive 3x4x7 20 HP 3 phase Gould Sprinklers to be used

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, shall be made to the Hydroelectric Commission.

21108

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 15 ft.; size at intake, 6" pipe in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

| Range E. or W. of A. S. Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|--|---------|-----------------------------------|------------------------------|
| 4W | 35 | SE $\frac{1}{4}$ SE $\frac{1}{4}$ | 8.3 ✓ |
| 4W | 36 | SW $\frac{1}{4}$ SW $\frac{1}{4}$ | 32.7 |
| | 30 | SE $\frac{1}{4}$ SW $\frac{1}{4}$ | 20.5 |
| | 30 | NE $\frac{1}{4}$ SW $\frac{1}{4}$ | 32.0 |
| | 30 | NW $\frac{1}{4}$ SW $\frac{1}{4}$ | 32.0 |
| | 30 | NE $\frac{1}{4}$ SE $\frac{1}{4}$ | 1.0 |
| | | SW $\frac{1}{4}$ NW $\frac{1}{4}$ | 1.0 |
| | | SE $\frac{1}{4}$ NW $\frac{1}{4}$ | 32.0 |
| | | NE $\frac{1}{4}$ NW $\frac{1}{4}$ | 32.0 |
| | | | <u>158.5</u> |

BR-100

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- ✓ 11. Estimated cost of proposed works, \$ 12,425
- ✓ 12. Construction work will begin on or before May 1 - 1952
- ✓ 13. Construction work will be completed on or before 1955
- ✓ 14. The water will be completely applied to the proposed use on or before 11:5

Moore Co.
(Signature of applicant)

by D. W. Moore

Remarks:

Property Description: The NW $\frac{1}{4}$ of Section 36, T2N, R4W, W.M.
Also: The SW $\frac{1}{4}$ of Section 36, T2N, R4W, W.M., excepting therefrom
that certain 6.36 acres conveyed for railway purposes as recorded
in volume 85, pages 505 and 507 of Washington County, Oregon, Deed
Records. Also: The SE $\frac{1}{4}$ of Section 35, T2N, R4W, W.M. excepting
that 133.43 acre tract conveyed to B. Killin by deed as recorded
in volume 35, page 430 of said deed records. ~~xxxx~~

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.246 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from West Dairy Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 20, 1952

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 19 52

Chas. E. Stricklin

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26885
Permit No. 21108

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of February 1952, at 3:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of

Permits on page 21108

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 622

Fees Paid \$1.00