D

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

i, Vean He	beisen (Name of applicant)
s Scappa	05 L
State of Oragon	, do hereby make application for a permit to appropriate the
following described public waters of th	he State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation,	give date and place of incorporation
1. The source of the proposed app	propriation is In named Stream
· · · · · · · · · · · · · · · · · · ·	a tributary of do Scappoore Craf
2. The amount of water which th	he applicant intends to apply to beneficial use is 10/25 (/30)
cubic feet per second	(If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is	to be applied is
	(Irrigation, power, mining, manufacturing, domestic supplies, etc.
4. The point of diversion is local	ted (36476 ft. and 65 ft. E from the
corner of Seation 11 75	(Section or subdivision)
(14 wester	rable, give distance and bearing to section corner)
	······································
being within the Sugar (Give examinest	of diversion, each must be described. Use separate sheet if necessary) Of Sec
R. \mathcal{L} , W. M., in the county of	Lew now.
5. The (Main ditch, ca	to be
n length, terminating in the	anal or pipe line (Miles or feet) 4
	ed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversion Works—	
6. (a) Height of dam	feet, length on top feet, length at bottom
feet; material to be us	red and character of construction
ock and brush, timber crib, etc., wasteway over or aroun	
	(Timber, concrete, etc., number and size of openings)
	•
(c) If water is to be pumped give	e general description . 23 y . 4
3 H. F. Preatric Motor (Size and type of eng)	is it is and type of planip.
	conferm some tyerder . Hot for domesticous

**Application for permits to appropriate water for the generation of electricity, with the exception of manageaines must be made to the Hydroelectric Commission of the above forms may be seared, without cost together with it on a hold by softic one the above forms may be seared, without cost together with it on a hold by softic one the above forms may be seared.

^{*}A different form of application is provided where storage works are contemplated

7. (a) Gi					
headgate. At he	adgate: width on	top (at water	r line)	feet; width on bo	ttom
thousand feet.	. jeet; depth of 1	water	feet; grade	jeet fall per	one
•		. miles from h	seadgate: width on top (at u	pater line)	
			*	of water	
	feet fa		•		, ,
		•		in.; size at	54
		·			•
		-		difference in elevation bett	
		ft.	Is grade uniform?	Estimated capa	city
***************************************	sec. ft.				
8, Location	on of area to be	irrigated, or p	place of use		يو شواد
Township	Range R. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
	TE MERICIAN	-			
·31V	2w	12	1. 4 18 4	10-	
•					
at So ty as No di	tereof, bounder the Northwest the Northwest suth 08 48! We ract 30; then aid tract 30, orth 51° 47! I istance of 27% is thence North 50° 47.	ed and describe toomer of set 740.76 for noe South 60 a distance East along 17.4 feet to rth 9" 132"	s shown by the duly re- ribed as follows, to-wi f said tract 30 and ru- feet to the Southwest of 361.25 feet to cor- the South line of said the Southeast corner Bast 748 feet to a po	it: Beginning - nning thence corner of said South line of ner; thence tract 51, a of said tract int in the center	
at So tr as No di 31 of t}	tereof, bounder the Northwest the Northwest Sur there id tract SO, orth 51° 47° I istance of 27° is the founty I the South Si the South Si tence South Si	ed and describe toorner of set 740.76 ince South 60 a distance East along for the 9° 132° Road and in 9° West along	ribed as follows, to-wif said tract 30 and run feet to the Southwest of 48' East along the 3 of 361.25 feet to combine South line of said the Southeast corner	it: Beginning - nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30	
at So tr as No di 31 of t}	tereof, bounder the Northwest the Northwest Sur there id tract SO, orth 51° 47° I istance of 27° is the founty I the South Si the South Si tence South Si	ed and describe toorner of set 740.76 ince South 60 a distance East along for the 9° 132° Road and in 9° West along	ribed as follows, to-wifest to the Southwest of 361.25 feet to combine South line of said the Southeast corner Bast 748 feet to a pothe North line of saing the North line of	it: Beginning - nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30	
at So tr as No di 31 of t}	tereof, bounder the Northwest the Northwest Sur there id tract SO, orth 51° 47° I istance of 27° is the founty I the South Si the South Si tence South Si	et corner of est 740.76 ince South 60 a distance East along from the 9° 13g Road and in 9° West along ter line of	ribed as follows, to-will said tract 30 and run feet to the Southwest of 361.25 feet to combine South line of said the Southeast corner Bast 748 feet to a pothe North line of saiding the North line of	it: Beginning - nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30	
at Scan Scan Scan Scan Scan Scan Scan Scan	tereof, bounder the Northwest the Northwest Sur there id tract SO, orth 51° 47° I istance of 27° is the founty I the South Si the South Si tence South Si	ed and descript or corner of set 740.76 ince South 60 a distance East along 17.4 feet to rth 9 13g 18 Road and in 9 West along ter line of	ribed as follows, to-we? said tract 30 and run feet to the Southwest of 48' East along the of 361.25 feet to combine South line of said the Southeast corner Bast 748 feet to a pothe North line of saiding the North line of said	it: Beginning - nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30	
(a) Chara	tereof, bounder the Northwest the Northwest Surth 0° 48' We ract 30; there id tract 30, orth 51° 47' I istance of 27' is thence North 60 the County I hence South 80 and 31 and cent	ed and descript or corner of the south of a distance East along for the south of th	ribed as follows, to-will said tract 30 and run feet to the Southwest of 361.25 feet to combine South line of said the Southeast corner Bast 748 feet to a pothe North line of saiding the North line of	it: Beginning - nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30	
(a) Chara	the Northwese the Northwese the Northwese the Northwese suth 0° 48' We ract 30; there id tract 30, orth 51° 47' I istance of 27' is the founty I hence South 80 and 31 and cent acter of soil of crops raised	ed and descript or corner of the south of a distance East along for the south of th	ribed as follows, to-we? said tract 30 and run feet to the Southwest of 48' East along the of 361.25 feet to combine South line of said the Southeast corner Bast 748 feet to a pothe North line of saiding the North line of said	it: Beginning - nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30	
(a) Chara (b) Kind	the Northwese the Northwese the Northwese the Northwese suth 0° 48' We ract 30; there id tract 30, orth 51° 47' I istance of 27' is the founty I hence South 80 and 31 and cent acter of soil of crops raised	ed and descript or corner of set 740.76 ince South 60 a distance East along 7.4 feet to rth 9° 133° Road and in 9° West along ter line of ter line of 130° Marie Space My mice	ribed as follows, to-well said tract 30 and run feet to the Southwest 6° 48° East along the of 361.25 feet to combine South line of said the Southeast corner Bast 748 feet to a pothe North line of saiding the North line of sai	it: Beginning - nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30	
(a) Chara (b) Kind Power or Minin 9. (a) To	the Northwese the Northwese the Northwese the Northwese the Court So, and tract So, orth 51° 47° I is thence of 27° is thence North So the County I hence South So ad 31 and cent acter of soil of crops raised g Purposes—	ed and descriptions of the second of the sec	ribed as follows, to-well said tract 30 and run feet to the Southwest 3° 48' East along the of 361.25 feet to comb the South line of said the Southeast corner sast 748 feet to a pot the North line of saiding the North line of	it: Beginning nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30 to beginning.	
(a) Chara (b) Kind Power or Minin 9. (a) To	the Northwese the Northwese the Northwese the Northwese the County I is the Co	et corner of set 740.76 ince South 60 a distance Bast along 67.4 feet to rth 9 133 Road and in 9 West along ter line of 19 mice 19 mic	ribed as follows, to-well said tract 30 and run feet to the Southwest 3° 48' East along the of 361.25 feet to comb the South line of said the Southeast corner sast 748 feet to a pot the North line of saiding the North line of	it: Beginning nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30 to beginning.	
(a) Chara (b) Kind Power or Minin 9. (a) To (b) Q (c) To	the Northweet the Northweet the Northweet the Northweet the So, there id tract 30, orth 51° 47° 1 is tence of 27° is the founty I hence South 85° and 31 and cent acter of soil of crops raised g Purposes—otal amount of punantity of water otal fall to be utilized.	et corner of set 740.76 ince South 60 a distance East along 67.4 feet to rth 9 132 Road and in 9 West along ter line of feet to be used for ilized	ribed as follows, to-we? said tract 30 and run? said tract 30 and run? said to the Southwest of 361.25 feet to combine South line of said the Southeast corner Bast 748 feet to a pothe North line of saiding the North line of sa	it: Beginning nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30 to beginning.	
(a) Chara (b) Kind Power or Minin 9. (a) To (b) Q (c) To	the Northweet the Northweet the Northweet the Northweet the So, there id tract 30, orth 51° 47° 1 is tence of 27° is the founty I hence South 85° and 31 and cent acter of soil of crops raised g Purposes—otal amount of punantity of water otal fall to be utilized.	et corner of set 740.76 ince South 60 a distance East along 67.4 feet to rth 9 132 Road and in 9 West along ter line of feet to be used for ilized	ribed as follows, to-will said tract 30 and run feet to the Southwest of 48' East along the of 361.25 feet to combine South line of said the Southeast corner Bast 748 feet to a pothe North line of saiding the North line of sai	it: Beginning nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30 to beginning.	
(a) Chara (b) Kind Power or Minin 9. (a) To (b) Q (c) To (d) To	the Northwese with 0° 48° We ract 30; there id tract 30, orth 51° 47° I istance of 27° is the founty I hence South 80 and 31 and central amount of present amount of present amount of present and fall to be utilized the nature of the second control of the second co	st corner of set 740.76 ince South 60 a distance East along 7.4 feet to rth 9 133 Road and in 9 West along ter line of 19 more space of the be used for ilized works by meaning the set of	ribed as follows, to-well said tract 30 and runted to the Southwest of 361.25 feet to combine South line of said the Southeast corner hast 748 feet to a pothe North line of saiding the North line of s	it: Beginning nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30 to beginning.	
(a) Chara (b) Kind Power or Minin 9. (a) To (b) Q (c) To (d) Ti (e) Si	the Northwese with 0° 48° We ract 30; there id tract 30, orth 51° 47° I istance of 27° is the founty I hence South 80 and 31 and central amount of present amount of present amount of present in the nature of the such works to be leach works to be leach works to be leach to the nature of the such works to be leach wor	st corner of set 740.76 ince South 60 a distance East along 7.4 feet to rth 9" 133" Road and in 9" West along ter line of feet to be used for ilized works by mean located in	ribed as follows, to-well said tract 30 and runted to the Southwest of 361.25 feet to combine South line of said the Southeast corner hast 748 feet to a pothe North line of saiding the North line of s	it: Beginning nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30 to beginning.	
(a) Chara (b) Kind Power or Minin 9. (a) To (b) Q (c) To (d) To (e) St Tp. (No N. or	the Northwese with 0° 48° We ract 30; there id tract 30, orth 51° 47° I istance of 27° is the county I hence South 8° ind 31 and central amount of present amount of present amount of the nature of the such works to be lack works to be lack.	ost corner of st corner of st 740.76 ince South 60 a distance East along 7.4 feet to rth 9 132 Road and in 9 West along ter line of the be used for distance works by mean located in	ribed as follows, to-well said tract 30 and runted to the Southwest of 361.25 feet to combine South line of said the Southeast corner hast 748 feet to a pothe North line of saiding the North line of s	it: Beginning nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30 to beginning.	
(a) Chara (b) Kind Power or Minin 9. (a) To (b) Q (c) To (d) To (e) St Tp. (No. N. or (f) Is	acter of soil for of crops raised g Purposes— otal fall to be utilitie nature of the acth works to be lead of the acth works to be lead of the water to be returned.	ost corner of st corner of st 740.76 ince South 60 a distance East along 7.4 feet to rth 9" 132" Road and in 9" West along ter line of the be used for distance works by mean distance in the state of t	ribed as follows, to-well said tract 30 and run feet to the Southwest 3° 48° East along the of 361.25 feet to comb the South line of said the Southeast corner Bast 748 feet to a pot the North line of said ing t	it: Beginning nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30 to beginning.	
(a) Chara (b) Kind Power or Minin 9. (a) To (b) Q (c) To (d) To (e) St Tp. (No. N. or (f) Is	the Northwese with 0° 48° We ract 30; there id tract 30, orth 51° 47° I istance of 27° is the county I hence South 8° ind 31 and central amount of present amount of present amount of the nature of the such works to be lack works to be lack.	ost corner of st corner of st 740.76 ince South 60 a distance East along 7.4 feet to rth 9" 132" Road and in 9" West along ter line of the be used for distance works by mean distance in the state of t	ribed as follows, to-well said tract 30 and run feet to the Southwest 3° 48° East along the of 361.25 feet to comb the South line of said the Southeast corner Bast 748 feet to a pot the North line of said ing t	it: Beginning nning thence corner of said South line of ner; thence tract 31, a of said tract int in the center d tract 31; aid tract 30 to beginning. See ft. be developed	W. M

(i) The nature of the mines to be served

A 10 To marrie the day of			*****************************
County, hos	ing a present population of	*******************************	•••••••••••••••••••••••••••••••••••••••
and an eliminate property and the of	Antonia de la Barra de La Barr	-	
(10) If for dissirable uses dute	number of families to be sup	plied	
	To gladition E. M. M. and M in all cases)		
X 11. Butimated cost of proposed we	Ace, \$ 1000 ac		
/ 12. Construction work will begin	on or before	<u> </u>	
X 13. Construction work will be con	mpleted on or beforeJuly	1 1953	
R. H. The water will be completely			1953
**************************************		, , , , , , , , , , , , , , , , , , ,	
•	V 1.000	Hebeire	144
•	X man	(Signature of applicant)	
		•	
Remarks:			
	-		
	·····		
		•	•
			• • • • • • •
			•
	<u></u>		·
	-		•
······································			
STATE OF OREGON,			
County of Marion, ss.			
This is to certify that I have exc	amined the foregoing applicati	on, together with	the accompanying
maps and data, and return the same for			
In order to retain its priority, the			
tions on or before	, 19	and the second second	
WITNESS my hand this	day of	. 19	

This is to certify that I have examined the foregoing application and do hereby grant the same,

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed											
stream, o	r its equivalen						-	an	unnam	ed str	eam
The	e use to which			e applied	l is		n -	***************************************			
***************************************		****************	······································			•					
	or irrigation, t or its equi								-		
	nion of not		•			•					
the ir	rigation se	ason of	each y	ear,	~			···········			
• • • • • • • • • • • • • • • • • • • •			*								
• • • • • • • • • • • • • • • • • • • •			······································	· · · · · · · · · · · · · · · · · · ·	· • • • • • • • • • • • • • • • • • • •	····	* *** **				
				••							
	ere en	• • • • • • • • • • • • • • • • • • • •		······································		······································		• • • • • • • • • • • • • • • • • • • •	••••		
		****************	······································	••••••		······································		• • • • • • • • • • • • • • • • • • • •			
	be subject to							_		state of	ficer.
	e priority date	_					•	,	2		
thereafte	tual constructi r be prosecute								e	•	and shall
≃stobe	er 1, 1954			• • • • • • • • • • • • • • • • • • • •							
Cor	mplete applica	ition of t	he water	to the p	ropose	d use shall l	b e mad e	on or	before		
La toba	r 1, 1955										
WI	TNESS my ha	ind this .	30th	day	of U	June	25	> - J	19 5	ell	ENGINEER
	10 (10 to 164 <u>4)</u>	epment are	subject to th	e payment o	f annual	fees as provided	d in sectio	nus I and	l 2, chapte	SIAIE er 74, Orea	
			he on,	٠	a.				fo		
			l in t Orego		1					ENGINEER	100
ang Tan	X (m	e,	eived lem, (y's M	i ·				٠. :		Page . /
Sec.		District No	st rec at Sa	nay of Fabruary ? Octock A.	1. 2. 1.	ed:			25 1 2	STATE	P_{α}
	NIE THE THE THE THE THE THE THE THE THE TH	Dist	ıs fira ncer	Fet ock	4	eceiv			% ←	X I	My W
			at ara Engi	ny of E o'clock	ant:	ion r	4	0.1	ok N	STRUCKLIN	
	- 요 중설한 사람		This instituent was first received in the per of the State Engineer at Salem, Oregon,	วั	Esterned to applicant:	Corrected application received:		1952	Recorded in book No. Mits on page	STE	Drainage Basin No. Fees Paid // / /
	일년 연화			1. j. a. a.	d to c	dv p	.q	30	rded. on p	•	e Bas đ
	Ž		Thus for the		3.78	rrecte	Approved.	June 30	Recorded in b Permits on page	CHAS.	Drainage Fees Paid
		-3G	The second secon		er (3	Ap	• • •	Per	1	Dr.c Fee