*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I,	GRAYSA	Adams	of applicant)	Thelm	4 4	dams
d	(Marting address)	Box 2	94 A	رک	Iverta	2.67
State of	Oragan	do here	by make app	olication for a	permit to app	ropriate tl
	scribed public waters					
	applicant is a corpora			•		•
	<u>.</u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, , , , , , , , , , , , , , , , , , ,	in por according		· · · · · · · · · · · · · · · · · · ·
1. The	source of the propos	ed appropriation is	Para		······································	
Abia	source of the propose	ed appropriation is		(Name of a	tream)	912
2 The	va Cre	ich ab a maliana i a	ary of	W. G. A. A.	•	rer
	amount of water wh					
cuoic jeet per	second. 4.5 a. fe	(If water is to be used	from more than or	ne source, give quant	diqua	
**3. The	use to which the war	ter is to be applied is	(Irrigation, p	ower, mining, manus	243. acturing, domestic :	ripplies, etc.)
*	ve		•••••••••••••••••••••••••••••••••••••••	•••••		
4. The	point of diversion is	located fi	tan (N. or S.)	dft	from 1	he
corner of	OFFREZE	P. V. M. P. I. I.	7. 	7.0.ysv.b.a	K.C a	long
Power	es Gree	k a A	bigua	Cres	Which to	ovche
the	را مرم ه	cants	Prop	erty		
		preferable, give distance and				
being within t	(If there is more than one the 5 % 5 W % (Give sm	point of diversion, each mus	nt be described. Us	se separate sheet und	Cessary)	65
	, W. M., in the count			. ,		18 0581
	(Main di		<i>t</i>	o be		
R.	ninating in the	(Smallest legal subdivision	n)	sec.	., 1 p	(N or S)
(E. or W.)	. W. M., the pro	posed location being	g snown thro	ughout on the	accompanyin	g map.
		DESCRIPTION	OF WORK	S		
Diversion Wor	ks—					
6. (a) I	Height of dam . \mathscr{N}	One feet, ler	igth on top.		. feet. lengt)	: at botton
• • • • • • • • • • • • • • • • • • • •	feet: material to b	pe used and characte	r of construc	tion	•	
	er crib, etc., warteway over or		•		(Loose rock, cor	erete, maschry
	er crib. etc., wasteway over or cription of headgate					
	, , , , , , , , , , , , , , , , , , ,	(Ti	mber, concrete, etc	number and size o	f openings)	
			······································			
(c) If w	ater is to be pumped	give general descrip	ption . 4	Gent. (Size and	spe of pump.	du
tract	or more					
16 -	s prinkles					
	it form of application is neglicity	dad mikana is				

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of minicipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

	feet: done's of a	nates	. Saats amada	
and foot.	teast makes of t	P. 4944	jeet; grade	feet fall pe
(b) At		. miles from head	gate: width on top (at	water line)
/h 100 4 10 4 10 2 4 10 2 4 10 2 4 10 2 4 10 2 4 10 2 4 10 2 4 10 2 4 10 2 4 10 2 4 10 2 4 10 2 4 10 2 4 10 2	feet; width on l	bottom	feet; depth	of water
}	feet fa	ll per one thousan	d feet.	
(c) Length	of pipe,	ft.; siz	e at intake,	in.; size at
intake	in.	; size at place of u	se in	; difference in elevation bet
e and place	of use,	ft. Is g	ade uniform?	Estimated cap
•••••••••••••••••••••••••••••••••••••••	sec. ft.			
8. Locatio	n of area to be	irrigated, or place	of use	25 xr+5
Township	Range E. or W. of Willamotte Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigat
65	JE	28	SEL SWE	6.0
			5W4.5W16	
Property	' ∵on which ara:	l teris to hous	ond to a name of t	hat more explicitly
of peeds West lin the cent thence,W manne or Couth of	yoy, said de, Volume 91, e of said 1) er of the Coesterly along less, to a point of the mouth of 1.00 years.	ed being record Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek , more or less.	ded in the Marion eof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count; thence in a North to the center of	at the Northwest corre- Smith on the light cap County, Cregor, Record hence South along the yards more or less, t s Bringe to Silvertor; distance of 330.00 yar y Road accut - 1.00 yar herly direction a dis- Adina Creek; towar
West line the cent thence, West of the cent thence, West of the cent thence of the cent the c	you, said de, Volume 91, e of said 1) er of the Cesterly along less, to a profit the mouth of 1.00 years.	ed being record Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek . more or less. Creek for a di	ded in the Marion eof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count; thence in a North to the center of	. Smith on the lith on County, Cregor, Record hence South along the yards more or less, to Silverton; distance of 330.00 yardy Road accut of 130 yardherly direction a distance of process and a distance of 130 yardherly direction a distance of 130 yardherly direction a distance of 130 yardherly direction a distance of 100 yardherly direction a distance of 100 yardherly direction a distance of 100 yardherly direction of 100 yardherly direction and 100 yardherly direction of 100
West lin the cent thence,W whiche or Touth of this such this such this such	you, said de, Volume 91, e of said 1) er of the Coesterly alongless, to a point of the mouth of 100 years, or of Arigua e of beginning.	ed being record Page 27, there .90 acre tract ounty Road lead g the center of oint in the mid of Powers Greek, more or less . Creek for a dinar, con a ining	ded in the Marion eof, and running to a distance of 152 ding from Dunagan's said Road for a ddle of said Count; thence in a North to the center of stance of 300.00 f.00 acres, more	. Smith on the lith on County, Cregor, Record hence South along the yards more or less, to Silverton; distance of 330.00 yardy Road accut of 130 yardherly direction a distance of process and a distance of 130 yardherly direction a distance of 130 yardherly direction a distance of 130 yardherly direction a distance of 100 yardherly direction a distance of 100 yardherly direction a distance of 100 yardherly direction of 100 yardherly direction and 100 yardherly direction of 100
of peeds West lin the cent thence,W more or Touth of this sect this sect	you, said de, Volume 91, e of said 1) er of the Coesterly alongless, to a point of the mouth of 100 years, or of Arigua e of beginning.	ed being record Page 27, there .90 acre tract ounty Road lead g the center of oint in the mid of Powers Greek, more or less . Creek for a dinar, con a ining	ded in the Marion eof, and running to a distance of 152 ding from Dunagan's said Road for a ddle of said Count; thence in a North to the center of stance of 300.00 f.00 acres, more	. Smith on the lith on County, Cregor, Record hence South along the yards more or less, to Silverton; distance of 330.00 yardy Road accut of 130 yardherly direction a distance of process and a distance of 130 yardherly direction a distance of 130 yardherly direction a distance of 130 yardherly direction a distance of 100 yardherly direction a distance of 100 yardherly direction a distance of 100 yardherly direction of 100 yardherly direction and 100 yardherly direction of 100
West line cent thence went of people with the cent thence we will be a sufficient to the control of the cent th	you, said de, Volume 91, e of said 1) er of the Coesterly alongless, to a point of the mouth of 1.00 years, or of Ariqua e of beginning.	ed being record Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek, more or less . Creek for a dinar, con a ining	ded in the Marion eof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count, thence in a North to the center of 15tance of 300.00 for a decrease, more	. Smith on the lith on County, Cregor, Record hence South along the yards more or less, to Silverton; distance of 330.00 yardy Road accut of 130 yardherly direction a distance of process and accurately direction and series are accurately direction and series are accurately direction.
of peeds West lin the cent thence,Wence or Touth of this cont this cont	you, said de, Volume 91, e of said 1) er of the Coesterly along less, to a point of the mouth of 1.00 years, or of Ariqua e of berinning of Coept raced. The port of the Coept raced. The port of the Coept raced.	Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek, more or less, Greek for a dinar, con a ining	ded in the Marion eof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count; thence in a North to the center of stance of 300.00 f.00 acres, more	. Smith on the lith on County, Cregor, Record hence South along the yards more or less, to Silverton; distance of 330.00 yardy Road accut of 130 yardherly direction a distance of process and accurately direction and series are accurately direction and series are accurately direction.
of peeds West lin the cent thence,Westness Touth of the cent thence,Westness Touth of the cent the cen	you, said de, Volume 91, e of said 1) er of the Coesterly along less, to a positive mouth of 1000 years, or of Ariqua e of beginning for the said of Coepe raced and the coepe raced and t	Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek for a difference of a final containing of more space required to be developed to be developed.	ded in the Marion eof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count, thence in a North to the center of 15tance of 300.00 for a distance of 300.00 for a	. Smith on the lith on County, Cregor, Record hence South along the yards more or less, to Silverton; distance of 330.00 yardy Road accut of 130 yardherly direction a distance of process and accurately direction and series are accurately direction and series are accurately direction.
of peeds West lin the cent thence,Wenther or Couth of the cent thence of the cent th	you, said de, Volume 91, e of said 1) er of the Coesterly along less, to a positive mouth of 1000 years, or of Ariqua e of beginning for the said of Coepe raced and the coepe raced and t	Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek, more or less, Greek for a dinar, con a ining	ded in the Marion eof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count, thence in a North to the center of 15tance of 300.00 for a distance of 300.00 for a	Smith on the lith in Gounty, Oregon, Record hence South along the yards more or leas, the Silverton; distance of 330.00 yardy Road about 1.00 yard herly direction and the Abibus Oreek; the 30 yards, sore or lead, the contraction of lead.
of peeds West lin the cent thence,W entre or Couth of take of the sect the	you, said de, Volume 91, e of said 1) er of the Coesterly along less, to a positive mouth of 1000 years, or of Ariqua e of beginning for the said of Coepe raced and the coepe raced and t	Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek, more or less, Greek for a dinar, con a ining of the more space required to be made of the mode of the m	ded in the Marion eof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count, thence in a North to the center of 15tance of 300.00 for a distance of 300.00 for a	. Smith on the lith in Gounty, Oregon, Record hence South along the yards more or less, the Silverton; distance of 130.00 yardy Road accut 1.00 yard herly direction and 2-Abina Orees; the or less. theoretical horsepulsection.
of peeds West lin the cent thence,W entre or Coath of take of the sect of the section of the sect of the section of the	you, said de, Volume 91, e of said 1) er of the Coesterly along less, to a point of the mouth of 1.00 years, or of Ariqua e of beginning to the said of the paragraph of the paragraph of the paragraph of the said of the sai	Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek, more or less, Creek for a dinar, con a ining the more space required to be med for produced to be med for produced.	ded in the Marion eof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count; thence in a North to the center of 1500.00 f.00 acres, more field attach separate sheet)	Smith on the lith in Gounty, Oregon, Record hence South along the yards more or leas, the Silverton; distance of 330.00 yardy Road about 1.00 yard herly direction and along theoretical horseption of the control of th
of peeds West lin the cent thence,W entre or Couth of tauge of the same the	you, said de, Volume 91, e of said 1) er of the Coesterly along less, to a point of the mouth of 1.00 years, or of Ariqua e of beginning to the said of the paragraph of the paragraph of the paragraph of the said of the sai	Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek for a difference of a final containing of the seed for powers to be developed for powers by the seed for powers by the seed for powers of the seed for powers	ded in the Marion eof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count; thence in a North to the center of stance of 300.00 f.00 acres, more field attach reparate sheets. I said Road for a North the center of 300.00 f. or a large of 300.00 f. or a large of 300.00 f. or a large of stance of 300.00 f. or a large of said larg	Smith on the lith in Gounty, Oregon, Record hence South along the yards more or leas, the Silverton; distance of 330.00 yardy Road about 1.00 yard herly direction and along theoretical horseption of the control of th
of peeds West lin the cent thence,W entre or Couth of tauge of the same the	you, said de, Volume 91, e of said 1) er of the Coesterly along less, to a positive mouth of the mouth of the mouth of Arigua e of beginning to the soil of Coeps ranged and the said of t	Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek for a difference of a final control be developed to be used for powers by the model of the bested for powers of the bested in the world in	ded in the Marion eof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count; thence in a North to the center of stance of 300.00 f.00 acres, more field attach separate sheet)	Smith on the lith in County, Cregor, Record hence South along the yards more or leas, the Silverton; distance of 330.00 yardy Road about 1.20 yard herly direction a distance of sample of least theoretical horseption and least theoretical horseption was a least theoretical horseption and least theoretical horseption was a least theoretical horseption when least the least theoretical horseption was a least theoretical horseption when least the
West ling the cent thence, we can be continued in the cent then cent then cent the c	you, said de, Volume 91, e of said 1) er of the Coesterly along less, to a positive mouth of 1000 years, or of Arigua e of beginning the following of the said of	Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek for a difference or less, core at for a difference space required to be used for powers by the seed for powers b	ded in the Marion cof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count, thence in a North to the center of stance of 300.00 f.00 acres, more field attach separate sheet. The condition of the paper is to the paper	Smith on the lith in County, Cregor, Record hence South along the yards more or leas, the Silverton; distance of 330.00 yardy Road about 1.20 yard herly direction a distance of sample of least theoretical horseption and least theoretical horseption was a least theoretical horseption and least theoretical horseption was a least theoretical horseption when least the least theoretical horseption was a least theoretical horseption when least the
West ling the cent thence, we work the cent thence of the cent then cent then cent the cent t	you, said de, Volume 91, e of said 1) er of the Coesterly along less, to a positive mouth of the mouth of the mouth of Arigna e of beginning to the soil of the properties of the said of	Page 27, there .00 acre tract ounty Road lead g the center of oint in the mid of Powers Greek for a difference of a final control be developed to be used for powers by the model of the bested for powers of the bested in the world in	ded in the Marion cof, and running to a distance of 152 ding from Dunagan! I said Road for a ddle of said Count; thence in a North to the center of stance of 300.00 f.00 acres, more field attach separate sheet. I described the power is to be a separate sheet. I described the power is to be a separate sheet.	Smith on the lith in County, Cregor, Record hence South along the yards more or leas, the Silverton; distance of 330.00 yardy Road about 1.20 yard herly direction a distance of sample of least theoretical horseption and least theoretical horseption was a least theoretical horseption and least theoretical horseption was a least theoretical horseption when least the least theoretical horseption was a least theoretical horseption when least the

	(a) To imply the city of
-	County, having a present population of
i m d	etimeted population of in 19
	(b) If for domestic use state number of families to be supplied
	(Answer quantities 11, 13, 13, and 14 in all cases)
11.	Estimated cost of proposed works, & B. a. a. a. 9
12.	Construction work will begin on or before
	Construction work will be completed on or before 2 years.
	The water will be completely applied to the proposed use on or before I yes from
•••••••	approval date
	* George adams.
	Melma Same
	11. 12. 13.

Remarks:

ALSO: Beginning at a point in the West line of a 10.00 acre tract of and deeded to E. T. Smith and Delilah M. Smith, his wife, by M. J. Thurman and Elizabeth Thurman, his wife, said tract being part of Dection 2, Pryrodia 6 South, Range I East of the Willamette Meridian said deed being recorded in Marion County, Oregon, Records of Deeds, Volume 91 at Page 27; said point of beginning being in the West line 379.50 feet South of the Portugat corner of the above mentioned tract; thence North to the Morthwest corner the tract aforesaid; thence East on the North line of said tract 123.20 feet; thence South on a line parallel with the West line 29.00 feet, note or less, to the R. R. right of way; thence in a Northwester y direction, along said right of way to the place of beginning, situated in the A. J. Shepherd Donation Land Claim No; 38 in Township 6 South, Range 1 East of the Willamette Meridian, Marion County, Oregon.

LESS the following described tract: Beginning at a point in the county road which is South 456.00 feet, more or less, and Note 04' W. The feet and Note 38' W 650.00 feet and Note 32' W 130.00 feet from the Northwest corner of a certain 10.00 acre tract of land deeded to 3. 1. Smith on the 13th day of March 1905, said deed being recorded in Marion County, Ore on, Record of Deeds, Volume 91, Page 27; running thence Northwesterly along the center of less, to the center of Powers Greek; thence Northwesterly along the center of Powers Creek to its extension to the Center line of the Adigua Creek; thence South 130.00 feet, more or less, to a point in the county road; thence South 130.00 feet, more or less, to a point in the county road; thence S 70° 35' E along the county road 200.00 feet; thence I 10° 12' h 70.00'slong the county road to the place of reginning, before single-county. Section 28 in Andrew Shepard D. L. C. in 1 % C. n. 1 & of the minarchia Meridian in Marion County, Oregon.

Cave and outept that portion in the harmy non-

STATE OF OREGON,
County of Marion.

L

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before

WITNESS my hand this

day of

. 10

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The use to which this	water is to be applied isirrigation	***********
	- · ·	٠
****		•• •• •• •• • • • • • • • • • • • • • •
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	•••• •••• •••
the irrigation, this c	appropriation shall be limited to 1/80	ef one cubic foot pe
n lin equival	ent for each acre irrigated and sha	ll be further limited to
	exceed 22 acre feet per acre for eac	ch acre irrigated during
1. Deason (of each year,	······································
	·····	······

The street to be transmable rotation system as may be ordered by the proper state officer.

The man to the state of this permit is a second of the 29, 1951.

1 Buch Buch

03. ''.

the tien is with small hogin on or before ... June 30, 1953

... and shall

to harmthe reasonable diligence and be completed on or before

give realer to the proposed use shall be made on or before

19 52

STATE ENGINEER

er 14. Oregon Lumm 1232.

Drainage Russ, S.

Fees Part 1 . .

TO APPLY

Director N