

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ernest W. Richter, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Surface water and unimp'd stry Reservoir, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.3 cubic feet per second. For stock and fish culture 0.29 cfs

3. The use to which the water is to be applied is 3 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 320 ft. S and 1220 ft. E from the corner of Sec 36 Monte & Kohlmanns Little Homes #2 East 12 Sec 36 T2S - R1W

being within the NE 1/4 NW 1/4 of Sec. 36, Tp. 2 S, R. 1 W, W. M., in the county of Washington

5. The (Main ditch, canal or pipe line) to be in length, terminating in the of Sec. Tp. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 12 1/2 feet, length on top 100 feet, length at bottom 20 feet; material to be used and character of construction Best Fill

(b) Description of headgate no gate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity, with the exception of municipal, should be made to the Hydroelectric Commission.

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
25	1 W	36	1/4 NE 1/4 NW 1/4	Stock + Fish
Lot 12, COMTE & KOHLMAN'S LITTLE HOMES NO. 2, as shown on the duly recorded map and plat thereof in the County of Washington and State of Oregon.				

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power for Mining Purposes--

(a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

The works to be located in
 (Legal subdivision)

..... W. M.
 No. E. or W.

Is water to be returned to any stream?
 (Yes or No)

If so, name stream and locate point of return
 Sec. Tr. R. W. M.
 No. N. or S. No. E. or W.

The nature of the power to be applied is

(a) The nature of the mine to be served

Supply
the city of _____
County, having a present population of _____
population of _____ in 19_____
domestic use _____ number of families to be supplied _____
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 4000
- 12. Construction work will begin on or before Completed
- ✓ 13. Construction work will be completed on or before Completed
- ✓ 14. The water will be completely applied to the proposed use on or before it is already in your

Ernest W. Richter
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion & correction _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 2, _____, 1952.

WITNESS my hand this _____ day of _____, 1952.

RECEIVED
MAR 24 1952
STATE ENGINEER
SALEM, OREGON

By Ed Humphrey
Ed A. Humphrey, Assistant
STATE ENGINEER

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.30 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Surface water, unnamed stream and reservoir to be constructed under Application No. R-26906, Permit No. R- 1335.

The use to which this water is to be applied is stock and fish culture; being 0.01 cfs for stock and 0.29 cfs for fish culture

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 28, 1952

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 19 52

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 2 and 3 Chapter 74, Oregon Laws 1933

Application No. 26907
Permit No. 21142

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28 day of February 1952, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of

Permits on page 21142

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. Page

Fees Paid 20.00