

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, EDWARD J. CLAUSSEN, EDNA B. CLAUSSEN, ARNOLD GRUNEWALD & ELISE GRUNEWALD of National Building, Tillamook, Oregon

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is NESTUCCA RIVER, a tributary of FLEWING CREEK, NESTUCCA BASIN

2. The amount of water which the applicant intends to apply to beneficial use is 22 + 0.50 cubic feet per second.

3. The use to which the water is to be applied is Irrigation of 20 Acres

4. The point of diversion is located 1371.2 ft. N and 109.7 ft. E from the corner of SECTIONS 11 & 12 T. 4 S. R. 10 W. W. 7 N.

being within the NW 1/4 NE 1/4 of Sec. 11, T. 4 S. R. 10 W. W. 7 N., in the county of TILLAMOOK

5. The PIPE LINE to be in length, terminating in the ... of Sec. ... R. ... W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet: material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 2" Pacific Pump 7 1/2 H.P. G.E. motor 22 GPM Rainbird Pumps

*A different form of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity...

21158

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 800 ft.; size at intake, 4" in.; size at _____ ft. from intake 4" in.; size at place of use 3" in.; difference in elevation between intake and place of use, Run Bottom ft. Is grade uniform? Yes Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use _____

Range	Section	Forty-acre Tract	Number	Be Irrigated
	12	NE 1/4 NE 1/4 (part)	28	<u>Yes</u>
		SE 1/4 NE 1/4 (part)	13	
<p>Location of Section 12, T4S, R16W, M11, from North of the boundary described as follows, to-wit: beginning at a point on the North line of Section 12, T4S, R16W, M11, thence with the line of Section 12, thence West 26.41 ft. thence South _____ ft.</p>				
		SE 1/4 NW 1/4	5	
		SW 1/4 NE 1/4	3	

(If separate sheet)

City of _____ having a present population of _____
and an estimated population of _____ in 19____
requiring for domestic use about number of families to be supplied _____

_____ (Number of families to be supplied)

- 11. Estimated cost of proposed works, \$ 22,500 + 2500 old line recovery
- 12. Construction work will begin on or before 1951-52
- 13. Construction work will be completed on or before 1952
- 14. The water will be completely applied to the proposed use on or before 1952

EMBERT J. CLAUSSEN, EDNA B. CLAUSSEN
ARNOLD BRUNEWALD & ELISE BRUNEWALD
(Signature of applicant)

By Ernest J. Clausser!

Remarks: _____
Water system to be used for irrigation
and fertilizer applied directly into water system.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____ 19 _____

WITNESS my hand this _____ day of _____ 19 _____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.536 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Nestucca River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/50 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is March 5, 1950

Actual construction work shall begin on or before June 30, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 1952

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2 chapter 36, Oregon Laws 1951

Application No. 21158
Permit No. 21158

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5 day of March 1952 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of

3158

Permits on page

W. S. E. SPICKLE STATE ENGINEER

Drainage Basin No. Page

Fees Paid