



APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, M.D. AND SUSIE J. COFFELT of ROUTE 1 - BOX 302A, TIGARD, OREGON State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is NO NAME - STREAM AND RESERVOIR, a tributary of TUALATIN RIVER

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

3. The use to which the water is to be applied is STOCK WATER AND IRRIGATION

4. The point of diversion is located 20 ft. N and 300 ft. W from the SE corner of LOT 34 - WILLOW-BROOK FARM

SEE PLAT FOR LOCATION

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the of Sec. Tp. R. W. M., in the county of

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 50 feet, length at bottom 20 feet; material to be used and character of construction WITH EIGHT INCH DIAMETER GATE PIPE

(b) Description of headgate

(c) If water is to be pumped give general description ELECTRIC POWERED PUMP EIGHT FEET

*A different form of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity, with the exception of those permits that be made to the Hydroelectric Commission

1. Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
25	1 W	15	LOT 34 IN WILLOW- BROOK FARM IN THE NE 1/4 NE 1/4	2

NOTE:
THE APPROXIMATE AREA TO BE IRRIGATED IS SHOWN BY RED CROSS HATCHING ON THE PLAT WHICH ACCOMPANIES THIS APPLICATION.

(If more space required, attach separate sheet)

(a) Character of soil LOAM
(b) Kind of crops raised TRUCK CROPS - VEGETABLES - CEREALS

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
(b) Quantity of water to be used for power sec. ft.
(c) Total fall to be utilized (Head) feet.
(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in (Legal subdivision) of Sec.

Tp., R. (No. N. or S.), W. M. (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)
(g) If so, name stream and locate point of return , Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application for Domestic Supply

To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19____
for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 300
- 12. Construction work will begin on or before 1953
- 13. Construction work will be completed on or before 1953
- 14. The water will be completely applied to the proposed use on or before SPRING OF 1953

M D Laska
(Signature of applicant)
L. Laska

Remarks: THE PROPERTY DESCRIBED ABOVE HAS NO OTHER RELIABLE SOURCE OF WATER ADEQUATE TO PROVIDE FOR THE LIVESTOCK AND POULTRY NEEDS OF THE TWO FAMILIES NOW LIVING ON THIS TRACT. THE VEGETABLE GARDENS, FAMILY FRUIT TREES, BERRY PATCHES AND YARDS OF THESE TWO UNITS ARE IN NEED OF SUPPLEMENTARY IRRIGATION.

THE SMALL WATERCOURSE IN WHICH THE DAM IS TO BE BUILT CARRIES WATER DURING THE FALL AND WINTER SEASONS. IN YEARS OF NORMAL PRECIPITATION IT RUNS COMPLETELY ABOUT MAY 1ST. IT IS DRY FOR THE WINTER RUN OFF FOR SEVERAL WEEKS.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 21, 1952.

WITNESS my hand this 20th day of April, 1952.

RECEIVED
MAR 27 1952
STATE ENGINEER
SALEM, OREGON
CHAS. C. STRICKLAND
Ed K. Humphrey, Assistant
Ed K. Humphrey

WALTER W. JOHNSON,

County Engineer

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.035 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream and reservoir to be constructed under Application No. R-26931, Permit No. R-1339

The use to which this water is to be applied is stock and irrigation; being 0.01 cfs for stock and 0.025 cfs for irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1339

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 6, 1952

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 19 52

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1931.

Application No. 26931

Permit No. 21160

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6 day of March 1952, at 8:00 o'clock A. M. Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of

Permits on page 21160

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. Page

Fees Paid 25.00