

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, R. A. Briggs, of Myrtle Creek, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Creek and Reservoir, a tributary of So Myrtle Creek

2. The amount of water which the applicant intends to apply to beneficial use is .022 cubic feet per second.

3. The use to which the water is to be applied is Domestic supply and stock use

4. The point of diversion is located 765.1 ft. N and 1324.3 ft. E from the corner of Sections 20 & 21, T29S, R3W.

being within the SE 1/4 of Sec. 21, Tp. 29S, R. 3W, W. M., in the county of Douglas

5. The Pipe line to be 1340.0 ft in length, terminating in the SE 1/4 of Sec. 20, Tp. 29S, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 17 feet, length at bottom 12 feet; material to be used and character of construction Earth Fill

(b) Description of headgate None

(c) If water is to be pumped give general description Gravity Flow

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity...

7. Give the dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 12.90 ft.; size at intake, 2" in.; size at ft. from intake in.; size at place of use 2" in.; difference in elevation between intake and place of use, 77.7 ft. Is grade uniform? No. Estimated capacity, 0.22 sec. ft.

8. Location of area to be irrigated, or place of use SE 1/4 NE 1/4 Sec 20, T 29 S, R 3 W

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
L.D.	NE 1/4	Sec. 20	T. 29 S. R. 3 W.	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

..... having a present population of

..... in

..... the number of families to be supplied One

(Number including D, R, W, and H in all cases)

B. Estimated cost of proposed works, \$ 15000

C. Construction work will begin on or before March 1952

D. Construction work will be completed on or before April 1952

E. The water will be completely applied to the proposed use on or before April 1957

R A Briggs
(Signature of applicant)

Remarks:

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

STATE ENGINEER

STATE OF OREGON,
Department of Water

I hereby certify that I have examined the foregoing application and do hereby grant the same, **SUBJECT TO EXISTING RIGHTS** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.022 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed creek and reservoir to be constructed under Application No. R-26949, Permit No. R- 1341.

The use to which this water is to be applied is Domestic supply and stock use; being 0.01 c.f.s. for domestic and 0.012 c.f.s. for stock use.

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 11, 1952

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June, 19 52

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26950
Permit No. 21172

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____
This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 11th day of March,
1952 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of

Permits on page 21172

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. _____ Page to 2

Fees Paid 20.00