APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

feet; material to be used and character of construction (b) Description of headgate (c) If water is to be pumped give general description ltm Centrifulal15 H.). 3 processes and type of engine or material to be ased, total four waters and type of pumped. (Size and type of engine or material to be ased, total four waters to be a sed, total four waters to be ased.	I,BF1 B. Coyle	(Name of applicant)	
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Tuelatin River. 2. The amount of water which the applicant intends to apply to beneficial use is 0.30 mubic feet per second. 3. The use to which the water is to be applied is	of 1226 W. Burnaide	Portland 7e	1. Be 1927
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Tualatin River (Chamos stream) 2. The amount of water which the applicant intends to apply to beneficial use is 0.30 (which is the applicant intends to apply to beneficial use is 0.30 (which is the water is to be applied is Integration power, minute, manufacturing, domestic supplies are corporated in the water is to be applied is Integration power, minute, manufacturing, domestic supplies are corporated in the point of diversion is located 110. It S. and 2570 ft. If from the N.E. (which is the point of diversion is located 110. It S. and 2570 ft. If from the N.E. (which is the point of diversion is located 110. It S. and 2570 ft. If from the N.E. (which is the point of diversion is located 110. It S. and 2570 ft. If from the N.E. (which is the point of diversion are subdivision) (If preferable, give dutance and bearing to recovery the point of diversion is located 110. It S. and 2570 ft. If from the N.E. (which is the point of diversion was about the subdivision) (If there is more than are point of diversion and bearing to recovery the point of the N.E. (which is the point of diversion was about the point of the	State of Aragan	, do hereby make application	on for a permit to appropriate the
1. The source of the proposed appropriation is Tualatin River. .a tributary of Willemette River 2. The amount of water which the applicant intends to apply to beneficial use is 0.30 whice feet per second.	ollowing described public waters of the	State of Oregon, SUBJECT TO	EXISTING RIGHTS:
(Name of treatment) a tributary of Williamstie River 2. The amount of water which the applicant intends to apply to beneficial use is 0.50 while feet per second. (It were to be used from now than one much for quantity from tech) **3. The use to which the water is to be applied isITI_SELION (It have to manufacturing, domestic napplies, exc. 4. The point of diversion is located _110ftB and 2570 _ftWfrom the N.E. **2. The water is new Dan on- point of diversion and beaches to revision (If there is new Dan on- point of diversion and beaches to revision) (If there is new Dan on- point of diversion and beaches to revision) (If there is new Dan on- point of diversion and beaches to revision) (If there is new Dan on- point of diversion and beaches to revision) (If there is new Dan on- point of diversion and beaches to revision) (If there is new Dan on- point of diversion and beaches to revision) (If there is new Dan on- point of diversion and beaches to revision) (If there is new Dan on- point of diversion and beaches to revision) (If there is new Dan on- point of diversion and beaches to revision) (If there is new Dan on- point of diversion and beaches to revision) (If there is new Dan on- point of diversion and beaches to revision and beaches to revision and beaches to revision and beaches to revision be described. (If there is new Dan on- point of diversion and beaches to revision and beach	If the applicant is a corporation, give	pe date and place of incorporat	tion Individual
2. The amount of water which the applicant intends to apply to beneficial use is 0.30 with the personnal and the perfect of the best well from now that one water give quantity from each) **3. The use to which the water is to be applied is	•		(Name of stream)
The use to which the water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is		, a tributary ofW111 mm	tto River
4. The point of diversion is located 110 ft. 8 and 2570 ft. word from the N.E. (N. e. s.) (Restion or subdivision) (If there is more than one point of diversion, seed must be described. Use separate sheet if servancy their manufacturing domestic supplies, etc. (N. e. s.) (If there is more than one point of diversion, seed must be described. Use separate sheet if servancy their manufacturing of Sec. 21 Tp. 20 (a.) (If there is more than one point of diversion, seed must be described. Use separate sheet if servancy their manufacturing of Sec. 21 Tp. 20 (a. o. w.) 5. The Main Pipe Line (Smallest legal subdivision) 5. The Main Pipe Line (Smallest legal subdivision) 6. The Main Pipe Line (Smallest legal subdivision) of Sec. 21 Tp. 20 (a. o. w.) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Characterial to be used and character of construction (b) Description of headgate (c) If water is to be pumped give general description 12" Centerifical—15 dislated State and type of source of source and the total state of screen and type of pumper pumper. (c) If water is to be pumped give general description 12" Centerifical and type of pumper and type of source of source of source and type of source of source of source of state of state of screen and type of source of source of state of state of state of screen and type of source of source of state of state of state of state of state of screen and type of source of source of state	2. The amount of water which the o	ipplicant intends to apply to be	neficial use is 0.30
4. The point of diversion is located 110 ft. 8 and 2570 ft. word from the N.E. (N. e. s.) (Restion or subdivision) (If there is more than one point of diversion, seed must be described. Use separate sheet if servancy their manufacturing domestic supplies, etc. (N. e. s.) (If there is more than one point of diversion, seed must be described. Use separate sheet if servancy their manufacturing of Sec. 21 Tp. 20 (a.) (If there is more than one point of diversion, seed must be described. Use separate sheet if servancy their manufacturing of Sec. 21 Tp. 20 (a. o. w.) 5. The Main Pipe Line (Smallest legal subdivision) 5. The Main Pipe Line (Smallest legal subdivision) 6. The Main Pipe Line (Smallest legal subdivision) of Sec. 21 Tp. 20 (a. o. w.) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Characterial to be used and character of construction (b) Description of headgate (c) If water is to be pumped give general description 12" Centerifical—15 dislated State and type of source of source and the total state of screen and type of pumper pumper. (c) If water is to be pumped give general description 12" Centerifical and type of pumper and type of source of source of source and type of source of source of source of state of state of screen and type of source of source of state of state of state of screen and type of source of source of state of state of state of state of state of screen and type of source of source of state	rubic feet per second(If w	reter is to be used from more than one source	e give quantity from each)
(If preferable, give distance and bearing to recovered. (If there is more than one point of diversion, each must be described. The apparate sheet if recreasing within the the country of Washington of Sec. 21 Tp. 22 (Learner). (It there is more than one point of diversion, each must be described. The apparate sheet if recreasing the country of Washington of Sec. 21 Tp. 22 (Learner). (It must not be apparate the city of Sec. 21 Tp. 22 (Learner). (It must not be apparate to the city of Sec. 21 Tp. 22 (Learner). (It must not be apparate to the city of Sec. 21 Tp. 22 (Learner). (It must not be apparate to the city of Sec. 21 Tp. 22 (Learner). (It must not be apparate to the city of Sec. 21 T		be applied is Irrigation	1
(If preferable, sive distance and bearing to serve, a tree! (If there is more than one point of diversion, such must be described. Use separate street if servesary) peing within the			70ft
(If preferable, sive distance and bearing to serve, a tree! (If there is more than one point of diversion, such must be described. Use separate street if servesary) peing within the	orner of Section 21,	(Section or subdivision)	
(if there is more than one point of diversion, each must be described. Use separate street if severality seeing within the NW, NE, of Sec. 21 Tp. 25 (in the country of Nash! 13500) (in crw.) W. M., in the country of Nash! 13500 (in crw.) W. M., in the country of Nash! 13500 (in crw.) The Nain Pine Line to be 1200 to Mics of feet (Main dich, canal or pipe line) of Sec. 21 Tp. 22 (in length, terminating in the Portable Line of Sec. 21 Tp.		•••••••••••••••••••••••••••••••••••••••	
(if there is more than one point of diversion, each must be described. Use separate sheet if necessary peing within the NNL NEL of Sec. 21 Tp. 25 (Give smallest legal subdivision) R. 1			
(if there is more than one point of diversion, each must be described. Use separate sheet if necessary peing within the NNL NEL of Sec. 21 Tp. 25 (Give smallest legal subdivision) R. 1			
Description Works— 6. (a) Height of dam feet: material to be used and character of construction bek and brush, timber crib, etc., wasteway over or around dams (b) Description of headgate (c) If water is to be pumped give general description 1.** Cent. riftal.—1.5 He. 1. 3 processes and type of engine at 200 T. D. H. 1. (State and type of engine at any and type of engine at any and typ	(If preferable	, give distance and bearing to section out er	
Description Works— 6. (a) Height of dam feet: material to be used and character of construction bek and brush, timber crib, etc., wasteway over or around dams (b) Description of headgate (c) If water is to be pumped give general description 1.** Cent. riftal.—1.5 He. 1. 3 processes and type of engine at 200 T. D. H. 1. (State and type of engine at any and type of engine at any and typ	(If there is more than one point of di	iversion, each must be described. Use separa	te shect if necessary)
S. The Main Pipe Life to be 1200 to (Main ditch, canal or pipe line) (Succession of Sec 21	peing within the	WE NEE of Sec.	£1
5. The Main Pipe Live (Main ditch, canal or pipe line) In length, terminating in the Portable Line (Smallest legal subdivision) Of Sec. 21 Tp. 23 (Nors) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at better feet; material to be used and character of construction (b) Description of headgate (c) If water is to be pumped give general description 12" Centrifulal—12 Hells 11 (Size and type of engine or manute at 200 T.D.H.*. (c) Gall per minute at 200 T.D.H.*.	-		(N → C)
n length, terminating in the Portable Line of Sec 21 Tp. 22 (Smallest legal subdivision) of Sec 21 Tp. 22 (North North N	(E. OF W.)		120 0 - t
DESCRIPTION OF WORKS Diversion Works— * 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction **Sock and brush, timber crib, etc., wasteway over or around dam! (b) Description of headgate (Timber, concrete, etc., number and size of over ign.) (c) If water is to be pumped give general description 12" Centrificial——15 H.1. 3 processes and type of engage or material to be made to the date of the pumped. (Size and type of pumped.)	(manufacture)	or pipe inte/	· sincs or reer
DESCRIPTION OF WORKS i. (a) Height of dam			•
feet; material to be used and character of construction feet; material to be used and character of construction (b) Description of headgate (c) If water is to be pumped give general description ltm. (b) gal. per minute at 200 T.D.H.* (sue and type of engine of mater to be used, total four water to be used.)	(E. or W.)	ocation being shown throughout	it on the accompanying map.
feet; material to be used and character of construction touse rock, concrete making the properties of the pumped give general description limits and type of engine or model to be used and character of construction (b) Description of headgate (C) If water is to be pumped give general description limits to be given by the pumped give general description limits to be given general type of pumped give general description limits to be given general type of pumped give general description limits to be given general type of engine or model to be used, total four water to be a seed, total four water to be given general type of engine or model to be used, total four water to be given general type of engine or model to be used, total four water to be used.	DE	SCRIPTION OF WORKS	
feet; material to be used and character of construction (b) Description of headgate (c) If water is to be pumped give general description 1± Centrifulal - 15 H. 1. 3 processes and type of engine or motor to be used, total trust wat to be gained type of engine or motor to be used, total trust wat to be used.	Diversion Works—		
(b) Description of headgate (Timber, concrete, etc., number and size of operarge) (c) If water is to be pumped give general description 12th Centrifulal15 H.:. 3 processes and type of engage of motor to be asch, total read water in the concrete mason.	6. (a) Height of dam	feet, length on top	feet, length at bottom
(c) If water is to be pumped give general description 12" Centrifulal15 H.). 3 processes and type of engage of motor to be used, total read wat not a read to the contract of the contract o	feet; material to be used	and character of construction	(Louis mick, concrete masonry,
(c) If water is to be pumped give general description lit "Centriforal15 H.). 3 pr 140 gal. per minute at 200 T.D.H	ock and brush, timber crib, etc., wasteway over or around da	am)	
(c) If water is to be pumped give general description 12" Centrifulal15 H.1. 3 pr 140 gal. per minute at 200 T.D.H.*. (Size and type of engage of motor to be used, total read was a second to be as a	(b) Description of headgate	(Timber, concrete, etc., num)	ner and size of operargs:
140 gal. per minute at 200 T.D.H.*.			
140 gal. per minute at 200 T.D.H.*.	(c) If water is to be pumped give ge	eneral description lt "Cent	rifugal15 H.L. 3 pma
	140 gal. per minute a	t 200 T.p.H	
		entre en entre entre en entre entre en	

^{*}A different form of application is provided where storage works are contemplated

- (a) Character of soil Willamette Loam
- (b) Kind of crops raised Permanent Pasture

Power or Mining Purposes-

9. (a) Total amount of power to be developed

theoretical horsenesses

(b) Quantity of water to be used for power

.. sec. ft.

(c) Total fall to be utilized (Head)

.. feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in

of Sec.

Tp.

(f) Is water to be returned to any stream?(Yes or No)

(g) If so, name stream and locate point of return.

- (h) The use to which power is to be applied is ...
- (i) The nature of the mines to be served

to pertify that I have exemined the SUBJECT TO EXISTING RIGHTS and the follow

The right herein granted is limited to the am stream, or its equivalent in case of rotation with o

The use to which this water is to be applied i

If for irrigation, this appropriation shall be li second or its equivalent for each acre in diversion of not to exceed 2 acre feet irrigation season of each year,

and shall be subject to such reasonable rotation sys

The priority date of this permit is

Actual construction work shall begin on or thereafter be prosecuted with reasonable diligence October 1, 1954

Complete application of the water to the pro-October 1, 1955

WITNESS my hand this 30th day of

Application Permit No.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON **PERM**

District No. Division No.

was first received in the This instrument

office of the State Engineer at Salem, Oregon,

on the 14 day

19 52 at 8:00