

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, D. W. Clark, of Riddle, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River, a tributary of Umpqua River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.03 cubic feet per second.

3. The use to which the water is to be applied is Service Station.

4. The point of diversion is located South 42° 37' East 1250.0' from the N.W. corner of Section 33, T. 30 S., R. 2 W., W. M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of the NW 1/4 of Sec. 33, Tp. 30 S., R. 2 W., W. M., in the county of Douglas.

5. The pipe line to be 150' in length, terminating in the NW 1/4 NW 1/4 of Sec. 33, R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description A Centrifugal pump connected to a 10 HP electrical motor, head 70'

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

**Conduit or Pipe Line**

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. As headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, 150 ft.; size at intake, 1 1/2 in.; size at 130 ft. from intake 1 1/4 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 70 ft. Is grade uniform? No Estimated capacity, 0.045 sec. ft.

**8. Location of area to be irrigated, or place of use**

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>T30S</u>	<u>R2W</u>	<u>33</u>	<u>NW 1/4 NW 1/4</u>	<u>None</u>

Beginning at a point which bears South 123° 20' east 1105.0' from the Northwest corner of Section 33, T 30 S, R 2 W, W.M. said point of beginning being on the North right of way line of the Tiller-Trail State Highway and consisting of a 1" x 30" iron pipe driven 24" in ground; thence South 73° 41' East 300.0' along North R/W line of said highway to a 1" iron pipe; thence North 16° 17' East 200.0' to a 1" iron pipe; thence North 73° 13' West 300.0' to a 1" iron pipe; thence South 16° 17' West 200.0' to place of beginning containing 1.38 acres, more or less, a portion of the NW 1/4 of NW 1/4 of Section 33, T 30 S, R 2 W, W.M., Douglas County, Oregon.

(If more space required, attach separate sheet)

(a) Character of soil \_\_\_\_\_

(b) Kind of crops raised \_\_\_\_\_

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed \_\_\_\_\_ theoretical horsepower.

(b) Quantity of water to be used for power \_\_\_\_\_ sec. ft.

(c) Total fall to be utilized \_\_\_\_\_ feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_

(Legal subdivision)

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? No  
(Yes or No)

(g) If so, name stream and locate point of return \_\_\_\_\_

\_\_\_\_\_ Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

City, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) by the applicant use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 800-
- 12. Construction work will begin on or before March 1, 1952
- 13. Construction work will be completed on or before Aug. 1, 1952
- 14. The water will be completely applied to the proposed use on or before Aug 1, 1952

*D.W. Clark*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

This is to certify that I have examined the foregoing application and do hereby grant the same, **SUBJECT TO EXISTING RIGHTS** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is maintaining a service station

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 19, 1952

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 19 52

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26992  
Permit No. 21201

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. \_\_\_\_\_ District No. \_\_\_\_\_

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of March, 1952, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of 21201  
Permits on page \_\_\_\_\_

**CHAS. E. STRICKLIN**  
STATE ENGINEER

Drainage Basin No. \_\_\_\_\_ Page 52

Fees Paid 20.00