

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Robert G. and Blanche H. Sipe, husband and wife
of 8011 Washington St., Albany
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Santiam River

(Name of stream)

a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located
ft. and ft. from the
corner of N. 35° 45' E. 24.0 ch. from a 3/4" pipe which is 35.00 ch. West of the
corner of the Richard Cheadle D.L.C. No. 38 in T. 12 S., R. 1 W. of the W. 1/4 Section
(Reference monument is 35.00 chains West of the N. E. corner of the Richard Cheadle
D.L.C. No. 38 in T. 12 S. R. 1 W. W. 1/4.)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the
of Sec.
Tp.
R.
W. M., in the county of
Lin

5. The
main pipe line
to be
in length, terminating in the
of Sec.
Tp.
R.
W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam
feet, length on top
feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.





STATE OF OREGON,  
County of Marion

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.100 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Santiam River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 24, 1952

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 19 52

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 26, Oregon Laws 1933

Application No. 27210  
Permit No. 21214

PERMIT

TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of March 1952, at 8.00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52

21214

Permits on page

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 2 Page 40

Fees Paid 15.45