



APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Charles E. Sitten, of Box 199, Route 2, McMinnville, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Yamhill River, a tributary of Willamette River.

2. The amount of water which the applicant intends to apply to beneficial use is 220 GPM cubic feet per second.

**3. The use to which the water is to be applied is Irrigation.

4. The point of diversion is located 1300' ± ft. N and 1075' ± ft. E from the SW corner of Section 33, T 3 S; R 4 W., W.M.

being within the SW 1/4 of SW 1/4 of Sec. 33, Tp. 3 S, R. 4 W., W. M., in the county of Yamhill.

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction ...

(b) Description of headgate ...

(c) If water is to be pumped give general description 2" Centrifugal Hercules 16.9 Horse Power

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 320' Main ft.; size at intake, 4" in.; size at 320' ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 60' ft. Is grade uniform? No Estimated capacity, 220 GPM sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S	4 W	33	NW 1/4 of SW 1/4	.5
"	"	33	SW 1/4 of SW 1/4	15.0
4 S	"	4	NW 1/4 of NW 1/4	1.5
be irrigated				17.0 acres

Section 33; Township 3S; Range 4W
Section 4; Township 4S; Range 4W.

Begin 10.03 chs. N of S.W. corner J.B. Pennington D.L.C.;
Run N. 26 1/2 chs., S. 50° E. 11 chs., E 5 chs., S. 10° W 9.70 chs.
S. 2.30 chs., S 80° W 2.30 chs., S. 25° E. 4 chs., S15° W 6.11 chs.
to Co. Rd., N. 68° W 9.57 chs. to beg. Con. 25.63 Ac.

Pro. A-1329

--	--	--	--	--

(If more space required, attach separate sheet)

(a) Character of soil Willamette Silt Loam

(b) Kind of crops raised Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application for Domestic Supply

10. (a) To supply the city of _____ County, having a present population of _____ and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____
(Answer questions 11, 12, 13, and 14 in all cases)

- X 11. Estimated cost of proposed works, \$ 400
- X 12. Construction work will begin on or before April 1
- X 13. Construction work will be completed on or before April 15
- X 14. The water will be completely applied to the proposed use on or before May 10

Charles E. Sutton
(Signature of applicant)

Remarks:

For Map & L.E. refer to
App. No. 29857

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

PERMIT

STATE OF OREGON,

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.213 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Yamhill River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 25, 1952

Actual construction work shall begin on or before June 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 30th day of June 19 52

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1932.

Application No. 37015

Permit No. 21217

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of March 1952, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1952

Recorded in book No. 52 of

Permits on page 21217

CHAS. E. STRUCKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 907

Fees Paid \$5.00