

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1. Howard d. Vandehay
 of Rt. 2, Box 245, Forest Grove
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is West Dairy Creek
tributary of Dairy Creek, a tributary of Tualatin River
2. The amount of water which the applicant intends to apply to beneficial use is 0.35
 cubic feet per second.
- (If water is to be used from more than one source, give quantity from each)
- **3. The use to which the water is to be applied is IRRIGATION
 (Irrigation, power, mining, manufacturing, domestic purposes, etc.)

4. The point of diversion is located 5.53°05'E. 5493.4 feet
 corner of Section 7
- (N. or S.) (E. or W.)
 (Section or subdivision)

- (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the NE 1/4 NE 1/4 of Sec. 18 T. 11
 R. 3W, W. M., in the county of Washington
 (E. or W.)

5. The main ditch is to be
 in length, terminating in the of Sec. 18
 R. W.M., the proposed location being shown through the above points

DESCRIPTION OF WORKS

Diversion Works—

No dam

6. (a) Height of dam feet, length on top

feet; material to be used and character of construction

rock and brush, timber crib, etc., wastewater over or around dam.

- (b) Description of headgate

- (c) If water is to be pumped give general description

electric motor

15 or 20 - 8 gpm sprinklers
Water is diverted from creek to 15 or 20
about 1300 feet of ditch

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity will be made through the Oregon Hydroelectric Commission. Either of the above forms may be used, with a joint signature with the Oregon Hydroelectric Commission.

Construction of Pipe Lines—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, 4 in.; size at ft.
from intake in.; size at place of use #3 in.; difference in elevation between
intake and place of use, 15 ft. Is grade uniform? yes Estimated capacity,
..... sec. ft.

8. Location of area to be irrigated, or place of use

(If more space required, attach separate sheet)

(a) Character of soil : Medium soil

(b) Kind of crops raised. Strawberries Clover Corn

Power or Mining Purposes—

9. (a) Total amount of power to be developed

(b) Quantity of water to be used for power

(c) Total fall to be utilized feet

(d) The nature of the works by means of which the power is to be exercised.

(e) Such works to be located in

of See

Tp. _____, R. _____, W. M. _____
(No. _____)

(f) Is water to be returned to any stream?

(a) If so, name stream and locate point of entry _____

and locate point of

, 800.

17

R

六

(h) The use to which power is to be applied is

190-1281

470

(i) The state of the system

21230

Classification of Elements

(a) To supply the city of
County, having a present population of
and an estimated population of in 19.....

11. Estimated cost of proposed works, £ 1500 0s
12. Construction work will begin on or before One year after approval
13. Construction work will be completed on or before two years " "
14. The water will be completely applied to the proposed use on or before 3 " "

Howard J. Ransdorff
(Signature of applicant)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 2nd.

WITNESS my hand this 2nd day of November,

WITNESS my hand this *and* *day of* *Month* *Year*

STATE OF SOUTH CAROLINA
STATE JOURNAL
Ed K. Humphrey, Agent

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.369 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from West Dairy Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/30 of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the
irrigation season of each year,.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 23, 1942

Actual construction work shall begin on or before .. August 22, 1954 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1954

Complete application of the water to the proposed use shall be made on or before
October 1, 1955

WITNESS my hand this 29th day of Augu..... 19.....

George E. Stoddard Jr.
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 14, Oregon Laws 19.....

Application No. 1234567890

Permit No. 1234567890

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____

District No. _____

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the day of 19.....

at o'clock M.

Returned to applicant:

Corrected application received:

Approved.

Recorded in book No. 1234567890
of

Permit on page 1234567890

STATE ENGINEER
Drainage District No. 1234567890
Fees Paid: \$1234567890