

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Joseph E. Vandewalen (Name of applicant)

of Route 1 Box 155 Banks (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Individual

1. The source of the proposed appropriation is an unnamed creek (Name of stream), a tributary of East Dairy Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.0375 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The only point of diversion is located 1260 ft. South and 1020 ft. West from the NE corner of Section 29 TWP 2N R 3E WM (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the NE 1/4 NE 1/4 of Sec. 29 Twp. 2N R. 3E W.M. in the county of Washington (Give smallest legal subdivision)

R. 3 W W. M. in the county of Washington

5. The Pipe Line is portable to be 420 Feet (Main ditch, canal or pipe line) (Miles or feet)

Confined to NE 1/4 NE 1/4 of Sec. 29 Twp. 2N R. 3E W.M. (Smallest legal subdivision)

R. 3 W W. M. the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

1. Pipe Line 420 feet length on top

2. Centrifugal pump powered by tractor

3. 1 1/2" centrifugal pump powered by tractor. Rated capacity 150 gal/min.

Canal System or Pipe Line---

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 420 ft.; size at intake, 4 in.; size at 20 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? **YES** Estimated capacity, 150 gal/min ~~xxxx~~

8. Location of area to be irrigated, or place of use

Township	Range, <i>N/S</i>	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 N	3 W	29	NE 1/4 NE 1/4	3

(If more space required, attach separate sheet)

(a) Character of soil **Wapato Silt Loam**

(b) Kind of crops raised **Cannery vegetables**

Power or Mining Purposes---

9. (a) Total amount of power to be developed

(b) Quantity of water to be used for power

(c) Total fall to be utilized

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in

..... R. W. M.

(f) Is water to be returned to any stream?

(g) If so, name stream and locate point of return

..... Sec.

..... Tp

(h) The use to which power is to be applied is

(i) The nature of the mine to be mined

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before July 1 1951
- 13. Construction work will be completed on or before July 1 1952
- 14. The water will be completely applied to the proposed use on or before Sept 1 1953

(Signature of applicant)

Remarks:

Beginning at the N.E. corner of Section 29, Township 2
N. R. 3 W. W.M., running thence W. on section line 20.00 chs.,
Thence S. 20.00 chs., thence E. 12.08 chs. to the center of the
County Road, thence along the center of the County Road as follows:
N. 33 1/2° W. 1.52 chs., thence N. 65 1/2° W. 4.22 chs. thence N. 53 3/4°
W. 2.33 chs., thence N. 40° W. 0.21 chs. to a stake, thence E.
14.57 chs. to the line between sections 28 and 29, thence N. on
said section line 15.55 chs. to the place of beginning, save and
excepting therefrom that certain tract as described in deed book
34 page 87, Deed Records of Washington County, Oregon.