

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Fred F. Brunner of Rt. 1 Box 152 Newberg State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed and Reservoir, a tributary of Clatskanie

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 1430 ft. S and 470 ft. E from the NW corner of Sec 7

being within the SW 1/4 NW 1/4 of Sec. 7 of Tp. 36 N. R. 12 W. M., in the county of Clatsop

5. The Main ditch, canal or pipe line to be in length, terminating in the of Sec. 7 of Tp. 36 N. R. 12 W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works - (a) Height of dam 16 feet, length on top 100 feet, length of structure 100 feet, material to be used and of character of construction concrete

(b) Description of headgate 12x12 concrete, 24" number and size of opening

(c) If water to be pumped give general description of pump and motor

SUBMITTED 4/25/44

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use 20 acres

| Township | Range E or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|---|--|---------|------------------|------------------------------|
| 35 | 2W | 7 | NE 1/4 NW 1/4 | 2 |
| | | | NW 1/4 NW 1/4 | 4 |
| | | | SW 1/4 NW 1/4 | 10 |
| | | | SE 1/4 NW 1/4 | 4 |
| Property to which water is to be applied is a portion of that more explicitly described by the applicant as follows: Lot 15 of North Newberg Fruit Land Subdivision in the Gideon Gravel D.C. in Section 7, Twp. 3 South; R. 2 W. | | | | |

If more space required, attach separate sheets

(a) Character of soil Willamette silt

(b) Kind of crops raised berries

Power or Mining Purposes—

9. (a) Total amount of power to be developed hp.

(b) Quantity of water to be used for power cfs.

(c) Total fall to be utilized feet

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in

Tp. (No. N. or S.) R. (No. E. or W.) W. M.

(f) Is water to be returned to any stream? Yes

(g) If so, name stream and locate point of return

Sec. Tp. R. (No. E. or W.) W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

City of _____ County, having a present population of _____ and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1400⁰⁰
- 12. Construction work will begin on or before 1 year from approval date
- 13. Construction work will be completed on or before 2 yrs
- 14. The foster will be completely applied to the proposed use on or before 3 yrs from approval date

Fred H. Brunner
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying plans and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before _____ 19_____

WITNESS my hand this _____ day of _____ 19_____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir to be constructed under Application No. R-27328, Permit No. R-1375.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1375.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 10, 1952

Actual construction work shall begin on or before August 29, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 29th day of August, 1952

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1922.

Application No. 2602
Permit No. 21244

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 29th day of June, 1952 at 6:45 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

August 29, 1952

Recorded in book No. 53 of

Permits on page 1244

C. AS. G. STRICKLIN
STATE ENGINEER

Drainage Basin No. Page

Fees Paid \$ 15.00