## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

***************************************	Carl V. Shore	
of	Rt,1, Box 15h, Colton	
	(Malling searces) Oregon , do hereby make application for a pe	ermit to appropriate the
•	ibed public waters of the State of Oregon, SUBJECT TO EXIST!	_
_		
If the app	plicant is a corporation, give date and place of incorporation	u.A. — u — u — u — u — u — u — u — u — u —
	ource of the proposed appropriation is un-named a	(eam)
to be constr	ncted. , a tributary of Bee	e Creek
2. The a	mount of water which the applicant intends to apply to beneficial us	se is
cubic feet per s	econd	
##2 ///ho #	se to which the water is to be applied is	ty from each)
vs. The u	(irrigation, power, mining, manuta	cluring, domestic supplies   etc.)
	atting of Street Street Institute of the second of the sec	from the
4 (73)		370m ine
4. The p	oint of diversion is located	
4. The p	The point of diversion is located S 60 30! E , 512 (Section or subdivision)	25 feet from the
		25 feet from the
	The point of diversion is located S 60 30! E , 512 (Section or subdivision)	25 feet from the East, Willamette
	The point of diversion is located S 60 30! E , 512 (Section or subdivision)  NW corner of Section 1, Township 5 South, Range 3	East, Willamette S 17 30' W,
	The point of diversion is located S 60 30! E , 512 (Section or subdivision)  NW corner of Section 1, Township 5 South, Range 3  Meridian. The said point of diversion also located 2650 feet from the NE corner of Section 1, T.53.,	East, Willamette  1 S 17 30' W,  R. 3 E., A.M.
	The point of diversion is located S 60 30! E 512 (Section or subdivision)  NW corner of Section 1, Township 5 South, Range 3  Meridian. The said point of diversion also located 2650 feet from the NE corner of Section 1, T.53.,  (If preferable, give distance and bearing to section corner)	East, Willamette  A S 17 30 W,  R. 3 E., W.M.
corner of being within the	The point of diversion is located S 60 30! E 512  (Section or subdivision)  NW corner of Section 1, Township 5 South, kange 3  Meridian. The said point of diversion also located 2650 feet from the NE corner of Section 1, T.55.,  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if ne SW SE NE 2	East, Willamette  A S 17 30 W,  R. 3 E., W.M.
corner of	The point of diversion is located S 60 30! E 512  (Section or subdivision)  NW corner of Section 1, Township 5 South, Range 3  Meridian. The said point of diversion also located 2650 feet from the NE corner of Section 1, T.55.,  (If preferable, give distance and bearing to section corner)  If there is more than one point of diversion, each must be described. Use separate sheet if ne SW-SE-NE2 of Sec. 1  (Give smallest legal subdivision)  W. M. in the county of Clackamas  Pipe Line to be	East, Willamette  A S 17 30 W,  R. 3 E., W.M.
being within the R. 3 E	The point of diversion is located S 60 30! E 512  (Section or subdivision)  NW corner of Section 1, Township 5 South, kange 3  Meridian. The said point of diversion also located 2650 feet from the NE corner of Section 1, T.55.,  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if ne SW-SE-NE2 of Sec. 1  (Give smallest legal subdivision)  W. M. in the county of Clackamas  Pipe Line to be (Main ditch, canal or pipe line)	East, Willamette  A S 17 30' W,  R. 3 E., W.M.  Pressary  Tp. 5 5  21.0 feet  The street
heing within the R. 3 E (E or W) 5. The	The point of diversion is located S. 60.30! E, 512  (Section or subdivision)  NW corner of Section 1, Township 5 South, kange 3  Meridian. The said point of diversion also located 2650 feet from the NE corner of Section 1, T.53.,  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if ne SWISEINE2 of Sec. 1  (Give smallest legal subdivision)  W. M. in the county of Clackamas  Pipe Line to be (Main ditch, canal or pipe line)	East, Willamette  is 17 30' W,  R. 3 E., W.M.  Pressary  Tp. 5 5  21.0 feet  Street feet  Tp. 5 5.
being within the R. 3 E (E or W) 5. The	The point of diversion is located S 60 30! E 512  (Section or subdivision)  NW corner of Section 1, Township 5 South, kange 3  Meridian. The said point of diversion also located 2650 feet from the NE corner of Section 1, T.53.,  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if ne SW_SE_NE_2 of Sec. 1  (Give smallest legal subdivision)  W. M. in the county of Clackamas  Pipe Line to be (Main ditch, caral or pipe line)  (Smallest legal subdivision)	East, Willamette  is 17 30' W,  R. 3 E., W.M.  Pressary  Tp. 5 5  21.0 feet  Street feet  Tp. 5 5.
heing within the R. 3 E (E or W) 5. The Selength, term	The point of diversion is located S. 60 30! E, 512 (Section or subdivision)  NW corner of Section 1, Township 5 South, Range 3  Meridian. The said point of diversion also located 2650 feet from the NE corner of Section 1, T.53.,  (If preferable, give distance and bearing to section current)  (If there is more than one point of diversion, each must be described. Use separate sheet if ne SW4SE4NE2 of Sec. 1  (Give smallest legal subdivision)  W. M. in the county of Clackamas  Pipe Line to be (Main ditch. canal or pipe line)  (Main ditch. canal or pipe line)  W. M. the proposed location being shown throughout on the DESCRIPTION OF WORKS	East, Willamette  is 17 30' W,  R. 3 E., W.M.  Pressary  Tp. 5 5  21.0 feet  Street feet  Tp. 5 5.
heing within the R. 3 E or or within the second of the sec	The point of diversion is located S 60 30! E , 512 (Section or subdivision)  NW corner of Section 1, Township S South, Range 3  Meridian. The said point of diversion also located 3650 feet from the NE corner of Section 1, T.55.,  (If preferable, give distance and bearing to section corner)  If there is more than one point of diversion, each must be described. Use separate sheet if ne SWISEINEZ of Sec. 1  (Give smallest legal subdivision)  W. M. in the county of Clackamas  Pipe Line to be (Main ditch, canal or pipe line)  (Smallest legal subdivision)  W. M., the proposed location being shown throughout on the DESCRIPTION OF WORKS	East, Willamette  A S 17 30' W,  R. 3 E., W.M.  Pressary  Tp. 5 S  Try. 5 S  A S S  Companying map.
heing within the R. 3 E or or within the second of the sec	The point of diversion is located S. 60. 30! E., 512 (Section or subdivision)  NW corner of Section 1, Township 5 South, Range 3  Meridian. The said point of diversion also located 3650 feet from the NE corner of Section 1, T.55.,  (If preferable, give distance and bearing to section currer)  Of there is more than one point of diversion, each must be described. Use separate sheet if ne SWISEINE2 of Sec. 1  (Give smallest legal subdivision)  W. M. in the county of Clackamas  Pipe Line to be (Main ditch, canal or pipe line)  (Main ditch, canal or pipe line)  W. M. the proposed location being shown throughout on the OESCR(PTION OF WORKS	East, Willamette  A S 17 30' W,  R. 3 E., W.M.  Pressary  Tp. 5 S.  Tp. 5 S.  Tp. 5 S.  necessary  necessary
heing within the R. 3 E or or within the second of the sec	The point of diversion is located S 60 30! E , 512 (Section or subdivision)  NW corner of Section 1, Township S South, Range 3  Meridian. The said point of diversion also located 3650 feet from the NE corner of Section 1, T.55.,  (If preferable, give distance and bearing to section corner)  If there is more than one point of diversion, each must be described. Use separate sheet if ne SWISEINEZ of Sec. 1  (Give smallest legal subdivision)  W. M. in the county of Clackamas  Pipe Line to be (Main ditch, canal or pipe line)  (Smallest legal subdivision)  W. M., the proposed location being shown throughout on the DESCRIPTION OF WORKS	East, Willamette  A S 17 30' W,  R. 3 E., W.M.  Pressary  Tp. 5 S  Try. 5 S  A S S  Companying map.
heing within the R. 3 E (E or W)  5. The Selvingth, term  6. Selvingth, term  7. Selvingth (E)	The point of diversion is located S. 60. 30! E., 512 (Section or subdivision)  NW corner of Section 1, Township 5 South, Range 3  Meridian. The said point of diversion also located 3650 feet from the NE corner of Section 1, T.55.,  (If preferable, give distance and bearing to section currer)  Of there is more than one point of diversion, each must be described. Use separate sheet if ne SWISEINE2 of Sec. 1  (Give smallest legal subdivision)  W. M. in the county of Clackamas  Pipe Line to be (Main ditch, canal or pipe line)  (Main ditch, canal or pipe line)  W. M. the proposed location being shown throughout on the OESCR(PTION OF WORKS	East, Willamette  A S 17 30 W,  R. 3 E., W.M.  Pressary  Tp. 5 S.  Tp. 5 S.  Community a map.

12. (4) 73		•
	a a spaced consisting of	
mail on antiquated recorded in a	No second	
On the formation was	without of families to be supplied	
	water of Jennine to be supplied	•
11. Estimated cost of proposed work	_	
12. Construction work will begin or		
13. Construction work will be comp		July 1, 1952
14. The water will be completely ap		before August 1, 1952 for
ll acres and August 1, 1	_	20.1
•	- barl V	Show
	(0)	failure of applicant)
Remarks:		
	ż.	
	· · · · · · · · · · · · · · · · · · ·	
		<b>N</b>
	······································	en e
		· · · · · · · · · · · · · · · · · · ·
•••••••••••••••••••••••••••••••••••••••	·	•
· · · · · · · · · · · · · · · · · · ·		
3	· · · · · · · · · · · · · · · · · · ·	
	en e	
	· · · · · · · · · · · · · · · · · · ·	
	•	
	•	
STATE OF OREGON, 1		
County of Marion,		
	nined the foregoing anniession	together with the accompanying
maps and data, and return the same for  In order to retain its priority, this		
tions on or before		o the State Engineer, with correc-
WITNESS my hand this	, <b>19</b>	16
n is mano my numerints	day of	. 19

## STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use

stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir to be constructed under Application No. R-26731, Permit No. R-1355			
	irrigation, this appropriation shall be limited to 1/80 of one cubic foot per		
	its equivalent for each acre irrigated from direct flow and shall be further a diversion of not to exceed $2\frac{1}{2}$ acre feet for each acre irrigated during		
the irriga	tion season of each year from direct flow and storage from reservoir to be		
constructe	d under Permit No. R-1355,		
and shall be	e subject to such reasonable rotation system as may be ordered by the proper state officer.		
The 1	priority date of this permit is December 20, 1951		
Actu	al construction work shall begin on or before August 29, 1953 and shall		
thereafter October	be prosecuted with reasonable diligence and be completed on or before  1, 1954		
Com	plete application of the water to the proposed use shall be made on or before		
Cotober	1, 1955		
WIT	NESS my hand this 27th day of August State Engineer		
Pera mi	a for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1233.		

ATE THE PUBLIC IF THE STATE OREGON OF APPROPRIATION WATERS OF OF PER

Start attan No

Person No.

This instrument was first received in the 

District No.

Derision No.

office of the State Engineer at Salem, Oregon, December 19 1 at 11.15 o'clock A on the 20 th day of

Returned to applicant.

Corrected application received: Approved: Recorded in book 1 Permits on page

h ignst 29, 1

of

Harris Ha Drainage Basin No.

STATE ENGINEER

Fees Poid ... /.