

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Russell S. Jones of Blaine State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Big Nestucca, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 144 S.P.M. cubic feet per second. 32 cu. Ft. per Sec.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located ft. and ft. from the corner of 1, 2, 35, 36. South 25 E 1367.97 to 1st corner then S. 46 58' N 702 Ft. to meter pole, then South 28 feet to point of diversion.

being within the S.E. 1/4 of N.E. 1/4 of Sec. 2 Tp 4 N R. 2 W. W. M. in the county of Tillamook

5. The 4 in. main ditch, canal or pipe line to be in length, terminating in the of Sec. Tp

R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Dam and Works

(a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 5 H.P. single pump motor with 12 inch diameter water pump

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

**8. Location of area to be irrigated, or place of use**

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S.	8 W.	1	S.W. & NW.	5
4 S.	8 W.	2	N.E. & NE	5
4 S.	8 W.	2	SE of NE	20

(If more space required, attach separate sheet)

(a) Character of soil *Rocky, gravel, sandy, Black loam, clay.*  
 (b) Kind of crops raised *Pasture and meadow*

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed ..... theoretical horsepower  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. .... R. .... W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)  
 (g) If so, name stream and locate point of return .....  
 Sec. .... Tp. .... R. .... W. M.  
(No. N. or S.) (No. E. or W.)  
 (h) The use to which power is to be applied is ...  
 (i) The nature of the mines to be served

**Municipal or Domestic Supply**

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500.

12. Construction work will begin on or before June 1, 1952

13. Construction work will be completed on or before July 1, 1952

14. The water will be completely applied to the proposed use on or before Aug. 1, 1952

Russell S. Jones  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, |  
County of Marion, | ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_ 19 \_\_\_\_\_

WITNESS my hand and this \_\_\_\_\_ day of \_\_\_\_\_ 19 \_\_\_\_\_

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.32 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Big Nestucca River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.32 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 1, 1952

Actual construction work shall begin on or before August 29, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 29th day of August 1952

*Charles E. Shubert*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 27039  
Permit No. 21278

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.  
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of April 1952, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

August 29, 1952 of  
Recorded in book No. 55  
Permits on page 61275

STATE ENGINEER  
Drainage Basin No. Page 17  
Fees Paid \$ 1.00