

\*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, D.L. Terwilliger (Name of applicant)

of Harvey Oregon Tillamook (Mailing address)

State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Smith ck and unnamed creek (Name of stream)

a tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is .01 snith ck .01 unnamed ck .0056 unnamed ck

cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic and irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the (N. or S.) (E. or W.)

corner of (Section or subdivision)

Diversion n0.1. N 42-00'W 830 from 1/4 cor between 17 and 20 Twp. 1.N.R.10.W.W.M.

Diversion No 2. S 39-00(E 510 from 1/4 " " " " " " " " " "

Diversion No.3 Irrigation North 460 ft and West 740 from 1/4 cor 17 and 20. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the No.1 and 3 Govt lot 2 No.2 of Sec. 20 Tp 1.N. 10.W.

R. 10.W. W.M. in the county of Tillamook Co. Pipe line No.1 400 (E. or W.)

5. The pipe line No.2. to be 400 ft (Main ditch, canal or pipe line) in length, terminating in the No.1 Govt lot 2 of Sec. 17 (Smallest legal subdivision) No.2 Govt lot 3 of Sec. 20 Tp 1.N.

R. 10.W. W.M. the proposed location being shown throughout on the accompanying map (E. or W.)

DESCRIPTION OF WORKS

Diversion Works No.1 4x4x4 bx No.2 4 x 8 wood dam feet length on top

Material to be used and character of construction wood

over (E. or W.)

Description of Headgate

Material to be used and character of construction

Material to be used and character of construction

Material to be used and character of construction

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 3 ft feet; width on bottom 1 feet; depth of water 6" feet; grade one feet fall per one thousand feet.

(b) At 50ft miles from headgate: width on top (at water line) 3 ft feet; width on bottom 1 feet; depth of water 6" feet; grade 1. feet fall per one thousand feet.

(c) Length of pipe, 1" ft.; size at intake, 1" in.; size at 400 ft. from intake 1" in.; size at place of use 1" in.; difference in elevation between intake and place of use, 63 and 47 ft. Is grade uniform? yes Estimated capacity,          sec. ft.

**8. Location of area to be irrigated, or place of use**

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>1.N.</u>	<u>10.W.</u>	<u>17</u>	<u>lot 2.</u>	<u>1/2 acres</u>
<u>1.N.</u>	<u>10.W.</u>	<u>17</u>	<u>lot 2.</u>	<u>none</u>
<u>1.N.</u>	<u>10.W.</u>	<u>20</u>	<u>lot 3</u>	<u>none</u>
<u>Lot 2 section</u>	<u>17 Twp.1.N.R.10.W.W.M.</u>	<u>less platted abd sold</u>		
<u>lot 3 Section</u>	<u>20 Twp.1.N.R.10.W.W.M.</u>	<u>Less sold.</u>		

(If more space required, attach separate sheet)

(a) Character of soil sandy

(b) Kind of crops raised arden

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed          theoretical horsepower.

(b) Quantity of water to be used for power          sec. ft.

(c) Total fall to be utilized          feet.

(d) The nature of the works by means of which the power is to be developed         

(e) Such works to be located in          of Sec.         

Tp.         , R.         , W. M.         

(f) Is water to be returned to any stream?         

(g) If so, name stream and locate point of return         

(h) The use to which power is to be applied is         

(i) The nature of the

Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_ 2

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000.00
- 12. Construction work will begin on or before \_\_\_\_\_ hour complete
- 13. Construction work will be completed on or before \_\_\_\_\_
- 14. The water will be completely applied to the proposed use on or before \_\_\_\_\_

*A. H. Swilliger*  
(Signature of applicant)

Remarks: A small ditch will be used to irrigate a small garden approximately 1/2 acre in size. the length of the ditch is 50 ft. The height of the dam above the house on diversion no. 1. is 63 ft and on No. 2 47 ft. with grades uniform. A one inch pipe is used in both dams

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 29 19 52.

WITNESS my hand and this 29th day of April 19 52

CHAS. E. SPICKLIN  
STATE ENGINEER  
*Ed K. Humphrey*  
By Ed K. Humphrey, Assistant

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.026 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Smith Creek and unnamed creek, being 0.01 cfs for domestic plus 0.006 cfs for irrigation from unnamed creek and 0.01 cfs for domestic from Smith Creek.

The use to which this water is to be applied is domestic and irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 4, 1952

Actual construction work shall begin on or before August 29, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 29th day of August 1952

Charles E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 272-43  
Permit No. 21296

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of April 1952 at 8:00 o'clock A.M.

Retained to applicant:

Corrected application received:

Approved:

August 29, 1952 of

Recorded in book No. 23

Permits on page 11256

CHARLES E. STRICKLIN STATE ENGINEER

Drainage Basin No. Page

Fees Paid \$ 25.00