

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Hiram H. Scott of B#1 Gaston Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Scoggins Creek, a tributary of The Tealatin River

2. The amount of water which the applicant intends to apply to beneficial use is 1 cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located from any point on Scoggins Creek that touches the property described herein

being within the SIV 1/4 Sec 7 & 1/4 NW 1/4 Sec 18 of T. 4 N. 15 R. 1 W. W. M. in the county of Washington

5. The main ditch, canal or pipe line to be in length, terminating in the of Sec. of Tp. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works -

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate Timber, concrete, etc., number and size of openings

(c) If water is to be pumped give general description Portable Pumping & Conduit 25 hp. gasoline engine Maximum lift 30'

As different form of application is provided where storage works are contemplated. \*\*Appropriation of public waters for the generation of electricity, with the exception of hydroelectric power, shall be made in accordance with the provisions of the Public Utility Act of 1935, as amended.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T.15.	R.4W.	7	NW 1/4 of SW 1/4	5
T.15.	R.4W.	7	NE 1/4 of SW 1/4	16
T.15.	R.4W.	7	SW 1/4 of SW 1/4	1
T.15.	R.4W.	7	SE 1/4 of SW 1/4	24
T.15.	R.4W.	7	SW 1/4 of SE 1/4	38
T.15.	R.4W.	18	NE 1/4 of NW 1/4	6
T.15.	R.4W.	18	NW 1/4 of NE 1/4	14
				107 Acres.

(If more space required, attach separate sheet)

(a) Character of soil *Valley Loam*  
 (b) Kind of crops raised *Grass - Hay & Grain*

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. .... R. .... W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return

..... Sec. .... Tp. .... R. .... W. M. ....  
No. N. or S. (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3000.00

12. Construction work will begin on or before May 1, 1952

13. Construction work will be completed on or before May 15, 1952

14. The water will be completely applied to the proposed use on or before September 1, 1952

Hiram N. Scott

(Signature of applicant)

Remarks:

The property to which the water is to be applied is a part of that more explicitly described by the applicant as follows:

A. Part of Sections 18 and 7 in Township 1 South, Range 4 West of the Willamette Meridian, and bounded as follows: Beginning at the S.E. corner of the S. W. quarter of said Section 7, and running thence North 40.00 chains, thence West 27.06 chains, Thence South 51.25 chains; thence west 20.00 chains to the place of beginning and being a part of the D.L.C. of R. M. Hawkins also: Beginning at the southwest corner of the southeast quarter of section 7 in Township 1 South, Range 4 West of the Willamette Meridian; thence running East 80 Rods; thence North 80 Rods; thence west 80 Rods; thence South 30 Rods to the place of beginning containing 40 acres, more or less. Also: The Northeast quarter of the Northeast quarter of Section 13, Township 1 S, Range 5 West and Lot No. 1 of the Northwest quarter of Section 18, Township 1 South, Range 4 West of the Willamette Meridian containing 60 acres more or less, in both tracts.

STATE OF OREGON.

County of Marion.

This is to certify that I have examined the foregoing application together with the accompanying plans and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer with a copy of the fee required.

WILLIAM G. ...

...

...

PERMIT

STATE OF OREGON

The right hereby granted is limited to the amount of water hereinafter specified and shall not exceed 1.00 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Scoggins Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 1.00 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 9, 1952

Actual construction work shall begin on or before August 29, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 29th day of August 1952

Charles E. Stucklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 27061  
Permit No. 21292

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of April 1952, at 8.00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 29, 1952 of

Recorded in book No 13 of 51292

Permits on page CHAS. E. STUCKLIN STATE ENGINEER

Drainage Basin No. Page

Fees Paid \$ 2.575