Permit No. 21365

0.235

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, R. E. Irby (Name of applicant)

of Olex (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rock Creek (Name of stream), a tributary of John Day River

2. The amount of water which the applicant intends to apply to beneficial use is 0.235 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic ...)

4. The point of diversion is located 780' ft. N (N. or S.) and 290' ft. W (E. or W.) from the SE corner of SW¼ (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE¼SW¼ (Give smallest legal subdivision) of Sec. 3 Tp. 1 S R. 21 E (E. or W.) W. M., in the county of Gilliam

5. The ditch (Mobley ditch) (Main ditch, canal or pipe line) to be in length, terminating in the (Smallest legal subdivision) of Sec. R. W. M., the proposed location being shown throughout ...

DESCRIPTION OF WORKS

Diversion Works—

... Height of dam 2½ feet, length on top 5 ft ... length at bottom 58 ... material to be used and character of construction ... concrete

... Concrete—metal gate 32"x55"

21305

Canal System or Pipe Line—

✓ 7. (a) *Give dimensions at each point of canal where materi*

headgate. At headgate: width on top (at water line) 3

2 1/2 *feet; depth of water* 2 1/2 *feet; grad*

thousand feet.

(b) *At* 1/4 *miles from headgate: width on to*

feet; width on bottom 1 1/2 *feet;*

8

grade *feet fall per one thousand feet.*

(c) *Length of pipe,* *ft.; size at intake,*

from intake *in.; size at place of use*

intake and place of use, *ft. Is grade uniform?*

sec. ft.

8. *Location of area to be irrigated, or place of use*

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tra
1 S,	2 1 E	3	SW¼ N
			SE¼ N
			T

(If more space required, attach separate sh

✓ (a) *Character of soil* Richfield Loam

✓ (b) *Kind of crops raised* Grass and Clo

Power or Mining Purposes—

9. (a) *Total amount of power to be developed*

(b) *Quantity of water to be used for power*

(c) *Total fall to be utilized* (Head)

(d) *The nature of the works by means of which the pow*

(e) *Such works to be located in* (Legal subdivis

Tp. (No. N. or S.) *R.* (No. E. or W.) *W. M.*

(f) *Is water to be returned to any stream?* (Yes or No)

If so, name the stream and locate point of return

Sec. *Tp.*

to be applied is

reserved

21305

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... (Name of) County, having a present population of .....

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, $ 950.00

12. Construction work will begin on or before All completed

13. Construction work will be completed on or before .....

14. The water will be completely applied to the proposed use on or before .....

R E Irby

(Signature of applicant)

Remarks: The land above described for which I am making application to appropriate the waters of Rock Creek now enjoys a vested right recognized in the John Day River Adjudication Proceedings. Application for the approval of a change in place of use of water, however, is being filed concurrently with this application, wherein it is requested that said vested right be transferred to SE¼SW¼ said Section 3.

STATE OF OREGON,
County of Marion, } *ss.*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before .....*19* ....

WITNESS my hand this ..... *day of* ..... *19* .....

STATE ENGINEER

PERMIT

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.235 ***cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from*** Rock Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40 *of one cubic foot per second* or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 15, 1952

Actual construction work shall begin on or before August 29, [illegible] *and shall thereafter be prosecuted with reasonable diligence and be completed on or before* October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 29th *day of* August, 1952.

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 54, Oregon Laws 1933.

[illegible] 1205

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of April 1952, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

August 29, 1952

Recorded in book No. 53 of Permits on page 1205

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. Page

Fees Paid $ 15.00