*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

| State of O. P. C. | I, Ben A. Bunn | me of applicant) |
|---|--|---|
| State of | of Route 2 - Da | Ly.tah. |
| following described public voters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is a tributary of Wilden Electrical States 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 4. The use to which the water is to be applied is it is a subject of the point of diversion is located SOU. In the second power, which, was a subject of the states of Section 7, ThS, RW; Alternate point is located hou! Is and 800! West of the center of Section 7. Phys. Alternate point is located hou! Is and 800! West of said center of Sec. 7; Phys. line diversion, used must be described. East of the center of Section 7 If there is now than one bean of diversion, used must be described. The separate variables are distincted by a subject of the center of Section 7. If there is now than one bean of diversion, used must be described. The separate variables are subject to separate variables are subject to separate variables. The separate variables are subject to separate variables. The separate variables are subject to separate variables. The subject of the described of separate variables are subject to separate variables. The subject of the described of separate variables are subject to separate variables. The subject of the described of separate variables are subject to separate variables. The subject of the described of separate variables are subject to separate variables. The subject of the described of separate variables are subject to separate variables. The subject to separate variables are subject to separate variables. The subject to separate variables are subject to separate variables. The subject to separate variables are subject to separate variables. The subject to separate variables are subject to separate variables. The subject to separate variables are subject to separate variables. The subject to separate variables are subject to separate variable | | |
| 1. The source of the proposed appropriation is a tributary of MI General Event Street 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. (It was to be used from more than one source are quantity from source **3. The use to which the water is to be applied is Compation, power, mining, buncheruring, domestic apply 4. The point of diversion is located SOO! ** ft. ** and \$10!* ft. ** from the parties **3. The use to which the water is to be applied is Contract to the second of Section 7, TuS, RW; Alternate point is located LOO! ** S and BOO! ** West of Contract to the center of Section 7 (It here is more than one point of diversion, each must be described to second of the sec | © | |
| a tributary of Will Am elf. 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. (If water is to be used from more than one source, are quantity from each area. **3. The use to which the water is to be applied is 4. The point of diversion is located SOULT ft. S. and 3101 ft. We from the second of Section 7, ThS, R3M; Alternate point is located 1001 ft. We from the second second content of Section 7, ThS, R3M; Alternate point is located 1001 ft. We from the second second content of Section 7. ***Content of Section 7 ***If we form the second of Section 7 ***If we form the section 10 ft. The section 10 ft. Section 11 ft. Secti | If the applicant is a corporation, give date and | d place of incorporation |
| a tributary of Will Am elf. 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. (If water is to be used from more than one source, are quantity from each area. **3. The use to which the water is to be applied is 4. The point of diversion is located SOULT ft. S. and 3101 ft. We from the second of Section 7, ThS, R3M; Alternate point is located 1001 ft. We from the second second content of Section 7, ThS, R3M; Alternate point is located 1001 ft. We from the second second content of Section 7. ***Content of Section 7 ***If we form the second of Section 7 ***If we form the section 10 ft. The section 10 ft. Section 11 ft. Secti | | |
| a tributary of Will Am elf. 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. (If water is to be used from more than one source, are quantity from each area. **3. The use to which the water is to be applied is 4. The point of diversion is located SOULT ft. S. and 3101 ft. We from the second of Section 7, ThS, R3M; Alternate point is located 1001 ft. We from the second second content of Section 7, ThS, R3M; Alternate point is located 1001 ft. We from the second second content of Section 7. ***Content of Section 7 ***If we form the second of Section 7 ***If we form the section 10 ft. The section 10 ft. Section 11 ft. Secti | 1. The source of the proposed appropriation is | Jambill River |
| Cubic feet per second. (If water is to be used from more than one source, after quantity from each construction. **3. The use to which the water is to be applied is (If water is more than one point of diversion point is located 250°t North and 1°0°t East of the center of Section 7 (If there is more than one point of diversion, each must be described. The apparate execution and 1°0°t East of the center of Section 7 (If there is more than one point of diversion, each must be described. The apparate execution and 1°0°t East of the center of Section 7 (If there is more than one point of diversion, each must be described. The apparate execution and 1°0°t East of the center of Section 7 (If there is more than one point of diversion, each must be described. The apparate execution and 1°0°t East of the center of Section 7 (If there is more than one point of diversion, each must be described. The apparate execution is located 250°t North and 1°0°t (If there is more than one point of diversion, each must be described. The apparate execution and 1°0°t (If there is more than one point of diversion, each must be described. The apparate execution and 1°0°t (If there is more than one point of diversion, each must be described. The apparate execution and 1°0°t (If there is more than one point of diversion, each must be described. The apparate execution and 1°0°t (If there is more than one point of diversion, each must be described. The apparate execution and 1°0°t (If there is more than one point of diversion and 1°0°t (If there is more than one point of diversion and 1°0°t (If there is more than one point of diversion and 1°0°t (If there is more than one point of diversion and 1°0°t (If there is mor | | (0.2.0) |
| **3. The use to which the water is to be applied is **3. The use to which the water is to be applied is **4. The point of diversion is located 500! \$\frac{1}{2}\$ ft. \$\frac{3}{2}\$ and \$\frac{3}{2}\$ \frac{1}{2}\$ ft. \$\frac{1}{2}\$ ft. \$\frac{3}{2}\$ and \$\frac{3}{2}\$ \frac{1}{2}\$ ft. \$\frac{3}{2}\$ and \$\frac{3}{2}\$ \frac{1}{2}\$ ft. \$\frac{1}{2}\$ ft. \$\frac{3}{2}\$ and \$\frac{3}{2}\$ \frac{1}{2}\$ ft. \$\frac{1}{2}\$ ft. \$\frac{1}{2}\$ ft. \$\frac{3}{2}\$ and \$\frac{3}{2}\$ \frac{1}{2}\$ ft. \$\frac{1}{2}\$ ft. \$\frac | 2. The amount of water which the applicant is | ntends to apply to beneficial use is 💢 🗢 😂 🕖 |
| 4. The point of diversion is located 500! f. ft. S. and \$10! ft. T. from the convergence of Section 7, ThS, RTW; Alternate point is located hoo! for any from the convergence of Section 7, ThS, RTW; Alternate point is located hoo! for any from the convergence of Section 7, ThS, RTW; Alternate point is located hoo! for any from the convergence of Section 7. The first have convergence of Section 7. The first have distance and bearing to rection convergence of the center of Section 7. If there is more than one point of diversion, each must be described. The representation of the center of Section 7. If there is more than one point of diversion, each must be described. The representation of the center of Section 7. If there is more than one point of diversion, each must be described. The representation of the center of | cubic feet per second. | |
| 4. The point of diversion is located 500! ft. S. and 810! ft. W. from the 200! ft. (N. of 3) and 800! ft. W. from the 200! ft. (N. of 3) and 800! ft. West of 18 located 400! ft. S. and 800! ft. West of 18 located 400! ft. S. and 800! ft. West of 18 located 250! North and 100! ft. Said center of Sec. 7; Pipe line diversion point is located 250! North and 100! ft. East of the center of Section 7. If neverable, two distance and bearing to rector continue to the center of Section 7. If neverable, two distance and bearing to rector continue to the center of 58 ft. and 58 ft. of 88 ft. and 58 f | | |
| Section 7, TuS, RW; Alternate point is located h001 to and 800 to West of (Section or subdivision) said center of Sec. 7; Pipe line diversion point is located 250 to North and 170 to East of the center of Section 7 Of there is more than one point of diversion, each must be described. Use separate contribution of the center of Section 7 Of there is more than one point of diversion, each must be described. Use separate contribution of the more point of the separate contribution of the more than one point of the separate contribution of the more than one point of the separate contribution | · · · · · · · · · · · · · · · · · · · | (Irrigation, power, mining, manufacturing, domestic supplies e.g. |
| Section 7, ThS, RW; Alternate point is located h001 to and 8001 twest of (Bedico or subdivision) said center of Sec. 7; Pipe line diversion point is located 2501 North and 1701* East of the center of Section 7 If there is more than or of Section 7 If there is more than of diversion, each must be described. Use separate contribution of the center of Section 7 If there is more than of diversion, each must be described. Use separate contribution of Sec. If there is more than of diversion, each must be described. Use separate contribution of Sec. If there is more than of SW and SW of NE2 (pipe line) Sec. If there is more than only of Sec. If there is more than only of Sec. If the second of Sec. If there is more than only of Sec. If the second of the second only of Sec. If the second of the second only of Sec. If the second of the second only of Sec. If the second of the second only of Sec. If the second of the second of Sec. If the second of the second only of Sec. If the second of the second only of Sec. If the second of the second only of Sec. If the second of the second only of Sec. If the second only of Sec. If the second of S | 4. The point of diversion is located 500! ± | ft. S and 8101 ft. W from the center |
| Said center of Sec. 7; Pipe line diversion point is located 250't Vorth and 150't East of the center of Section 7 If preferable, five distance and bearing to section out? If there is more than one point of diversion, each must be described. Use separate section and 150't being within the NEA of SWA and SWA of NEA (pipe line) Sec. Tp. Give smallest legal subdivision) R. 3 W. M. in the county of Arm h. // 5. The Section of Sec. Tp. Smallest legal subdivision) for any of Sec. Tp. Smallest legal subdivision Of Sec. Tp. Smallest legal subdivision DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam Arm of feet, length on top. Section material to be used and character of construction The section of headgate (b) Description of headgate (c) If water is to be pumped give general description Note that the section is the section of the section o | | |
| East of the center of Section 7 Of preferable, give distance and bearing to section 2013 (If there is more than one point of diversion, each must be described. Use separate section for the property of the party of Sec. (If there is more than one point of diversion, each must be described. Use separate section for the property of Sec. (If there is more than one point of diversion, each must be described. Use separate section for the party of the property of NE2 (pipe line) Sec. (If the property of the property of the property of NE2 (pipe line) Sec. (If the property of the country of the property of NE2 (pipe line) Sec. (Note that legal subdivision) of Sec. (If the property of the country of the proposed location being shown throughout on the and impringuishing that the feet material to be used and character of construction (If the property of the country of the property of around dem (the Description of headigate) Sec. (If the property of the country of the property of around dem (the Description of headigate) Sec. (If the property of the prop | (200 | estor or subdivision; |
| being within the NE of SH and SH of NE (pipe line) Sec. Tp. 52. R. 3 64 W. M. in the county of 2 10 ft. 1/2 5. The PRE (INC. to be CLP SEC. Tp. 52. (Main ditch, canal or pipe line) of Sec. Tp. 52. (Main ditch, canal or pipe line) of Sec. Tp. 52. (Main ditch, canal or pipe line) of Sec. Tp. 52. (Smallest legal evidence) of Sec. Tp. 52. R. 3 1 W. M. the proposed location being shown throughout on the arcompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2 32.00 feet, length on top. text, length at late reference material to be used and character of construction The description of headgate (Emmer, concrete etc. number and stord over ag.) (c) If water is to be pumped give general description. Will have wan of pumping the of the store to the pumped give general description. Will have wan of pumping the of the store to the store to the pumped give general description. Will have wan of pumping the of the store to | • | |
| being within the NE of SH and SH of NE (pipe line) Sec. Tp. F. R. 3 W. W. M. in the county of Ambilian tiegal subdivision S. The PRE (Inc. to be ARD SEC. Tp. F. (Main ditch, canal or pipe line) of Sec. Tp. F. (Smallest legal subdivision) of Sec. Tp. F. (Main ditch, canal or pipe line) of Sec. Tp. F. (Smallest legal subdivision) | | |
| being within the NE of SW1 and SW2 of NE2 (pipe line) Sec. Tp. 1 R. 3 W. W. M. in the county of Dambell 5. The Pre line to be any wife active in length, terminating in the Smallest lead subdivision of Sec. Tp. 1 (Smallest lead subdivision) of Sec. Tp. 1 (Smallest lead subdivision) of Sec. Tp. 1 (Smallest lead subdivision) of Sec. Tp. 1 (Exercise W. M. the proposed location being shown throughout on the active impringing may be of Sec. (Smallest lead subdivision) of WORKS Diversion Works— 6. (a) Height of dam (Anno) feet, length on top. (Sect. length or foot; material to be used and character of construction (Sect. length or foot; material to be used and character of construction (Sect. length or foot; material to be used and character of construction (Sect. length or foot; material to be used and character of construction (Sect. length or foot; material to be used and character of construction (Sect. length or foot; material section of headgate (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening means (Sect. length or foot; mainter set size of opening me | (If preferable, give distance) | and bearing to section out or |
| R. 3 (N.M. in the county of 2 m h. 1/2 to be 3 n. 2 (N.M. in the county of 2 m h. 1/2 (N.M. in the county of 2 m h. 1/2 (N.M. in the county of 2 m h. 1/2 (N.M. in the proposed location being shown throughout on the assumpting map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2 n. 2 feet, length on top rect. length at hattory feet; material to be used and character of construction in the circle county material for the assumpting map. (b) Deveription of headgate (c) If eater is to be pumped give general description will have asset of proping entry to be asset to be pumped give general description will have asset of proping entry to be asset to be pumped give general description. It was to be a set to be a pumped give general description. It was to be a pumped to the set to be a pumped give general description. It was to be a pumped give general description as the set to be a pumped give general description. | • | |
| 5. The PRE //PRE to be Care where the interest in length, terminating in the same or pipe line) of Sec. / Tp. | | • |
| in length, terminating in the | R. $\frac{3}{(E \text{ or } W)}$. W. M., in the country of $\frac{3}{2}$ a m h | g_{μ}/M_{\odot} |
| DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam | | |
| DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam | | of Sec. Tp. |
| Diversion Works— 6. (a) Height of dam A are a speed, length on top the things at history feet; material to be used and character of construction because where we have a second dams (b) Description of headgate (c) If water is to be pumped give general description. Will have used at prompting events or the second as a second dams of the pumped give general description. Will have used at prompting events or the second dams of the pumped give general description. Will have used at prompting events or the second dams of the pumped give general description. Will have used at prompting events or the second dams of the pumped give general description. Will have used at prompting events or the second dams of the pumped give general description. | $R_{*}:=\frac{3}{\epsilon E}\frac{1}{\epsilon e}\frac{1}{w}$. W. M., the proposed location be | ing shown throughout on the accompanying map. |
| feet; material to be used and character of construction feet; material to be used and character of construction foods a discontinuous criticals, wasteway over or around dams (b) Description of headgate (c) If water is to be pumped give general description. Will name uses of committing sources or the continuous transfer in application # 25366 Summary of the continuous of the continuous and the continuous continuous and the continuous continuous continuous and the continuous c | DESCRIPTIO | ON OF WORKS |
| feet; material to be used and character of construction to the rick consists (b) Description of headgate (c) If water is to be pumped give general description. Will have use of construction of the pumped give general description. Will have use of country sources in application # 25306 Sur uto stand of the construction of a twinty with a second of | Diversion Works | - |
| to a rick control mainters (b) Description of headgate (c) If water is to be pumped give general description. Will have also of oranging sources of second and application # 25366 Site attention of the pumped o | 6. (a) Height of dam Aance feet, | length on top . Get, length at bottome |
| to a rick control mainters (b) Description of headgate (c) If water is to be pumped give general description. Will have also of oranging sources of second and application # 25366 Site attention of the pumped o | - | |
| (b) Description of headgate (c) If water is to be pumped give general description. Will have use of original sources of sources of sources or some original sources. It is a specification # 25366 Substitute of the sources of the s | | Disk pack committe specifics |
| (c) If water is to be pumped give general description. Will have give of ormping employers as 1680 miles in application # 25366 | | • |
| some of the fair. Simulation # 25366 | The state of the s | Chimner, concrete letc., number and size of loverings |
| supplication # 25366 Supplication # 25366 | (c) If water is to be pumped give general desi | cription - will have use of ormping energies of |
| | | |
| en e | | |
| | ••• | |
| *A different form of application is provided where storage works are contemplated. **State to the engine of a parameters for the accoration of state and the engine of th | | |

| | headgate: width or | s top (at water li | ne) | feet; width on botton |
|--|--|--|--|--|
| | feet; depth of | water | feet; grade | feet fall per on |
| ousand feet (b) At | | miles from hea | daate: width on top (a | t water line) |
| | | · | | h of water fee |
| • | - | | | oj warot |
| ~ | feet fa | | | Communication and the second |
| ? | | | | 6 in.; size at |
| | | - | • | u.; difference in elevation betwee |
| itake and p | lace of use, | ft. Is | grade uniform? | Estimated capacit |
| ••••••••••••• | sec. ft. | | | |
| | | | ce of use | |
| Township | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
| 45 | 3W | 7 | SW4 of NE4 | 9 acres |
| | 7 | н | NW 4 of SE4 | |
| | | | SET of NW | 1 acre |
| u | n | H | NE4 of SW4 | 2 agres |
| | m-4-3 | | a+ad | |
| | lotal are | a to be irrig | a veu | 30.Acres |
| /22.0 | l Description Lot 17 and th Beginning at 8 ch.; to the bar cor Blk.18) E 28 | ne Wo of lot 1 the NE cor. c nk of the Yamh | .6 of Fisks Subdivion of lot 18 of Fisks will River; Up E basinning and contain | sion and containing 23 Ac. Sub; S 10.35 chs; 5843 Wank 9.54 ch; N 40 T 7.34 ching 30 acres. |
| /22.00 (NW) East the | l Description Lot 17 and the Beginning at 8 ch.; to the barcor Blk.18) E 21 Beginning on and 30,12 ch Schank of the Yamles | the We of lot latte NE cor. onk of the Yamh | .6 of Fisks Subdivion for lot 18 of Fisks will River; Up E baginning and contain to f way line of I cor of Franklin Berth 84°30' E 22.15 | sion and containing 23 Ac. Sub; S 10.35 chs; 5843 W ank 9.54 ch; N 40° F 7.34 ching 30 acres. Locks Road at a point 9.27c fartin D.L.C.; West 22 cm t |
| /22.00 (NW) East the | l Description Lot 17 and the Beginning at 8 ch.; to the barcor Blk.18) E 21 Beginning on and 30,12 ch Se | the We of lot latte NE cor. onk of the Yamh | .6 of Fisks Subdivion for lot 18 of Fisks will River; Up E baginning and contain to f way line of I cor of Franklin Berth 84°30' E 22.15 | sion and containing 23 Ac. Sub; S 10.35 chs; 5843 W ank 9.54 ch; N 40° F 7.34 ching 30 acres. Locks Road at a point 9.27c fartin D.L.C.; West 22 cm t |
| /22.00 (NW) East the | l Description Lot 17 and the Beginning at 8 ch.; to the barcor Blk.18) E 21 Beginning on and 30,12 ch Schank of the Yamles | ne Wa of lot l the NE cor. onk of the Yamh 1.35 ch to beg the West right buth of the NW hill River; No is contains 2. | .6 of Fisks Subdivion for lot 18 of Fisks will River; Up E baginning and contain to f way line of I cor of Franklin Berth 84°30' E 22.15 | Sion and containing 23 Ac. Sub; S 10.35 chs; 5845 W ank 9.54 ch; N 40° F 7.34 ch |
| /22.00 (NW d East the begi | l Description Lot 17 and the Beginning at 8 ch.; to the barcor Blk.18) E 21 Beginning on and 30,12 ch Schank of the Yamles | the We of lot let the NE cor. onk of the Yamh 4.35 ch to beg the West right outh of the NW hill River; No is contains 2. | .6 of Fisks Subdivion for 18 of Fisks will River; Up E base inning and contains to of way line of I cor of Franklin North 84°30' E 22.15.38 acres. | Ision and containing 23 Ac. Sub; S 10.35 chs; 5845 W ank 9.54 ch; N 40 T 7.34 ching 30 acres. Locks Road at a point 9.27c Martin D.L.C.; West 22 ch to Sen; South 2.15 challes to to |
| /22.00 (NW) East the begi | l Description Lot 17 and the Beginning at 8 ch.; to the bardon Blk.18) E 21 Beginning on and 30,12 ch Schank of the Yaming point. The | the Wa of lot l the NE cor. on the of the Yamh the 35 ch to beg the West right buth of the NM hill River; No is contains 2. | .6 of Fisks Subdiving lot 18 of Fisks will River; Up E baginning and contain at of way line of I cor of Franklin Morth 84°30' E 22.15°, 38 acres. | Ision and containing 23 Ac. Sub; S 10.35 chs; 5845 W ank 9.54 ch; N 40 T 7.34 ching 30 acres. Locks Road at a point 9.27c Martin D.L.C.; West 22 ch to Sen; South 2.15 challes to to |
| /22.00 (NW) East the begi | l Description Lot 17 and the Beginning at 8 ch.; to the bardon Blk.18) E 21 and 30,12 ch Schank of the Yambaning point. The Character of soil | the Wa of lot l the NE cor. on the of the Yamh the 35 ch to beg the West right buth of the NM hill River; No is contains 2. | 6 of Fisks Subdivion lot 18 of Fisks will River; Up E base inning and contains to of way line of I cor of Franklin Morth 84°30' E 22.15 acres. | Ision and containing 23 Ac. Sub; S 10.35 chs; 5845 W ank 9.54 ch; N 40 T 7.34 ching 30 acres. Locks Road at a point 9.27c Martin D.L.C.; West 22 ch to Sen; South 2.15 challes to to |
| /22.00 (NW) East the beging (a) (b) Frower or M | l Description Lot 17 and the Beginning at 8 ch.; to the barcor Blk.18) E 21 and 30,12 ch Schank of the Yambaning point. The Character of soil Cind of crops raised | ne Wo of lot l the NE cor. on the NE cor. on the Standard to beg the West right outh of the NW hill River; No is contains 2. | 6 of Fisks Subdiviof lot 18 of Fisks will River; Up E baginning and contain at of way line of I cor of Franklin Morth 84°30' E 22.15°, 38 acres. | Ision and containing 23 Ac. Sub; S 10.35 chs; 5845 W ank 9.54 ch; N 40 T 7.34 ching 30 acres. Locks Road at a point 9.27c Martin D.L.C.; West 22 ch to Sen; South 2.15 challes to to |
| /22.00 (NW) East the begi (a) C (b) F Power or M 9. (a) | l Description Lot 17 and the Beginning at 8 ch.; to the barcor Blk.18) E 21 and 30,12 ch Schank of the Yambaning point. The Character of soil Kind of crops raised ining Purpose | ne Wa of lot l the NE cor. on the NE cor. on the Yamh 1.35 ch to beg the West right outh of the NM hill River; No is contains 2. | .6 of Fisks Subdivion for 18 of Fisks will River; Up E beginning and contains of way line of I cor of Franklin Morth 84°30' E 22.13 acres. | Ision and containing 23 Ac. Sub; S 10.35 chs; 5845 W ank 9.54 ch; N 40 T 7.34 ching 30 acres. Locks Road at a point 9.27c Martin D.L.C.; West 22 ch to Sen; South 2.15 challes to to |
| /22.00 (NW) East the begi (a) (C) (b) F Power or M 9. (a) | l Description Lot 17 and the Beginning at 8 ch.; to the bardon Blk.18) E 21 and 30,12 ch So bank of the Yambaning point. The Character of soil | the We of lot 1 the NE cor. onk of the Yamh 4.35 ch to beg the West righ outh of the NW hill River; No is contains ?. df more space of All amette Si | of fisks Subdivion lot 18 of Fisks will River; Up E baginning and contain to f way line of I cor of Franklin Merth 84°30' E 22.15 38 acres. | Ision and containing 23 Ac. Sub; S 10.35 chs; SSub; W ank 9.54 ch; N 40° T 7.34 ching 30 acres. Locks Road at a point 9.27c fartin D.L.C.; West 22 ch to Sch; South 2.15chales to to |
| /22.00 (NW) East the begi (a) (C) (b) F Power or M 9. (a) (5) | l Description Lot 17 and the Beginning at 8 ch.; to the bardon Blk.18) E 21 and 30,12 ch So bank of the Yambaning point. The Character of soil | the We of lot 1 the NE cor. onk of the Yamh 4.35 ch to beg the West righ outh of the NW hill River; No is contains 2. | of fisks Subdivion lot 18 of Fisks will River; Up E baginning and contain to f way line of I cor of Franklin Merth 84°30' E 22.15 38 acres. | Ision and containing 23 Ac. Sub; S 10.35 chs; 584; W ank 9.54 ch; N 40°F 7.34 ch ning 30 acres. Locks Road at a point 3.27c lartin D.L.C.; West 22 cm to San; South 2.15 cm 21.8 to to Sill Lear. Sill Lear. |
| /22.00 (NW) East the begi (a) (C) (b) F Power or M 9. (a) (5) | l Description Lot 17 and the Beginning at 8 ch.; to the bardon Blk.18) E 21 and 30,12 ch So bank of the Yambaning point. The Character of soil | the We of lot 1 the NE cor. onk of the Yamh 4.35 ch to beg the West righ outh of the NW hill River; No is contains 2. | 6 of Fisks Subdivion lot 18 of Fisks will River; Up E baginning and contain to f way line of I cor of Franklin Merth 84°30' E 22.15 38 acres. | Ision and containing 23 Ac. Sub; S 10.35 chs; 584; W ank 9.54 ch; N 40°F 7.34 ch ning 30 acres. Locks Road at a point 3.27c lartin D.L.C.; West 22 cm to San; South 2.15 cm 21.8 to to Sill Lear. Sill Lear. |
| /22.00 (NW) East the begi (a) (b) F Power or M 9. (a) (b) (c) (c) | l Description Lot 17 and the Beginning at 8 ch.; to the bardon Blk.18) E 21 and 30,12 ch So bank of the Yambaning point. The Character of soil | the We of lot 1 the NE cor. onk of the Yamh 1.35 ch to beg the West righ outh of the NM hill River; No is contains 2. All amette Si | 6 of Fisks Subdivion lot 18 of Fisks will River; Up E baginning and contain to f way line of I cor of Franklin Merth 84°30' E 22.15 38 acres. | Sion and containing 23 Ac. Sub; S 10.35 chs; 5845 W ank 9.54 ch; N 40°F 7.34 ch ning 30 acres. Locks Road at a point 3.27c lartin D.L.C.; West 22 cm t Ben; South 2.15 mains to to Sill Lean. Sill Lean. |
| /22.00 (NW) East the begi (a) C (b) F Power or M 9. (a) (c) (d) (d) (d) | l Description Lot 17 and the Beginning at 8 ch.; to the barcor Blk.18) E 21 Beginning on and 30,12 ch Schank of the Yambaning point. The Character of soil Cind of crops raised in ming Purpose. Total and the Schank of the Schank of the Sank of the Sank of the Yambaning point. The Character of Soil Cind of crops raised in Total fall to be a soil of Total fall to be a | the We of lot 1 the NE cor. onk of the Yamh 1.35 ch to beg the West right outh of the NW hill River; No is contains 2. All amette Si | 6 of Fisks Subdivion lot 18 of Fisks will River; Up E baginning and contain at of way line of I cor of Franklin Morth 84°30' E 22.15 acres. | Ision and containing 23 Ac. Sub; S 10.35 chs; S845 W ank 9.54 ch; N 40 T 7.34 ch ning 30 acres. Locks Road at a point 9.27c Martin D.L.C.; West 22 ch t Ben; South 2.15 challes to to Sec. f Advisor to the developed Sec. f Sec |
| /22.00 (NW) East the beging (a) C (b) F Power or M 9. (a) (b) (c) (c) (c) Tr. | l Description Lot 17 and the Beginning at 8 ch.; to the barcor Blk.18) E 21 and 30,12 ch Sepanks of the Yambaning point. The Character of soil | the We of lot 1 the NE cor. onk of the Yamh 1.35 ch to beg the West righ outh of the NM hill River; No is contains 2. All amette Si | 6 of Fisks Subdivion lot 18 of Fisks will River; Up E baginning and contain at of way line of I cor of Franklin Morth 84°30' E 22.15 against Anity | Ision and containing 23 Ac. Sub; S 10.35 chs; 5845 W ank 9.54 ch; N 40 T 7.34 ch ning 30 acres. Locks Road at a point 3.27c Martin D.L.C.; West 22 ch t Ben; South 2.15 challes to to Since the developed Since the developed Since the developed Since the developed |
| /22.00 (NW) East the beging (a) (b) F Power or M 9. (a) (c) (c) (c) (d) (Tr). | l Description Lot 17 and the Beginning at 8 ch.; to the barcor Blk.18) E 21 Beginning on and 30,12 ch Schank of the Yambaning point. The Character of soil Cind of crops raised in ming Purpose. Total and the Schank of the Schank of the Sank of the Sank of the Yambaning point. The Character of Soil Cind of crops raised in Total fall to be a soil of Total fall to be a | the We of lot I the NE core on the of the Yamh to 35 ch to beg the West right outh of the NW hill River; No is contains 2. All amette Si | 6 of Fisks Subdivion lot 18 of Fisks will River; Up E baginning and contain to f way line of I cor of Franklin Morth 84°30' E 22.15 38 acres. | Ision and containing 23 Ac. Sub; S 10.35 chs; 5845 W ank 9.54 ch; N 40 T 7.34 ch ning 30 acres. Locks Road at a point 3.27c Martin D.L.C.; West 22 ch t Ben; South 2.15 challes to to Since the developed Since the developed Since the developed Since the developed |

(i) The nature of the mines to be served

STATE ENGINEER
SALEM. OREGON

the foregoing application and do hereby grant the same,

| | TO EXISTING right herein gr | | | - | | _ | | | | | benef | icial use |
|--|--|---------------------------------------|---|---|-------------------|-----------------------|---------------------------------|------------|---------------|---------------------|---------------------------------------|------------------------------|
| and shall 1 | not exceed | 0.375 | cı | ıbic fee | t per | second | measured | at the | e poi | nt of dive | ersion f | rom the |
| stream, or its equivalent in case of rotation with other water users, from | | | | | | | | | | | | |
| The | use to which th | | | | | | | | | | · · · · · · · · · · · · · · · · · · · | |
| | | | | ••••• | **** **** | | • • | •••••• | | | | |
| If fo | or irrigation, thi | is appro | priation | n shall | be lin | nited to | 1/80 | | | ef or | e cubic | foot per |
| | r its equival | | _ | | | | | | | | | |
| | on of not to | | | | | | | | | | | |
| irrigatio | on season of | each | year, | | •••••• | | * | | | | | |
| ** ** * * * * * * * * * * * * * * * * * | | · · · · · · · · · · · · · · · · · · · | | | | | | | | | | |
| | | | | | · • • • · · · • · | | | | | | | |
| | • | , | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | • | | | •••• | | | | | - |
| and shall | be subject to su | ich reas | sonable | rotation | ı syst | em as n | nay be ord | lered b | y the | рторет з | tate off | icet. |
| | e priority date o | | | | | | | | | | • | |
| | tual constructio | | | | | | | | | | | and shall |
| | r be prosecuted | | | | | | | | | | | |
| _ | 1, 1954 | | | · · · · · · · · · · · · · · · · · · · | | · · • | | | | | | |
| Con | mplete applicat | ion of 1 | the wate | er to th | e pro | posed u | se shall b | e made | on o | ir before | | |
| | 1, 1955 | | | | 🛶 | | | | | | | |
| WI | TNESS my han | nd this . | 29 | th . | day o | f I | And And | just 18 | | 19 | Je. | In |
| Perr | mits for power develo | pment are | subject to | the paym | ent of | annual fee | s as provided | in section | າ ການ 1 ສະ | nd 2, chapter | STATE 1 | ENGINEER on Laws 1933 |
| | • | | | | | | | | | | | |
| • | | | | | | | | | | | | |
| | | | | | | | | | | | - | |
| | | | the | , ioi | | | | | | fo | x | |
| !! :: | DIC. | | .£. | Ureg | | | | | | | HNIUN | و خ |
| اً و | PUBLIC | Vo. | eive | at Salem, March | A M | | | | | | STATE ENGINEER | Page |
| * | ម្រ | District No. | t rec | 24 Sa 12, | | | cd: | | ٥. | | | P. |
| | RMIT IATE TH OF THE OREGON | Distr | s firs | reer o | ck | | cein | | 1952 | (3) (3) | STRICKLE | Ą |
| No. | PERMI PRIATE ' RS OF TH | | was | te Engir day of | o'clock | ınt: | on re | | 29, | N NO | STKI | |
| No. | PE OPR SRS OF | | ment | ate E day | 30 | plica | licati | | | n boo ge | in the second | n No |
| Application No. Permit No. | PERN APPROPRIATE WATERS OF TH OF OREG | .0. | This instrument was first received in the | office of the State Engineer at Salem, Oregon, on the 21°t day of March | ا تھ | Returned to applicant | Corrected application received: | | August | Recorded in book No | CH.;.S. | Drainage Basin No. Fees Paid |
| Ap Per | | Division No. | iis in | office of th on the 2 | l. at | ned | cted | Approved: | • | ecord its o | පි | Drainage Fees Paid |
| | | · 155 | ت. | 2. I | - | | ~ | | | ~ ~ | - 2 | ~ |