

✓
*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Kenneth P. Lacy
 of Elk Creek Route
 State of Oregon

(Name or appraiser)

Trail,

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Sugar Pine Creek, a tributary
 of Elk Creek, a tributary of Rogue River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.13 c.f.s.
 cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation.

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

of #1

4. The point of diversion is located 4020 ft. N. and 1980 ft. E. from the SE corner of Section 14, being within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 14, T. 32 S., Range 1 East, Willamette Meridian. #2 diversion point is located 150' north and 1470' west from the SE corner of Section 14.

(If preferable, give distance and bearing to section corners)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$, SE $\frac{1}{4}$ of Sec. 14, Tp. 32 S.
 (Give smallest legal subdivision)

R. 1 E. W. M. in the county of Jackson.

5. The pipeline to be 300
 (Main ditch, canal or pipe line) miles or feet

in length, terminating in the SW $\frac{1}{4}$, SE $\frac{1}{4}$, & SW $\frac{1}{4}$, NE $\frac{1}{4}$ of Sec. 14, Tp. 32 S.
 (Smallest legal subdivision)

R. 1 E. W. M. the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction ROLLER
 (Brick, rock, concrete, masonry, etc.)

(b) Description of headgate - none - (or) dam, diversion dam, etc.

(Timber, concrete, etc., number and size of openings)

7. If water is to be pumped give general description of pump, type of pump, size and type of pump.

8. If water is to be treated give general description of treatment, type of treatment.

9. If water is to be stored give general description of storage works and contemplated capacity.

10. If water is to be used for the generation of electricity give the estimated output in kilowatts and the estimated time when it can be generated with current facilities.

21334

Canal System or Pipe Lines

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line)
..... feet; width on bottom feet; depth of water feet;
grade feet fall per one thousand feet.

(c) Length of pipe, 300 ft.; size at intake, 2 in.; size at ft.
from intake in.; size at place of use 2 in.; difference in elevation between
intake and place of use, 50 ft. Is grade uniform? yes Estimated capacity,
..... sec. ft.

8. Location of area to be irrigated, or place of use

If more space required attach separate sheet

(a) Character of soil clay loam

(b) Kind of crops raised hay & pasture

Power or Mining Purposes--

9. (a) Total amount of power to be developed

Theoretical heterogeneity

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to

(e) Subdivisions to be located in
legal subdivisions

T.P. , R. , W. M.
(No. 2, 1951) (No. 2, 1951)

卷之三

TP. R. W. M.
 No. 11, 1953. No. 12, 1953.

(f) Is water to be returned to any stream?

(a) If so, name stream and locate point of return

The TV was a hit and we had a great time.

(1) The use to which power is to be applied is

(a) The nature of the mines to be served

Domestic or Domestic Supply

21334

(a) To supply the city of

County, having a present population of
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....1,000.00.....

12. Construction work will begin on or before 1 year from date of priority.

13. Construction work will be completed on or before 2 years from date of priority.

14. The water will be completely applied to the proposed use on or before 3 years from date of priority.

Kenneth P Lacy
(Signature of applicant)
Elk Creek Rd Trail Oregon

Remarks:

STATE OF OREGON,

County of Marion,

I, [initials], do hereby certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer with corrected plans and data.

19

WITNESS, this day of

day of

19

STATE ENGINEER

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.125 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Sugar Pine Creek.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 4½ acre feet per acre for each acre irrigated during the
irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 29, 1952.

Actual construction work shall begin on or before August 29, 1953 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1954.

Complete application of the water to the proposed use shall be made on or before
October 1, 1955.

WITNESS my hand this 29th day of August 1952

Charles E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1923.

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

District No. 1

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 29th day of April,

1952, at 2:30 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved

August 29, 1952

Recorded in Book No. 52 of

Permits on page 1.

CHARLES E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 5 Page 1

Fees Paid \$1.00