

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Otto Schild, of Route 1, Ex 145, Tillamook, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is Wilson River, a tributary of Tillamook Bay.
2. The amount of water which the applicant intends to apply to beneficial use is 5007 cubic feet per second.
3. The use to which the water is to be applied is Irrigation.
4. The point of diversion is located 809.23 ft. N and 1981.29 ft. E from the N.W. corner of the NE 1/4 SE 1/4 section 20, T.1.S.R.9.W.W.M. Tillamook, Oregon.

(If preferable, give distance and bearing to section corner)
If there is more than one point of diversion, each must be described. Use separate sheet if necessary.
being within the SW 1/4 NW 1/4 of Sec. 21, Tp. 1, R. 9, W. 1, W. M., in the county of Tillamook.
5. The pipe line to be 1740 ft in length, terminating in the NW 1/4 SW 1/4 of Sec. 21, Tp. 1, R. 9, W. 1, W. M. the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

General Works:
Height of dam none feet, length on top feet, length at bottom feet.
Material to be used and character of construction.
Number of pipes, etc. Number and size of pumps.

General description

W. G. Blue, District Engineer

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet, grade feet fall per one thousand feet.

(c) Length of pipe, 1940 ft.; size at intake, 5" in.; size at 1940 ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1.S.	9.W.	20	SE $\frac{1}{4}$ N.E $\frac{1}{4}$	3.60
1.S.	9.W.	20	NE $\frac{1}{4}$ S.E $\frac{1}{4}$	3.50
1.S.	9.W.	21	SW $\frac{1}{4}$ N.W $\frac{1}{4}$	12.00
1.S.	9.W.	21	NW $\frac{1}{4}$ S.W $\frac{1}{4}$	12.00
1.S.	9.W.	21	SE $\frac{1}{4}$ NW $\frac{1}{4}$	1.60
1.S.	9.W.	21	NE $\frac{1}{4}$ S.W $\frac{1}{4}$	1.60
Total				42.00

Beg at the N.W. corner of the East half of the Nathan Dougherty T.1.S. R.9.W. Sec. 20. Thence North 1320 ft; more or less to the North line of the S $\frac{1}{2}$ of the N.W. $\frac{1}{4}$ of section 21 T.1.S.R.9.W. Sec. 20; Thence West 43 ft; thence South 244.2 ft; Thence East 1320 ft to the East line of section 20, T.1.S.R.9.W. Sec. 20. Thence North along said East line to the North East corner of the SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of section 20, Thence West along the North line of the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of section 20 to the center of Dougherty Slough, thence Southerly along the center of said slough to its intersection with a point that is due North of a point 916.8 ft East of the S.W. corner of the SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of section 20; Thence South to the South line of the SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of sec 20; Thence East to the place of beginning.

(If more space required, attach separate sheet)

(a) Character of soil Sandy River bottom

(b) Kind of crops raised Grass

Power or Mining Purposes

9. (a) Total amount of power to be developed

(b) Quantity of water to be used for power

(c) Total fall to be utilized

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in

Tp. R. W. M.

(f) Is water to be returned to any stream? Yes or No

(g) If so, name stream and locate point of return

Sec. Tp. R. W. M.

(h) The water which power is to be applied is

(i) The nature of the power to be served

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2500.....

12. Construction work will begin on or before June 1952.....

13. Construction work will be completed on or before June 1952.....

14. The water will be completely applied to the proposed use on or before June 1952.....

Otto J. Schild
(Signature of applicant)
Route 1, Box 145
Tillamook, Oregon

Remarks: A 5" supply pipe 120 ft in length will be used with 450 ft of 5" and 630 ft of 4" and 860 ft of 3"

W. E. ANDERSON

PHONE 595-W

TILLAMOOK COUNTY SURVEYOR

Box 11 - Star Route West
Tillamook, Oregon

Schild tract con.

Beginning at a point on the North Line of the DDaugherty D.L.C. 91.8 ft East of the N.W. corner of the NE 1/4 SE 1/4 of section 20. T.1.S.R.9.W.W.M. ; Thence South 825 ft; thence S 0-05E 615 ft; Thence N 89-54'E 1048.7 ft; Thence N 0-05'E 42.93 ft; Thence N 89-54'E Thence East 10.09 chains; Thence North 21.14 chains to the North line of the Nathan Daugherty D.L.C.; Thence West along the North line of the D.L.C. 1722.23 ft more or less to the place of beginning.

STATE OF OREGON,
County of Marion.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections or reference

W. E. Anderson

Surveyor

19

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.500 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Wilson River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.500 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is April 30, 1952

Actual construction work shall begin on or before August 29, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 29th day of August

Handwritten signature of State Engineer

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 34, Oregon Laws 1931

Application No. 27/2.5

Permit No. 21338

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 30th day of April

1952, at 00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved

August 29, 1952

Recorded in book No. 53 of

Permits on page 1315

J. E. STELLERMAN STATE ENGINEER

Deverage Basin No. Page 5

Fees Paid \$16.95