

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

William M. Benton
of Clappoose Case Box 432

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South branch
(Name of stream)

Clappoose Creek, a tributary of Clack

2. The amount of water which the applicant intends to apply to beneficial use is 1 acre foot per month
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation power, mining, manufacturing, domestic supplies, etc.

4. The point of diversion is located 1022 ft. S. and 574 ft. W. from the N 1/4
(N or S) (E or W)

corner of beginning at the southwest corner of the northeast
(Section or subdivision)

quarter of section 15 terminating at the junction of the main creek with the main branch

and ending at the mouth of the main branch, Clappoose Creek, Oregon.

Section 15, T 3 N R 2 W W M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the NE 1/4 of NW 1/4 of Sec. 15 . Tp. 3 . N or S.

R. 2 W, W. M., in the county of Columbia
(E or W.)

5. The Pipe line to be 800 feet
(Main ditch, canal or pipe line)
 in length, terminating in the NE 1/4 of NW 1/4 of Sec. 15 . Tp. 3 . N or S.

R. 2 W, W. M., the proposed location being shown throughout on the accompanying map.
(E or W.)

DESCRIPTION OF WORKS

Diversion Works—

Sump-City

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

loose rock, concrete, masonry

rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate Timber, concrete, etc., number and size of openings

(c) If water is to be pumped give general description 1 1/2" Type L Centrifugal
(Size and type of pump)

Pump with 5 H.P. Motor (goes up at 13 ft. head)
(Size and type of engine or motor to be used, total head after it to be listed, etc.)

0.28 Sec. feet

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon

21355

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom

feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, 2" in.; size at 10 ft. from intake: 4" in.; size at place of use 4" in.; difference in elevation between intake and place of use, 14.5 ft. Is grade uniform? *No*. Level - then " 12" slope. Estimated capacity.

0.28 sec. ft.

8. Location of area to be irrigated, or place of use *NE 1/4 of NW 1/4 of Sec. 15, T. 3, R. 2, W. M.*

Township North or South	RANGE E. or W. of Willamette Meridian	SECTION	Forty-acre Tract	Number Acres To Be Irrigated
<i>3 N</i>	<i>2 W</i>	<i>15</i>	<i>NE 1/4 of NW 1/4</i>	<i>22.4</i>

Parcel 1

The East Half of the following described tract of land, to-wit; Beginning at the N.E. corner of the Northwest $\frac{1}{4}$ of Section 15, T. 3 N., R. 2 W., W.M., Columbia County, Oregon; thence South 32 chains; thence West 9.55 chains; thence West 3 chains; thence West 22 chains 83 links; thence North 30 chains; thence West 32 chains and 33 links to point of beginning, said tract to be divided into two equal parts by a line running North and South.

Parcel 2

Beginning at the Southwest corner of the above described parcel 1; thence South 10 rods; thence East 23 rods; thence South 10 rods; thence West 40 rods more or less to an intersection with the East line of parcel 1 extended easterly; thence North 10 rods to the Southeast corner of said parcel 1; thence West 40 rods; thence North 10 rods; thence West 15 rods more or less to the point of beginning.

(If more space required, attach separate sheet.)

(a) Character of soil *Loam*

(b) Kind of crops raised *Farm, Legumes, pasture, etc.*

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec
(Legal subdivision)

Tp., R., W. M.
(No N or S)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No N or S)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Downloaded by Darmstadt University

21355

11. (a) To supply the city of _____
Country, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use what number of families to be supplied _____

11. Estimated cost of proposed works, £ 12.50

12. Construction work will begin on or before July 15th 1952

13. Construction work will be completed on or before July 15th 1953

14. The water will be completely applied to the proposed use on or before July 15th 1953

William M. Beaton
(Signature of applicant)

(Signature of witness)

Remarks: _____

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 23, 1952.

WITNESS my hand this 23rd day of May 1952.

RECEIVED CHAS. K. STRICKLIN
STATE ENGINEER
JUN 17 1952 BY Ed K. Humphrey, Assistant
STATE ENGINEER
SALEM, OREGON

PERMIT

STATE OF OREGON,

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed Q.200 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from South Scappoose Creek.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a diversion of
not to exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the irrigation
season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 6, 1952

Actual construction work shall begin on or before August 29, 1953 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954.

Complete application of the water to the proposed use shall be made on or before October 1, 1954.

WITNESS my hand this 29th day of August, 1952

Charles E. Stricklin
STATE ENGINEER

Application No. 2-7153

Permit No. 21355

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 6th day of May,
1952, at 8:00 o'clock A.M.

Returned to applicant:

Aug. 23 1952

Approved:

August 29, 1952

Recorded in book No. 53
of
Permits on page 21355

CHAS. E. STRICKLIN
STATE ENGINEER

State Printer, Salem

B/E/OT