

## To Appropriate the Public Waters of the State of Oregon

1, Roy WILCOX
RT=3 BOX 181 BORING OREGON
se of, do hereby make application for a permit to appropriate the
lowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is DEEP CREEK
, a tributary of CLACKAMAS RIVER
2. The amount of water which the applicant intends to apply to beneficial use is
bic feet per second
**3. The use to which the water is to be applied is TRP1GATION (brigation, power, mining, manufacturing, demarkic supplies, etc.
930 5
4. The point of diversion is located 930 ft. S and from the N. 1/4
rner of SEC. 28 T.25 RAE W.M. (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheat if necessary)  ring within the NW 14.58 WE 14.08 NELY of Sec. 28. Tp. 25.  (Give smallest legal subdivision)
4 E., W. M., in the county of CLACKAMAS
5. The SMALL PORTABLE PUMP - PIRE to be (Main ditch, canel or pipe line).  (Main ditch, canel or pipe line)
length, terminating in the of Sec Tp.
(1. or ₩)
DESCRIPTION OF WORKS
iversion Works— ONLY DAY WILL BE FEW ROCKS IN STATHM TO PACK 6. (a) Height of dam feet length on top feet length at bottom
FUMP SUMP  feet; material to be used and character of construction  6005E ROCK
K and brish timber crib, etc. Wasteway over of around dam?
(b) Description of headgate
(Timber contrate etc., number and stay of specifies
7 1/ "
(c) If water is to be pumped give general description 21/2" INTAKE
2 M.P. MCTOR
Size and type of engine or motor is be used to the boad water is to be 1 ffed as
*A different form of application is provided where storage works are contemplated

\*\*Application for periods approximate water for the generation of electrosis, with the exception of model Dollan model in the Hauroelectric Cornalogue. Blues of the above forms may be secured, without cost, together with instructions to condensing the content Sales. Oregon

3.35.4M

Canal System or Pipe Line-

edgate, At-hea	dgate: width on to	p (at water	Hae)	feet; width on bottom
**************	feet; depth of wat	<b>67</b>	feet; grade	feet fall per one
ousand foot. (b) At	· · · · · · · · · · · · · · · · · · ·	iles from h	readgate: width on top (at wate	er line)
			feet; depth of i	
			· <u>·</u>	, , , , , , , , , , , , , , , , , , ,
	feet fall ş			
-	•		; size a* intake,	
			of use in.; di	
take and place	of use,	ft.	Is grade uniform?	Estimated capacity
8. Locatio		igated, or j	place of use	
Township North or South	Range - E. er W. ef Willemette Meridien	Fection	Forty-acre Tract	Number Acres To Be Irrigated
2,5	4E WM	28	NW 1/4 NE 1/4	3 AC
25,	4 E WA	28	NE Yy NW Yy	2 M.
	, = .,	<u> </u>	14 17 11 - / 7	-1 1
*				
<del></del>				
and the control of th				
(a) C	haracter of soil		WARIE 5	
			GRASS	
Power or Minin			The state of the s	
9. (a) T	otal amount of por	ver to be d	eveloped	theoretical horsepower
(b) Q	uantity of water to	be used fo	or power	sec. ft.
(c) T	otal fall to be utili	zed	feet.	
			eans of which the power is to b	e developed
٤.	11			
(e) S	• •			of Sec.
			•	, <b>vy k</b> ett
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, R	,		
			stream?(Yes of No)	
(g) I	-		point of return	
	,	Sec	, Tp(No N or S	, $R_{\rm c}=\frac{1}{2}$ (Ne ${f z}$ or ${f w}$ )
(h) 7	The use to whi <mark>ch p</mark>	ower is to b	pe applied is	· · · · · · · · · · · · · · · · · · ·

1	D. (a) To supply the city of
************	County, having a present population of
and a	pathmeted population of in 19
- T	(b) If for domestic use state number of families to be supplied
, <del>-</del>	A LEE LEE AND A
	1. Estimated cost of proposed works, \$300.
	12. Construction work will begin on or before WITHIN DIE VERR
	13. Construction work will be completed on or before
1	14. The water will be completely applied to the proposed use an or before WITHIN 3 YEARS
<b>C</b>	
	X (for Wiles)
	Remarks:
	The following described property in the County of Clackshus and State of Oregon, to-wit:
* # **	of the quarter section corner on the north line of Section 28, T. 2 S. R. 4 E. of the W; thence south 76° 30' east 7.65 chains; thence south 10 chains to a stake; thence east to the northwest corner of the southeast quarter of the horthwest of the horthwest quarter of said section; thence south 34° west 17 chains to a point on the meander line of Deep Greek that is 5.60 chains north (measured at right angles) of the nuarter soction line running east and west through the center of said section; thence in a northwesterly direction following the manders of Deep Greek to a point where said creek crosses the north line of the south half of the northeast quarter of said section; thence west 5.80 chains; thence north 32° 30' east 1.70 chains; thence north 26° 45' west 2.60 chains; thence north 50° 30' west 2.50 chains; thence north 18° 45' west 2.60 chains; thence north 50° 30' west 2.50 chains; thence north 18° 45' west 2.60 chains; thence n
•	<u></u>
	<u></u>
	TE OF OREGON. Sounty of Marion,
	This is to certify that I have examined the foregoing application, together with the accompanying
map	os and data, and return the same for
	In order to retain its priority, this application must be returned to the State Engineer, with correc-
tion	s on or before,19
	WITNESS my hand this day of

21373

The u	t exceed 0.00  ts equivalent in	case of ro	•						
*************	***************************************						******		· • • • • • • • • • • • • • • • • • • •
*************	se to which this	water is t			******	······································			
If for	8 v 400 4 0 0 40 0 0 0 0 0 0 0 0 0 0 0 0		o be applied	is	irriga	t1on	***************************************		
If for		*****************		••••••	•••••		••••		
	irrigation, this a	ppropriati	on shall be	limited to	, 1/8	Ю	of (	one cubic f	oot per
	equivalent for		•						
	cceed 23 acre Ceach year,	feet pe	r acre for	each a	icre irr	.gated	during th	e irriga	tion
			•••••••••••••••••••••••••	•••••					
		•••••••••••••••••••••••••••••••••••••••	·····	·····	••••••				••
••••••••••					•••••			• • • •	
···•		••••••••	•••••••••••••	••••••••••	•	· · · • · · · · · · · · · · · · · · · ·			
	•••	•••••••	*******************			• • • • • • • • • • • • • • • • • • • •		• •	
	subject to such								er.
The p	riority date of t	his permit	is <u>Ma</u>	y 12, 19	952	•			
	il construction i		-	•	••••	t 29, 1			nd shall
-	pe prosecuted with the prosecution of the prosecuti		-		-				
•		-	-	-			-		
	NESS my hand t			_	bin	an E		Live !	GINEER
		n the egon,			· •	:	2	VEED	
	UBLIC	ived i	M.			· ·		ATE ENCINEER	
21313	MIT THE PUB THE STATE EGON	st rece at Sal	Уау Д				ლ დ ლ დ	SI	0700
2	PERMIT PRIATE THI SOF THE SOF	vas fir. gineer	day of May	• .	• :	1952	No. 6.3	STRICKLIN	inting &
No.	PERIOPRIATINS OF OF OR	nent u 1te Enc	day of L. B.: 0000'clock	dicant	:	29,	book :	•	State Printing
Permit No.	PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon,	2000	Returned to applicant:	: : : <u>-:</u> :	August	Recorded in book No	AS. E	
Pe	TO A	This in	on the 12. 19.52, at <i>B</i>	urned	Approved:	¥	Recorc	CHAS	

A 16. 1. 16