

No. 26226

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, <sup>W</sup> FRIED WICHMAN

(Name of applicant)

of Haycreek Ranch, Madras

(Mailing address)

State of OREGON

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Little Willow Creek and Reservoir, a tributary of Haycreek

(Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 8,601 in addition to 7.02 cubic feet per second under original appropriation of water from Little Willow Creek Reservoir.

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (See attached sheet)

(N. or S.)

(E. or W.)

(Section or subdivision)

The Headgate of Little Willow Creek Reservoir is located 140' North and 860' West of the E 1/2 corner of Section 12

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 12, Tp. 11 S.

(Give smallest legal subdivision)

(N. or S.)

R. 15 E., W. M., in the county of

(E. or W.)

5. The (See attached sheet) to be in length, terminating in the of Sec. Tp.

(Main ditch, canal or pipe line)

(Miles or feet)

(Smallest legal subdivision)

(N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 40 feet, length on top 1020 feet, length at bottom 300 feet; material to be used and character of construction compacted earth fill with center zone of stable impervious materials and downstream embankment of stable pervious materials. Upstream face to be protected by rip-rap.

(b) Description of headgate extension of existing 18" asphalt-coated corrugated pipe with new concrete head wall at discharge end.

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted etc.)

\*A different form of application is provided where storage works are contemplated

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem.

4 Page 1019-1021



4. Number one point of diversion is located S 16° 28' W, a distance of 2640 feet from the NE corner of Section 11, Township 11 South, Range 15 East, W.M., being within the Southeast quarter of the Northeast quarter of Section 11, Township 11 South, Range 15 East, W.M.

Number two diversion point: Branch to north from canal described on adjudication map of 1915 as "company ditch No. 10", said branch parting from No. 10 ditch at a point 870 feet from the diversion point of No. 10 ditch as now constructed and located. Company ditch No. 10 as scaled from Final Proof Survey Map of 1949 has point of diversion bearing S 44° 05' W from the NE corner of the Southeast quarter of the Northeast quarter of Section 10, Township 11 South, Range 15 East, W.M., being within said Southeast quarter of Northeast quarter of Section 10, Township 11 South, Range 15 East, W. M.

5. Little Willow Creek south canal is to be 3.75 miles in length terminating in the Northeast quarter of the Northeast quarter of Section 16, Township 11 South, Range 15 East, W.M. North branch No. 10 ditch is to be 2.3 miles in length terminating in the Northwest quarter of the Northwest quarter of Section 9, Township 11 South, Range 15 East, W.M. The proposed locations for both being shown throughout on the accompanying map.

8. Location of area to be irrigated:

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>Forty-acre Tract</u>	(All Primary) <u>Number acres to be irrigated</u>
11 S	15 E	9	NE $\frac{1}{4}$ NE $\frac{1}{4}$	23.4
"	"	"	NW $\frac{1}{4}$ NE $\frac{1}{4}$	27.2
"	"	"	NE $\frac{1}{4}$ NW $\frac{1}{4}$	16.8
"	"	"	NW $\frac{1}{4}$ NW $\frac{1}{4}$	7.6
"	"	"	SE $\frac{1}{4}$ SE $\frac{1}{4}$	16.0
11 S	15 E	10	NE $\frac{1}{4}$ NW $\frac{1}{4}$	3.0
"	"	"	NW $\frac{1}{4}$ NW $\frac{1}{4}$	20.3

21493

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>Forty-acre Tract</u>	<u>(All Primary) Number acres to be irrigated</u>
11 S	15 E	10	SW $\frac{1}{4}$ NE $\frac{1}{4}$	2.0
"	"	"	SE $\frac{1}{4}$ NE $\frac{1}{4}$	12.0
"	"	"	NE $\frac{1}{4}$ SE $\frac{1}{4}$	35.6
"	"	"	NW $\frac{1}{4}$ SE $\frac{1}{4}$	28.8
"	"	"	NE $\frac{1}{4}$ SW $\frac{1}{4}$	22.0
"	"	"	NW $\frac{1}{4}$ SW $\frac{1}{4}$	5.4
"	"	"	SW $\frac{1}{4}$ SW $\frac{1}{4}$	16.8
"	"	"	SE $\frac{1}{4}$ SW $\frac{1}{4}$	20.4
"	"	"	SW $\frac{1}{4}$ SE $\frac{1}{4}$	2.4
11 S	15 E	10	SE $\frac{1}{4}$ SE $\frac{1}{4}$	14.8
11 S	15 E	11	SW $\frac{1}{4}$ NW $\frac{1}{4}$	18.4
"	"	"	SE $\frac{1}{4}$ NW $\frac{1}{4}$	18.0
"	"	"	SW $\frac{1}{4}$ NE $\frac{1}{4}$	8.4
"	"	"	NW $\frac{1}{4}$ SE $\frac{1}{4}$	3.6
"	"	"	NE $\frac{1}{4}$ SW $\frac{1}{4}$	27.6
"	"	"	NW $\frac{1}{4}$ SW $\frac{1}{4}$	40.2
"	"	"	SW $\frac{1}{4}$ SW $\frac{1}{4}$	8.4
"	"	"	SE $\frac{1}{4}$ SW $\frac{1}{4}$	25.0
11 S	15 E	13	NW $\frac{1}{4}$ SW $\frac{1}{4}$	13.2
"	"	"	SW $\frac{1}{4}$ SW $\frac{1}{4}$	36.4
11 S	15 E	14	NW $\frac{1}{4}$ NE $\frac{1}{4}$	2.4
"	"	"	NE $\frac{1}{4}$ NW $\frac{1}{4}$	3.6
"	"	"	NW $\frac{1}{4}$ NW $\frac{1}{4}$	5.2
"	"	"	SW $\frac{1}{4}$ NW $\frac{1}{4}$	2.0
11 S	15 E	15	NW $\frac{1}{4}$ NW $\frac{1}{4}$	1.0
11 S	15 E	16	NE $\frac{1}{4}$ NE $\frac{1}{4}$	5.6
TOTAL				509.2 Acres

In addition to irrigating the lands described above, which are cross-hatched on the attached map, applicant will continue to use the



21403

\* Lands described in proof of appropriation under application No. 17530: (These lands are shown on map accompanying this application as "Area Approved under Final Proof Survey of 1949)

Township	Range	Section	40-acre Tract	Supplemental	Primary
11 S	15E	5	SW NW	3.35	0
			SE NW	4.2	0
			NE SW	1.2	0
			NW SW	1.0	0
11 S	15E	8	NE NE	2.8	0
			SE NE	4.0	9.8
		9	NW NE	1.6	0
			SW NE	39.5	0.1
			SE NE	28.4	0
			NE NW	5.8	0
			NW NW	6.8	0
			SW NW	27.0	0.2
			SE NW	40.0	0
			NE SW	30.4	0
			SE SW	16.4	0
			NE SE	38.0	2.1
			NW SE	40.0	0.2
			SW SE	40.0	0.2
SE SE	2.25	21.75			
11 S	15E	10	SW NE	2.5	3.5
			SW NW	18.2	0
			SE NW	5.25	1.95
			NE SW	18.0	0
			NW SW	23.5	11.1
			SW SW	0	2.2
			NW SE	2.0	0
			NE SE	0	0
11 S	15E	11	SW NE	12.0	3.4
			SE NE	7.5	1.7
			SW NW	0.25	5.35
			SE NW	9.25	1.95
			NE SE	0	0.1
11 S	15E	12	SW NE	5.25	4.55
			SE NE	0.4	0
			SW NW	6.5	1.2
			SE NW	13.25	0.75
			NE SE	0.4	0
			NW SE	0	0.8
11 S	15E	16	NE NE	0	0.4
			NW NE	28.2	0
			NE NW	2.8	0
				487.95	73.30

\*\* Lands in Townships 10 and 11 S, Range 15 East, W.M. (showing appropriation rights as heretofore adjudicated by Circuit Court for Jefferson County.

*Handwritten mark*

Lands acquired from applicant's predecessor in title,

Charles L. Hunter.

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>40-acre Tract</u>	<u>Acres Irrigated</u>
10	S 15 E.W.M.	7	SE $\frac{1}{4}$ NE $\frac{1}{4}$	28.30
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	33.60
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	37.70
		18	NE $\frac{1}{4}$ NE $\frac{1}{4}$	18.00
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	11.50
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	3.30
SE $\frac{1}{4}$ NE $\frac{1}{4}$	12.00			

Lands acquired from applicant's predecessor in title,

George E. Snively.

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>40-acre Tract</u>	<u>Acres Irrigated</u>
10	S 15 E.W.M.	29	SW $\frac{1}{4}$ NW $\frac{1}{4}$	5.00

Lands acquired from applicant's predecessor in title,

Martha McCue.

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>40-acre Tract</u>	<u>Acres Irrigated</u>
11	S 15 E.W.M.	6	SE $\frac{1}{4}$ NE $\frac{1}{4}$	3.00

Lands acquired from applicant's predecessor in title,

Baldwin Sheep Company.

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>40-acre Tract</u>	<u>Acres Irrigated</u>
10	S 15 E.W.M.	32	NW $\frac{1}{4}$ SW $\frac{1}{4}$	12.50
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	11.75
11	S 15 E.W.M.	5	NW $\frac{1}{4}$ NW $\frac{1}{4}$	1.50
		6	NE $\frac{1}{4}$ NE $\frac{1}{4}$	.75
Total				178.90

**NOTE:** The above described lands are cross-hatched on the attached copies of the maps prepared in connection with the "Adjudication Survey, Trout Creek and its Tributaries."

*D. W. T.*

11. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 35,000.00

12. Construction work will begin on or before Sept. 30, 1951

13. Construction work ~~has been completed~~ <sup>has been completed</sup>. Notice of completion was given the State Engineer on May 28, 1952.

14. The water will be completely applied to the proposed use on or before one year from completion of enlargement of reservoir.

July 9, 1952.

*David W. Wickman*  
(Signature of applicant)

Remarks: This application is for the appropriation of the additional surplus waters now being impounded in the Little Willow Creek Reservoir and used beneficially for the irrigation of applicant's lands as a result of the completion of the work of elevating the Little Willow Creek dam. (See application No. 26225, filed July 20, 1951).

*J.W.W.*  
This application ~~supplements and does not~~ <sup>supplements and does not</sup> supersede the original application (No. 26226), filed with the State Engineer on July 20, 1951. The priority date of the original application is claimed as effective for the appropriation of the additional waters impounded in the enlarged reservoir.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for COMPLETION

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 8, 1952.

WITNESS my hand this 6th day of August, 1952.

RECEIVED  
AUG 14 1952  
STATE ENGINEER  
SALEM, OREGON

CHAS. F. STRICKLIN  
STATE ENGINEER  
BY *Ed K. Humphrey*  
Ed K. Humphrey, Assistant



PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 8.601 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Little Willow Creek and Little Willow Creek reservoir for primary irrigation and from Little Willow Creek Reservoir only for supplemental irrigation, limited as to stored water to 599.8 acre feet.

The use to which this water is to be applied is primary irrigation of not to exceed 509.2 acres and supplemental irrigation of not to exceed 561.25 acres as listed under "Lands described in proof" and Supplemental irrigation of not to exceed 178.9 acres listed under "Lands acquired from applicant's predecessor in title".

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be enlarged under Permit No. R-1333 provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, the use of direct flow being limited to 8.601 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 20, 1951, for direct flow and 412 acre feet of stored water and September 12, 1951 for 137.3 acre feet of stored water.

Actual construction work shall begin on or before September 30, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954.

Complete application of the water to the proposed use shall be made on or before October 1, 1955.

WITNESS my hand this 30th day of September, 1952.

[Signature] STATE ENGINEER

Application No. 26226

Permit No. 21403

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of July 1951 at 1:30 o'clock P. M.

Returned to applicant:

Approved:

September 30, 1952

Recorded in book No. 53 of

Permits on page 21403

C. W. E. STRICKLIN

STATE ENGINEER

Fees paid \$73.00

State Printing 66240

5-18-A