



APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Bruce L. Wynter, of Myrtle Creek, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.315 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 950.0 feet from the corner of

being within the of Sec. Tp.

R. W. M., in the county of

5. The in length, terminating in the of Sec. Tp.

R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission.

21408

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ 50 feet _____ ft. Is grade uniform? _____ Yes _____ Estimated capacity, _____ 0.50 _____ sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
30 S	5 W	5	NE 1/4	9
"	"	5	SW 1/4	21

(If more space required, attach separate sheet)

(a) Character of soil _____
 (b) Kind of crops raised _____

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.
 (b) Quantity of water to be used for power _____ sec. ft.
 (c) Total fall to be utilized _____ feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____
 (Legal subdivision)

Tp. _____, R. _____, W. M. _____
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
 (Yes or No)
 (g) If so, name stream and locate point of return _____
 _____, Sec. _____, Tp. _____, R. _____, W. M. _____
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

 (i) The nature of the mines to be served _____

Application for Domestic Supply

To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19____

(b) of for domestic use state number of families to be supplied _____
(Number of families to be supplied)

- 11. Estimated cost of proposed works, \$ 3000.00
- 12. Construction work will begin on or before March 1952
- 13. Construction work will be completed on or before June 1952
- 14. The water will be completely applied to the proposed use on or before September 1952

Bruce K. Wyster
(Signature of applicant)

Remarks:

Portable sprinkling system:

1100	lin. ft.	4"	steel pipe
1000	"	2"	" " " "
300	"	2"	Alu. " "
30	Sprinklers	1	Gallo. or in.
1	15 H.P. Elec. Motor.		
1	Flange Coupling		

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 28, 1952

Actual construction work shall begin on or before August 29, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 29th day of August, 1952.

[Signature]
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1953.

Application No. 26905
Permit No. 21406

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28 day of February, 1952, at 8:00 o'clock A. M.
Returned to applicant:

Corrected application received:

Approved:
August 29, 1952
Recorded in book No. 53 of
Permits on page 21406

J. E. STEIGLIEN
STATE ENGINEER
Drainage Basin No. 16 Page 500
Fees Paid \$14.00