

Special

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

David H. DeArmond and Ardin E. DeArmond

(Name of applicant)

of 1108 Queen Ann Medford Oregon

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed small stream

(Name of stream)

, a tributary of Winchuck River

2. The amount of water which the applicant intends to apply to beneficial use is 0.03

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 450 ft. N and 220 ft. 7 from the SE

(N. or S.)

(E. or W.)

corner of NW 1/4 of the SE 1/4 of Section 23

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of the SE 1/4 of Sec. 23

(Give smallest legal subdivision)

Tp. 42 S (N. or S.)

R. 13 W, W. M., in the county of Curry

5. The Pipe Line to be 2700 feet

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the SE 1/4 of the SE 1/4 of Sec. 23

(Smallest legal subdivision)

Tp. 42 S (N. or S.)

R. 13 W, W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

SEE REMARKS

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 2700 ft.; size at intake, 6 in.; size at 700 ft. from intake 1 1/4 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 100 ft. Is grade uniform? No Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
✓ 41 S	13 W	23	SE 1/4 of the SE 1/4	None
✓ 41 S	13 W	23	SW 1/4 of the SE 1/4	None

A tract of land in the southwest quarter (SW 1/4) of the southeast quarter (SE 1/4) of Section twenty-three (23), Township forty-one (41) South, Range thirteen (13) west, of Willamette Meridian, being more particularly described as follows, to-wit:

Beginning at the southeast corner of the southwest quarter (SW 1/4) of the southeast quarter (SE 1/4) of Section twenty-three (23) in Township forty-one (41) South, Range thirteen (13) west of Willamette Meridian; thence north on the east line of the southwest quarter (SW 1/4) of the southeast quarter (SE 1/4) of Section twenty-three (23) a distance of 529.1 feet, more or less, to a point on the westerly right-of-way line of the Oregon Coast Highway; thence northwesterly along the westerly right of way line of said highway to a point

(If more space required, attach separate sheet)

(Cont. under Remarks)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horse power

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec _____

(Legal subdivision)

Tp. _____, R. _____, W. M. _____

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____

(Yes or No)

(g) If so, name stream and locate point of return _____

Sec. _____

Tp. _____

R. _____

W. M. _____

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied Three

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1,000.00
- 12. Construction work will begin on or before SEE REMARKS
- 13. Construction work will be completed on or before _____
- 14. The water will be completely applied to the proposed use on or before Water has been used from this system for over 10 years

David E. Stinson
(Signature of applicant)
Indie J. DeRosier

Remarks: This system has been constructed and completed and the water put to use for over 10 years by former owners of the property. The headworks is a wooden catch trough in the stream; thence 50 feet to a 30" x 30" x 16" settling box (wood) where the water enters the 2" pipe line and thence to the points of use as indicated on the map.

(Continued from item 8)

that is 1099.0 feet north and 717.4 feet west from the south-east corner of said southwest quarter (SW $\frac{1}{4}$) of the south-east quarter (SE $\frac{1}{4}$) of section twenty-three (23); thence south 53° 19' west 433.2 feet; thence in a southeasterly direction to a point that is on the south line of section twenty-three (23) and westerly 669.0 feet from the south-east corner of the southwest quarter (SW $\frac{1}{4}$) of the southeast quarter (SE $\frac{1}{4}$); thence east along the south line of section twenty-three (23) a distance of 669.0 feet to the point of beginning, save and excepting that portion of the above described premises particularly described in that certain deed executed by N. F. Moore and Berthe M. Moore, as grantors, to Milton DeMartin, as grantee, dated February 17, 1938, and recorded February 19, 1938 at page 597 of Volume 24 of the Records of Deeds of the official records of Curry County, Oregon.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 10, 1952

Actual construction work shall begin on or before August 29, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before

October 1, 1955

WITNESS my hand this 27th day of August, 1952

Walter E. Stricklin

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

Application No. 26975
Permit No. 21408

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of March 1952, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

August 29, 1952

Recorded in book No. 53 of Permits on page 1408

WAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 5 Page 24

Fees Paid \$