

PAPPLICATION FOR PRIMER

To Appropriate the Public Waters of the State of Oregon

State of Oregan	
•	the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	n, give date and place of incorporation
1. The source of the proposed of	appropriation is Rogue River - # 1 Drain ditch
	(Name of streem), a tributary of Rogue River & Pacific O
	the applicant intends to apply to beneficial use is 1.04
	from Rogue River; 0.11 c.f.s. from #1 Dra (It water is to be used from more than one source, give quantity from each) and 0.15 c.f.s. from slough. is to be applied is irrelestion. invision, power, mining, manufacturing, domestic supplies
****	tarigation, power, mining, manufacturing, domestic supplies
4. The point of diversion is loc	cated 332 ft. S. and 1967 ft. E. from the
	the Rogue River through Table nock improve
Company Canal). T.36S. R	(paction of amoutantou)
••••••••••••••••••••••••••••••••••••••	· · · · · · · · · · · · · · · · · · ·
	Annable die die die de la constant
****	ferable, give distance and bearing to section corners
being within the NE NW (Give smalls	nt of diversion, each must be described. Use separate short if necessary:
$R. \dots 1 W_{\bullet}, W. M.$ in the county of	
5. The mair	n ditch to be 32 miles
	SE of Sec. 10 Tp. 35 S
	sed location being shown throughout on the accompanying near
(B. 01 W.)	DESCRIPTION OF WORKS
Diversion Works	DESCRIPTION OF WORKS
6. (a) Height of dam	feet, length on top feet length at h
, ,	used and character of construction Fram France in the reservoires
gravity flow. From sloug	gn and drain ditches by pomm.
cock and brush, timber crib, etc., wasteway over or aro (b) Description of headgate.	ound dami
	(Timber, concrete, esc., number and size of openings
	ce general description 23 centricused pump - 103
	thise and type of points 1. lift of 6 feet. Assume on motion to be a first bread water of the control of the
(bize and type of en	
A STATE OF THE STA	the contract of the state of the second seco

5.0	feet don't of	ter 3.0	feet erede 3	•0 feet; width on botto
ousand feet.	3.5	malling floor	ndinata, enlâth an tan (at s	pater line) 3.0
	· ·			of water
		ill per one thems	•	of water jee
ft.			•	in.; size at 680
	•		_	; difference in elevation betwee
		_		S Estimated capacit
•		,		
		e irrigated, or pla	sce of use	
Township	Range E. or W. of Willemotto Moridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S.	2 W.	10	SW 2 SE 2	4.0
36 S.	2 W.	10	SE T SE	11.0
36 S.	2 W.	15	NW NE	2.0
36 S.	2 W.	15	nei nei	13.0
36 S.	2 W.	15	SW t NEt	2.0
36 S.	2 W.	15	SE NE	6.0
36 S.	2 W.	11	SW1 SW1	15.0
36 S.	2 W.	14	NW NW	22.0
36 S.	2 W.	14	SW4 NW2	8.0
			Total	1 83.0 acres
	-			•
		(If more space :	required, sitach separate sheet)	
(a) Chard	acter of soil	silt loam	- pumice	
(b) Kind	of crops raised	general fe	arm produce.	
Power or Minin	g Purposes—			
9. (a) To	otal amount of	power to be deve	eloped	theoretical horsepowe
(b) Q	uantity of wate	er to be used for	power	sec. ft.
	otal fall to be u		(Heid) . feet.	
(d) Ti	ie nature of the	works by mean:	s of which the power is to	be developed
			•	
	ich works to be		. (Legal subdivision)	of Sec.
		, W. M o. x. or w.) turned to any str		
(g) If	so, name stree	ım and locate po	int of return	
••		., Se c	, Tp.	$(\mathbf{x}, \mathbf{x}) = (\mathbf{x}, \mathbf{x})$, we know (\mathbf{w}, \mathbf{x})

John Weslon

Description as copied from Warranty Deed recorded in the Deed Record of Jackson County in Volume 202, Page 629, May 25, 1935.

D


Beginning at the northwest corner of the lands described in Volume 11 page 12 of the Deed Records of Jackson County, Oragon, and mining thence East 41.74 rods; thence South to the north bank of home story thence down the said north bank of Rogue River to the west countries line of the said lands described in said Volume 11 at page 12 of the Deed Records; and thence north to the place of beginning, santalists approximately 60 acres of land.

Description as copied from the Deed Records of Jackson Genny, 11. Page 12.

Beginning at a point at a stake on the right tank of home liver to running thence north 10.22 chains to the southwest commercial to wrisley Donation Land Claim No. 42 in Township 36 South, have a continued the North 53.56 chains along the west boundary of said Privated to a corner on the South boundary of Donation Claim No. 1, 1000 a Pine tree 46 inches in diameter bears North 56.20 East of the Pine tree 12 inches in diameter North 61.20 East of the South 51.00 chains to a stake, on the right bank of Rogue River to the place of beginning along the right bank of Rogue River to the place of beginning with the reservations and express understanding the last said and second part or his assigns shall not permit the use of his land boundary of said land.

Also: The southwest quarter of the northwest west Township 36 South, Range & West, comunities for the and state aforesaid.

Description as copied from the Dend Doctrus 189, Page 320.



The Additional Points of diversion are as follows:

- Progressive diversion is located 80' South and 1450' West to 950' South and 1450' West from the Southeast corner of Section 10, Township 36 South, Range 2 West, Willamette Meridian; being within the NW NET Section 15, Township 36 South, Range 2 West, Willamette Meridian.
- Progressive diversion is located 105' North and 930' East (being within the SW2 SW2 Section 11, Township 36 South, Range 2 West, Willamette Meridian) to 575' South and 460' East from the SE corner of Section 10, Township 36 South, Range 2 West, Willamette Meridian, being within the NW2 NW2 of Section 14, Township 36 South, Range 2 West, Willamette Meridian.
- Progressive diversion is located 1225! South and 915! West to 1175! South and 1220! West from the SE corner of Section 13, Township 36 South, Range 2 West, Willamette Meridian, being within the NET NET of Section 15, Township 36 South, Range 2 West, Willamette Meridian.

County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data and return the same for

In order to retain its priority, this application must be returned to the State Engander, with a reco-

WITNESS my Land this

वंदय ल

the second secon				applied to beneficial use			
and shall not exceed 1.04 cubic feet per second measured at the point of diversion from the except of its equipalent in case of rotation with other water users from Rogue River, No. 1 Drain Ditch, No. 2 Drain Ditch and slough, being 0.19 cis from Rogue River, 0.14 cfs from Drain Ditch No. 1, 0.56 cfs from Drain Ditch No. 2 and 0.15 cfs from slough.							
The use to which	this water is	to be applied is	irrigation				
			to 1/80	of one cubic foot per			
			ed and shall be fur	•			
diversion of not	to exceed 1	uz acra fest per		irrigated during the			
			and conditions of A				
on Pages 663-664,	Volume 3,	Miscellaneous Re	cords of the State	Engineer and by			
reference made a j		•					
and shall be subject to s	uch reasonab	ble rotation system as	may be ordered by the	proper state officer.			
The priority date	of this permi	it is <u>March</u>	20, 1952	· •••• . ,			
Actual construction	on work shal	ll begin on or before	August 29, 1953	and shall			
thereafter be prosecuted	l with reason	nable diligence and b	e completed on or befor	e.,			
October 1, 1954		••••••					
Complete applica	tion of the w	oater to the proposed	use shall be made on or	before			
October 1, 1955		••••					
				STATE ENGINEER			
Permits for power develo	pment are subject	t to the payment of annual f	ees as provided in sections 1 and	. L chapter 76 Oregon Laws 1933			

66692 Application No. A 01718

Permit No.

PERM

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the

District No.

Division No.

office of the State Engineer at Salem, Oregon, on the 20th day of March

1952, at . 8.00 o'clock ...

Returned to applicant:

Corrected application received:

August 29, 1952

Approved:

Recorded in book No. Permits on page L

CHAS. E. STRICKLER The second secon

Drainage Basin No.

Fees Paid. A