

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Louisa B. McKinnee and Warren A. McKinnee (Name of applicant) of Tillamook Building - Tillamook (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Donaldson Creek (Name of stream), a tributary of Hughey Creek and Wilson River

2. The amount of water which the applicant intends to apply to beneficial use is one fourth (1/4) cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic supply, irrigate 2 1/2 acres of land, fish ponds, operation of hydraulic ram.

4. The point of diversion is located 660 ft. (N. or S.) and - ft. (E. or W.) from the corner of Sections 22, 23, 26 and 27, Township 1 South Range 9 East, Tillamook County, Oregon. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the SW 1/4 of the SW 1/4 of Sec. 22, Twp. 1 South, R. 9 W., W. M. in the county of Tillamook (Give smallest legal subdivision)

R. 9 W., W. M. in the county of Tillamook (E. or W.)

5. The pipe line to be 150 feet in length, terminating in the SW 1/4 of the SW 1/4 of Sec. 23, Twp. 1 South, R. 9 W., W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Smallest legal subdivision)

DESCRIPTION OF WORKS

Diversion Works— For fish ponds, as shown on map.

6. (a) Height of dam 3 feet, length on top 10 feet; material to be used and character of construction waste way around dam (Size and type of dam) (Timber, concrete, etc., number and size of openings)

(b) Description of headgate timber (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Contemplate hydraulic ram with 1 inch intake to ram and unused water will go back into creek with one inch pipe for supply line after leaving ram to place of use. Required lift is approximately 40 feet. Overhead from intake to ram will be approximately 20-foot drop. (Size and type of engine or motor to be used, total head water to be lifted, etc.) (Size and type of dam)

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity, with the exception of small power, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

21482

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 200 ft.; size at intake, 2 inch in.; size at _____ ft. from intake _____ in.; size at place of use 3/4 inch in.; difference in elevation between intake and place of use, 35 ft. Is grade uniform? Yes Estimated capacity, 1/4 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 South	9 W.W.M.	23	SW 1/4 SW 1/4	2 1/2

Starting at the section corner common to Sections 22, 23, 26 and 27, Township 1 South, Range 9 W.W.M., and running thence along said section line approximately 693 feet to a point 25 feet East of the center of Donaldson Creek; thence Northwesterly paralleling and 25 feet East from the center of Donaldson Creek to a point 300 feet North and 131 feet East of said Section corner; thence West 131 feet to the Section line between said Sections 22 and 23; thence South 300 feet to the place of beginning, all in Section 23 Township 1 South of Range 9 W.W.M.

(If more space required, attach separate sheets)

- (a) Character of soil Clay - loam
- (b) Kind of crops raised Lawn and garden, trees, shrubs

Power or Mining Purposes—

- 9. (a) Total amount of power to be developed _____
- (b) Quantity of water to be used for power _____ sec. ft.
- (c) Total fall to be utilized _____ feet.
- (d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____

Tp. _____ R. _____, W. M.

(f) Is water to be returned to any stream? _____

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M.

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19____

(b) for domestic use state number of families to be supplied _____
(Article sections 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 250.00
- 12. Construction work will begin on or before Three months from this date.
- 13. Construction work will be completed on or before One year.
- 14. The water will be completely applied to the proposed use on or before One year.

Louise B McMiner
(Signature of applicant)
Dorinda McMiner

Remarks: (1) Water in the creek is in a ravine - propose to install hydraulic ram to raise the water sufficiently to a small 500-gallon supply tank (in order to obtain steady flow) and then use for domestic use and to water lawn, garden, trees and shrubs on the tract.

(2)(Separate project)

At points shown on map desire to place small dams to check water for a short distance and to construct a spillway over dam. This will allow area on my property for a series of fish ponds.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer with corrections on or before _____ 194_____

WITNESS my hand this _____ day of _____ 194_____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.250 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Donaldson Creek

The use to which this water is to be applied is Domestic, irrigation, fish propagation and operation of hydraulic ram, being 0.01 cfs for domestic, 0.031 cfs for irrigation, 0.154 cfs for fish propagation and 0.055 cfs for operation of hydraulic ram.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 26, 1952

Actual construction work shall begin on or before August 29, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 29th day of August 1952

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, Chapter 34, Oregon Laws 1939.

Application No. 27237
Permit No. 31432

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of May 1952 at 8:00 o'clock A. M.
Returned to applicant:

Corrected application received:

Approved: August 29, 1952

Recorded in book No. 53 of 21432
Permits on page

CAS. E. STEUKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 4

Fees Paid \$