

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. Hasford  
2504 Faithhill Drive, Resburg  
State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River  
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1/30  
cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 0 ft. and 0 ft. from the corner of N.Y. Corner of Lot 4, Block 2 Stewart Meadows, a platted subdivision

being within the S.W. 1/4 of S.E. 1/4 of Sec. 14 Tp. 27 S. R. 6 W. W. M., in the county of Douglas

5. The PIPE LINE to be 160 ft. in length, terminating in the S.E. 1/4 of S.W. 1/4 of Sec. 14 Tp. 27 S. R. 6 W. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top          feet, length at bottom          feet; material to be used and character of construction           
rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate none  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Water is to be pumped by a 1" centrifugal pump powered by a 1/2 h.p. electric motor. Water to be lifted 30 ft  
(Size and type of pump)  
(Size and type of engine or motor to be used, total head water to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

21433

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, 160 ft.; size at intake, 1 1/4" in.; size at 10' ft. from intake 1" in.; size at place of use 1" in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? no Estimated capacity, 1/15 sec. ft.

8. Location of area to be irrigated, or place of use \_\_\_\_\_

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
✓ 27 S.	6 W.	14	S.W. 1/4 of S.E. 1/4	1.25
The land to be irrigated is more explicitly described by the applicant as Lot 4 of Stewart Meadows				

(If more space required, attach separate sheet)

(a) Character of soil sandy loam  
 (b) Kind of crops raised family garden, lawn & shrubs

Power or Mining Purposes—

9. (a) Total amount of power to be developed \_\_\_\_\_ theoretical horsepower.  
 (b) Quantity of water to be used for power \_\_\_\_\_ sec. ft.  
 (c) Total fall to be utilized \_\_\_\_\_ (Head) \_\_\_\_\_ feet.  
 (d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ (Legal subdivision) \_\_\_\_\_ of Sec. \_\_\_\_\_

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_  
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? \_\_\_\_\_ (Yes or No)

(g) If so, name stream and locate point of return \_\_\_\_\_

\_\_\_\_\_, Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_  
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

Application for Domestic Supply  
 To supply the City of \_\_\_\_\_  
 County, having a present population of \_\_\_\_\_  
 and an estimated population of \_\_\_\_\_ in 19 \_\_\_\_\_

(b) for domestic use state number of families to be supplied \_\_\_\_\_  
(Article 12, 13, 14, and 15 in all cases)

11. Estimated cost of proposed works, \$ 250<sup>00</sup>
12. Construction work will begin on or before 6/1/52
13. Construction work will be completed on or before 6/15/52
14. The water will be completely applied to the proposed use on or before 6/15/52

*V. H. Hayford*  
(Signature of applicant)

Remarks: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_ 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_ 19 \_\_\_\_\_

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.003 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 26, 1952

Actual construction work shall begin on or before August 29, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 29th day of August, 1952.

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 22240  
Permit No. 21483

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of May 1952, at 8:00 o'clock A.M.  
Returned to applicant:

Corrected application received:

Approved:

August 29, 1952

Recorded in book No. 53 of

Permits on page 21433

THAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 16 Page 302

Fees Paid \$ 15.00