

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Maurice V. Marquiss of Rte 4, Box 1115, Roseburg, Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Lookingglass Creek, a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.39 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The points of diversion are located 5550.53' W, 2388.8 ft and 5280.51' W, 1860.9 ft from the corner of Sec. 33, T27S, R7W, W.M.

being within the 33 of Sec. 33, Tp. 27S

R. 7W, W. M., in the county of Douglas

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction ...

(b) Description of headgate ...

(c) If water is to be pumped give general description Case V.A. Tractor for Power, 2 inch centrifugal pump, total head 30 ft.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

21444

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, x 1500 ft.; size at intake, x 4 in.; size at ft. from intake in.; size at place of use x 3 1/4 in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? yes Estimated capacity, 0.50 sec. ft.

8. Location of area to be irrigated, or place of use Irrigated

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
275	7W	33	NE ⁴ SE ⁴	4.0
275	7W	33	SE ⁴ SE ⁴	3.7
275	7W	33	SW ⁴ SE ⁴	16.0
275	7W	33	NW ⁴ SE ⁴	7.6
Total				31.3

Following is description of land owned by applicant in this T-ship:
 S^{1/2} 1 & 2 - S.W.⁴ of SE⁴ - E² of NW⁴ of SE⁴ - Sec. 33 TP 27 & R 7 west T 7N.

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam
 (b) Kind of crops raised Hay & grain - Permanent Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)

Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.39 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Lookingglass Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 2, 1952

Actual construction work shall begin on or before August 29, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 29th day of August, 1952

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 27258

Permit No. 21444

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of June 1952, at 8:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

August 29, 1952

Recorded in book No. 53 of

21441

Permits on page

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 16 Page 360

Fees Paid \$17.30