

APPLICATION FOR PERMIT

SPECIAL

To appropriate the Public Waters of the State of Oregon

I, Ben J. Germaquet, of Route #1, Box #32, Forest Grove, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Tualatin River, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.186 cubic feet per second.

\*\*3. The use to which the water is to be applied is irrigation

4. The point of diversion is located ft. and ft. from the corner of N30°30'E 830 feet from the southwest corner of Section 8, T1S, R3W, W.M.

being within the SW 1/4 SW 1/4 & NW 1/4 SW 1/4 of Sec. 8, Tp. 1S, R. 3W, W. M., in the county of Washington

5. The pipeline to be in length, terminating in the NW 1/4 SW 1/4 of Sec. 8, Tp. 1S, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 5 horsepower electric centrifugal pump 10 - 10 gpm sprinklers

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

**8. Location of area to be irrigated, or place of use**

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1S	3W	8	NW $\frac{1}{4}$ SW $\frac{1}{4}$	9.3
1S	3W	7	NE $\frac{1}{4}$ SE $\frac{1}{4}$	1.5
1S	3W	8	SW $\frac{1}{4}$ SW $\frac{1}{4}$	4.1
			Total	14.9

(If more space required, attach separate sheet)

(a) Character of soil .....  
 (b) Kind of crops raised .....

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (Head)  
 (d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
 (Legal subdivision)  
 Tp. ...., R. ...., W. M. ....  
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
 (Yes or No)  
 (g) If so, name stream and locate point of return .....  
 Sec. ...., Tp. ...., R. ...., W. M. ....  
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....  
 (i) The nature of the mines to be served .....

Application for Domestic Supply

11. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Under questions 11, 12, 13, and 14 in all cases)

- ✓ 11. Estimated cost of proposed works, \$ \_\_\_\_\_
- ✓ 12. Construction work will begin on or before \_\_\_\_\_ *Completed*
- ✓ 13. Construction work will be completed on or before \_\_\_\_\_
- ✓ 14. The water will be completely applied to the proposed use on or before \_\_\_\_\_

*Ben J. Gormiguet*  
(Signature of applicant)

Remarks:

Property Description. Part of Sections 7 and 8, T1S, R3W, W.M., and described as follows: Beginning at a point marked "A-11" in the county road, said point being 10 chains east of the southwest corner of Section 8 and running thence West 3.40 chains; thence N0°45'W 9.75 chains to the center of the Tualatin River; thence N13°E 2 chains; thence North 27°West 8 chains; thence N17½°W 3 chains; thence N50°W 8 chains to the east line of the A. T. Smith D.L.C. in T1S, R3W, W.M.; thence N39°E on said claim line 8 chains; thence S77°45'E 5.52 chains; thence S62°E 5 chains; thence S55°E 4 chains to the center of the county road; thence southerly along the center-line of said county road 27.99 chains to the place of beginning, save and excepting that tract conveyed to Washington County by deeds recorded in volume 131, page 522, and volume 141, page 538, and that tract conveyed to B. G. Brimson by deed recorded in volume 242, page 417 of Washington County, Oregon, Deed Records.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.186 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Tualatin River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 12, 1952

Actual construction work shall begin on or before August 29, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 29th day of August, 1952

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 76, Oregon Laws 1933.

Application No. 27319  
Permit No. 21481

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of June, 1952, at 12:00 o'clock A.M. Returned to applicant:

Corrected application received:

Approved:

August 29, 1952

Recorded in book No. 53 of

Permits on page 21481

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 5/E

Fees Paid \$ 15.00