*AFFERCASSOS FOR PERSON

The Control of the Same of the Same

The transfer of the former of the forest of the

Ø

To Apprepriate the Public Waters of the State of Oregon

	Toster					
Nate ofOragon, do hereby make application for a permit to appropriate the						
ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:						
If the applicant is a corporation, give date and place of incorporation						
1. The source of t	the proposed appropriation is South Santiam River. (Name of streem)					
	, a tributary of Willamette River					
2. The amount of	water which the applicant intends to apply to beneficial use is .64					
ibic feet per second	(If water to to be used from more than one source, give quantity from each)					
**3. The use to whi	ish she suggest to the complete. Thrication					
ov 2 2	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)					
4. The point of d	liversion is located					
orner of Sprinkler i	irrigation by means of portable purning equipment from South Santlan and er within SWA offEA, SEA of TEA and TEA of TEA of Section 26, T. 13 S, age to be irrigated consists of 10 acres in SWA of TEA, 36 acres in					
ection 26, Townshi	in NW2 of SE4, 2.8 acros in NE2 of SE2 and 1 acre in NE2 of NE2 ip 13 S., R. 1 E. W. M.					
- 	t is on bolt on the North side of a yew anchor post and is					
s. 82° W. 7.60 cha	ains from the Southeast corner of the Northeast 2 of Section 26					
S. 82° W. 7.60 cha	(If preferable, give distance and bearing to section corner) ains from the Southeast corner of the Northeast 2 of Section 26 Is more than one point of diversion, each must be described. Use separate sheet if necessary)					
in T. 13 S. (It there) eing within the	(If preferable, give distance and bearing to section corner) ains from the Southeast corner of the Northeast 2 of Section 26 is more than one point of diversion, each must be described. Use separate sheet if necessary) Let the the the section of Sec, Tp, (Give smallest legal subdivision)					
in T. 13 S. (If there) eing within the	(If preferable, give distance and bearing to section corner) ains from the Southeast corner of the Northeast 2 of Section 26 Is more than one point of diversion, each must be described. Use separate sheet if necessary)					
in T. 13 S. (It there) eing within the	(If preferable, give distance and bearing to section corner) ains from the Southeast corner of the Northeast 2 of Section 26 is more than one point of diversion, each must be described. Use separate sheet if necessary) Let the the the section of Sec, Tp, (Give smallest legal subdivision)					
in T. 13 S. (If there) eing within the	(If preferable, give distance and bearing to section corner) ains from the Southeast corner of the Northeast 2 of Section 26 Is more than one point of diversion, each must be described. Use separate sheet if necessary) Let the section of Sec. Tp. (Give smallest legal subdivision) in the county of Linn main_pipe_line to be 200 first (Miles or feet)					
in T. 13 S., R. leing within the	(If preferable, give distance and bearing to section corner) ains from the Southeast corner of the Northeast 2 of Section 26 is more than one point of diversion, each must be described. Use separate sheet if necessary) Let a constant the county of Linn (N or S)					
in T. 13 S., (It mark) eing within the, W. M., (E. or W.) 5. The	(If preferable, give distance and bearing to section corner) ains from the Southeast corner of the Northeast 2 of Section 26 Is more than one point of diversion, each must be described. Use separate sheet if necessary) I. E					
in T. 13 S., R. in the ing within the income within th	(If preferable, give distance and bearing to section corner) ains from the Southeast corner of the Northeast 1 of Section 26 Is more than one point of diversion, each must be described. Use separate sheet if necessary) I E Of Sec, Tp (Give smallest legal subdivision) in the county of Linn main pipe line (Main dich, can'll or pipe line) of Sec (Miles or feet) n the SE1 of IE1 and SE1 of IE2 of Sec (Smallest legal subdivision) M. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS					
in T. 13 S., R. leing within the	(If preferable, give distance and bearing to section corner) ains from the Southeast corner of the Northeast 2 of Section 26 is more than one point of diversion, each must be described. Use separate sheet if necessary) Let the section of Sec. Tp. (Nors) in the county of Linn main pipe line to be confident (Miles or feet) n the SE2 of IE2 and SE2 of NE2 of Sec. 26 Tp. 13 Sec. (Smallest legal subdivision) M. the proposed location being shown throughout on the accompanying map.					
in T. 13 S., R. leing within the	(If preferable, give distance and bearing to section corner) ains from the Southeast corner of the Northeast 1 of Section 26 Is more than one point of diversion, each must be described. Use separate sheet if necessary) I E Of Sec, Tp (Give smallest legal subdivision) in the county of Linn main pipe line (Main dich, can'll or pipe line) of Sec (Miles or feet) n the SE1 of IE1 and SE1 of IE2 of Sec (Smallest legal subdivision) M. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS					
in T. 13 S., R. leing within the	ains from the Southeast corner of the Northeast 2 of Section 26 Is more than one point of diversion, each must be described. Use separate sheet if necessary) I. E					
in T. 13 S., (R.) in T. 13 S., (R.) eing within the, W. M., (E. or W.) 5. The	(If preferable, give distance and bearing to section corner) ains from the Southeast corner of the lightheast of Section 26 If more than que point of diversion, each must be described. Use separate sheet if necessary) Of Sec. ,Tp. (Nors) in the county of Linn Tain pipe ling to be CO feet (Miles or feet) In the SET of IET and SET of IET of Sec. 26 Tp. 13 Sec. (Nors) (Smallest legal subdivision) M. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS dam feet, length on top feet, length at bottom material to be used and character of construction (Loose rock, concrete, masonry, wasteway over or around dam) of headgate (Tumber, concrete, etc. number and size of openings)					
in T. 13 S., R	ains from the Southeast corner of the Mertheast of Section 26 Is more than ope point of diversion, each must be described. Use separate sheet if necessary) I E of Sec					

^{*}A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity with the exception of municipalities, must be made to the Hydroelectric Commission Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, 0-63-4M

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

	21489
A 10 10 mppy and one of	
County, hooling a pro	ional population of
	in 19
(b) If for democile use state number	of families to be supplied
	E. M. S. and H. L. off carry
11. Estimated met of proposed works, &.16	•
Ik Construction work will begin on or be	
13. Construction work will be completed o	•
14. The water will be completely applied to	o the proposed use on or before October 1, 1955
de r beregelings de de seu seu reconstruction en entre en contraction de la contraction del contraction de la contraction de la contraction de la contracti	Claudholderson & Margart L. L.
	Muddettiery & Margaret & Lake
	by Sweldthetanay
Remarks:	
thence N.O12 E. 5.37 chains to the corner between Sections 25 and 26; feet to an iron pipe on the # sections; thence S.8°29'E. 22.2 feet to along the center line N.21°31'E. 12 beginning; thence North 33 feet to the Northwest corner of the Souther a point where said # line crosses if creek to the right of wa, of the Northwest to the right of wa, of the Northwest corner of the Souther a point where said # line crosses if the Northwest to the right of wa, of the Northwest to the right of wa, of the Northwest corner to the Souther to the right of wa, of the Northwest corner to th	on bolt in the center line of the county road; place of beginning. ALSO Beginning at the in T.13 i., R. IE.; and running themse lost 908.26 ion line; thence S.612 W. 420.4 feet to ar iron the center line of the county road; thence 229.4 feet to a point south of the place of the place of beginning. ALSO Beginning at ast i of Section 26; thence East 44 rods to Calston Crack; thence Southeast along said orth line of the Santiam Highway; thence are right of way to the place of beginning.
	······································
	······································
STATE OF OREGON, \\ 88.	
County of Marion,	
This is to certify that I have examined th	e foregoing application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority, this applic	ation must be returned to the State Engineer, with correc-
tions on or before	
	y of
	.g v _j

STATE ENGINEER

creafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 24. Complete application of the water to the proposed use shall be made on or before October 1, 19	sem, or its equivalent in case of rotation with other water users, from South Santism River						
If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot and or its equivalent for each acre irrigated and shall be further limited to a diversion not to exceed 2½ acre feet per acre for each acre irrigated during the irrigination of each year, I shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is June 16, 1952 Actual construction work shall begin on or before hugust 29, 1953 and areafter be prosecuted with reasonable diligence and be completed on or before October 1, 19		***************	.,,	***************************************			
not to exceed 2½ acre feet per acre for each acre irrigated during the irrigated of each year, asson of each year, shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is	The use to which this water is	to be applied i	s irr	igation			
shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is							
shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is							
shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is	*				luring the irrigat		
The priority date of this permit is June 16, 1952 Actual construction work shall begin on or before August 29, 1953 and streamer and be prosecuted with reasonable diligence and be completed on or before October 1, 19 24. Complete application of the water to the proposed use shall be made on or before October 1, 19	ason of each year,		•••••	······································			
The priority date of this permit is June 16, 1952 Actual construction work shall begin on or before August 29, 1953 and streafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 24. Complete application of the water to the proposed use shall be made on or before October 1, 19			•••••				
The priority date of this permit is June 16, 1952 Actual construction work shall begin on or before August 29, 1953 and streafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 24. Complete application of the water to the proposed use shall be made on or before October 1, 19		•••••	••••••••••	•••••••••••			
The priority date of this permit is June 16, 1952 Actual construction work shall begin on or before August 29, 1953 and streafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 24. Complete application of the water to the proposed use shall be made on or before October 1, 19				······································			
The priority date of this permit is June 16, 1952 Actual construction work shall begin on or before August 29, 1953 and streafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 24. Complete application of the water to the proposed use shall be made on or before October 1, 19			•••••	•••••			
The priority date of this permit is June 16, 1952 Actual construction work shall begin on or before August 29, 1953 and streafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 24. Complete application of the water to the proposed use shall be made on or before October 1, 19				•••••			
The priority date of this permit is June 16, 1952 Actual construction work shall begin on or before August 29, 1953 and streafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 24. Complete application of the water to the proposed use shall be made on or before October 1, 19		•••••	••••	•••••			
Actual construction work shall begin on or before August 29, 1953 and streafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 24. Complete application of the water to the proposed use shall be made on or before October 1, 19	•	_	_		proper state officer.		
reafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 24. Complete application of the water to the proposed use shall be made on or before October 1, 19							
Complete application of the water to the proposed use shall be made on or before October 1, 19	Actual construction work shall	ll begin on or	before ^{Aug}	mst 29, 1953	and sh		
Complete application of the water to the proposed use shall be made on or before October 1, 19 WITNESS mu hand this 29tin day of August 29tin day of August 29tin day of August 29tin day of 29tin day	reafter be prosecuted with reason	nable diligence	and be comple	eted on or before	October 1, 19.24.		
WITNESS my hand this 23th day of August 23 22 24	Complete application of the w	ater to the pro	posed use shall	be made on or l	before October 1, 1955		
1111 100 mg 1500 000 000 000 000 000 000 000 000 00	WITNESS my hand this	29tii day	of August		19 52		
WITNESS my hand this 29th day of August 1952			1	lu =	STATE ENGINEE		

Total Frank A

65710 Application No.

Permit No.

PERMIT

TO APPROPRIATE THE PUBI WATERS OF THE STATE OF OREGON

This instrument was first received office of the State Engineer at Salem, on the 16th day of June

15,52, at B.OD o'clock A. M

Returned to applicant:

Approved:

August 29, 1952

Recorded in book No.

21489 Permits on page STRI JKLIN CHAS. E.